

Empire Wind References

- Adams, T.P., R.G. Miller, D. Aleynik, and M.T. Burrows. 2014. Offshore marine renewable energy devices as stepping stones across biogeographical boundaries. *Journal of Applied Ecology* 51:330–338, <https://doi.org/10.1111/1365-2664.12207>.
- A.I.S. 2019. Protected Species Observer 90-Day Interim Report Dina Polaris Report. Prepared by A.I.S., Inc. July 10. 2019.
- Allen, A.N., J.J. Schanze, A.R. Solow, and P.L. Tyack. 2014. Analysis of a Blainville's beaked whale's movement response to playback of killer whale vocalizations. *Marine Mammal Science*, 30(1): 154-168. <https://doi.org/10.1111/mms.12028>
- Alpine Ocean Seismic Survey Inc. 2018. Protected Species Observer Report for Ocean Researcher Interim Report I.
- Andersson, M.H. and Öhman, M.C., 2010. Fish and sessile assemblages associated with wind-turbine constructions in the Baltic Sea. *Marine and Freshwater Research*, 61(6), pp.642-650.
- ANSI (American National Standards Institute). 1986. Methods of Measurement for Impulse Noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- ANSI. (American National Standards Institute). 1995. Bioacoustical Terminology (ANSI S3.20- 1995). Acoustical Society of America, Woodbury, NY.
- ANSI. (American National Standards Institute). 2005. Measurement of Sound Pressure Levels in Air (ANSI S1.13-2005). Acoustical Society of America, Woodbury, NY.
- ANSI. (American National Standards Institute). 2013. Acoustic Terminology (ANSI S1.1-2013). New York: Acoustical Society of America.
- APEM and Normandeau Associates. 2018. Digital aerial baseline survey of marine wildlife in support of offshore wind energy: Summer 2016 through spring 2017 annual report. Report prepared for New York State Energy Research and Development Authority (NYSERDA) by Normandeau Associates, Inc. and APEM Ltd. October 2018. 133 pp.
- Astrup, J. 1999. Ultrasound detection in fish - a parallel to the sonar-mediated detection of bats by ultrasound sensitive insects? *Comparative Biochemistry and Physiology, Part A*, 124: 19–27. [https://doi.org/10.1016/S1095-6433\(99\)00093-8](https://doi.org/10.1016/S1095-6433(99)00093-8)
- Astrup, J., and B. Mohl. 1993. Detection of Intense Ultrasound by the Cod *Gadus Morhua*. *Journal of Experimental Biology*, 182: 71–80. <https://doi.org/10.1121/1.421612>
- Au, D. W. K., and W. L. Perryman. 1985. Dolphin habitats in the eastern tropical Pacific. *Fishery Bulletin*, 83: 623– 643.
- Au, W. W. L. 1993. *The Sonar of Dolphins*. New York: Springer-Verlag.

Au, W. W. L., R. W. Floyd, R. H. Penner, & A. E. Murchison. 1974. Measurement of echolocation signals of the Atlantic bottlenose dolphin, *Tursiops truncatus* Montagu, in open waters. Journal of the Acoustical Society of America, 56(4): 1280–1290.
<https://doi.org/10.1121/1.1903419>

Au, W.W.L. and M.C. Hastings. 2008. *Principles of Marine Bioacoustics*. Modern Acoustics and Signal Processing.

Austin, M.E. and Z. Li. 2016. *Marine Mammal Monitoring and Mitigation During Exploratory Drilling by Shell in the Alaskan Chukchi Sea, July–October 2015: Draft 90-day report*. In: Ireland, D.S. and L.N. Bisson (eds.). Underwater Sound Measurements. LGL Rep. P1363D. Report from LGL Alaska Research Associates Inc., LGL Ltd., and JASCO Applied Sciences Ltd. For Shell Gulf of Mexico Inc, National Marine Fisheries Service, and US Fish and Wildlife Service. 188 pp + appendices.

Bailey, H., B. Senior, D. Simmons, J. Rusin, G. Picken, and P. M. Thompson. 2010. Assessing underwater noise levels during pile-driving at an offshore windfarm and its potential effects on marine mammals. Marine Pollution Bulletin 60:888-897.

<https://doi.org/10.1016/j.marpolbul.2010.01.003>

Baird, R.W., D.L. Webster, G.S. Schorr, D.J. McSweeney, and J. Barlow. 2008. Diel variation in beaked whale diving behavior. Marine Mammal Science 24(3): 630-642. DOI: 10.1111/j.1748-7692.2008.00211.x

Barkaszi, M.J. and C.J. Kelly. 2019. Seismic survey mitigation measures and protected species observer reports: synthesis report. U.S. Department of the Interior, Bureau Ocean Energy Management, Gulf of Mexico OCS Region, New Orleans, LA. Contract No.: M17PD00004. OCS Study BOEM 2019

Barkaszi, M.J., M. Butler, R. Compton, A. Unietis, and B. Bennet. (2012). Seismic survey mitigation measures and marine mammal observer reports. OCS Study BOEM 2012-015, Bureau of Ocean Energy Management, 51 pp.

Barlow, J., G.S. Schorr, E.A. Falcone, and D. Moretti. 2020. Variation in dive behavior of Cuvier's beaked whales with seafloor depth, time-of-day, and lunar illumination. Marine Ecology Progress Series 644: 199-214. DOI: <https://doi.org/10.3354/meps13350>

Beauchamp, G., and B. Livoreil. 1997. The effect of group size on vigilance and feeding rate in spice finches (*Lonchura punctulata*). Canadian Journal of Zoology, 75(9): 1526-1531.
<https://doi.org/10.1139/z97-77>

Bednekoff, P. A., and S. L. Lima. 1998. Randomness, chaos and confusion in the study of antipredator vigilance. Trends in Ecology & Evolution, 13(7): 284-287.
[https://doi.org/10.1016/S0169-5347\(98\)01327-5](https://doi.org/10.1016/S0169-5347(98)01327-5)

Biedron,I. 2009. North Atlantic Right Whale (Eubalaena Glacialis) Acoustic Behavior And Feeding In Cape Cod Bay, Massachusetts. A Thesis Presented to the Faculty of the Graduate

School of Cornell University In Partial Fulfillment of the Requirements for the Degree of Master of Science

Bejder, L., A. Samuels, H. Whitehead, H. Finn, & S. Allen. 2009. Impact assessment research: Use and misuse of habituation, sensitisation and tolerance in describing wildlife responses to anthropogenic stimuli. *Marine Ecology Progress Series* 395: 177-185.
<https://doi.org/10.3354/meps07979>

Bejder, L., A. Samuels, H. Whitehead, N. Gales, J. Mann, R. Connor, et al. 2006. Decline in relative abundance of bottlenose dolphins exposed to long-term disturbance. *Conservation Biology* 20 (6): 1791-1798. <https://doi.org/10.1111/j.1523-1739.2006.00540.x>

Bellmann M. A., J. Brinkmann., A. May, T. Wendt, S. Gerlach and P. Remmers. 2020. "Underwater noise during the impulse pile-driving procedure: Influencing factors on pile-driving noise and technical possibilities to comply with noise mitigation values." Supported by the Federal Ministry for the Environment, Nature Conservation and Nuclear Safety (Bundesministerium für Umwelt, Naturschutz und nukleare Sicherheit (BMU)), FKZ UM16 881500. Commissioned and managed by the Federal Maritime and Hydrographic Agency (Bundesamt für Seeschifffahrt und Hydrographie (BSH)), Order No. 10036866. Edited by the itap GmbH.

Bellmann, M. A. 2019. Results from noise measurements in European offshore wind farms. Presentation at Orsted Underwater Noise Mini Workshop.in Orsted Underwater Noise Mini Workshop, Washington, D.C.

Bellmann, M.A. 2014. Overview of existing Noise Mitigation Systems for reducing Pile Driving Noise. InterNoise 2014, Melbourne, Australia. 11 pp.

Betke, K. 2008. *Measurement of Wind Turbine Construction Noise at Horns Rev II*. Report 1256-08-a-KB. Technical report by Institut für technische und angewandte Physik GmbH (ITAP) for BioConsultSH, Husum, Germany. 30 p.
<https://tethys.pnnl.gov/sites/default/files/publications/Betke-2008.pdf>.

Bettridge, S., C.S. Baker, J. Barlow, P.J. Clapham, M. Ford, D. Gouveia, et al. 2015. Status review of the humpback whale (*Megaptera novaeangliae*) under the Endangered Species Act. NOAA Technical Memorandum NMFS-SWFSC-540, National Marine Fisheries Service: 263.

Bishop, M.J., Mayer-Pinto, M., Airoldi, L., Firth, L.B., Morris, R.L., Loke, L.H., Hawkins, S.J., Naylor, L.A., Coleman, R.A., Chee, S.Y. and Dafforn, K.A., 2017. Effects of ocean sprawl on ecological connectivity: impacts and solutions. *Journal of Experimental Marine Biology and Ecology*, 492, pp.7-30.

Blackwell, S. B., C. S. Nations, T. L. McDonald, A. M. Thode, D. Mathias, K. H. Kim, C. R. Greene, Jr., and A. M. Macander. 2015. Effects of airgun sounds on bowhead whale calling rates: evidence for two behavioral thresholds. *PLoS ONE* 10 (6): e0125720.
<https://doi.org/10.1371/journal.pone.0125720>

Blackwell, S.B., C.R. Greene, Jr., and W.J. Richardson. 2004a. Drilling and operational sounds from an oil production island in the ice-covered Beaufort Sea. *Journal of the Acoustical Society of America* 116(5): 3199-3211. <https://doi.org/10.1121/1.1806147>.

Blackwell, S.B., J.W. Lawson, and M.T. Williams. 2004b. Tolerance by ringed seals (*Phoca hispida*) to impact pipe- driving and construction sounds at an oil production island. *Journal of the Acoustical Society of America* 115(5): 2346-2357. <https://doi.org/10.1121/1.1701899>.

Blecha, F. 2000. Immune system response to stress. Pages 111-122 in G.P. Moberg & J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.

Boehlert, G. and Gill, 2010. Environmental and Ecological Effects of Ocean Renewable Energy Development: A Current Synthesis. Oceanographic Society DOI:10.5670/OCEANOOG.2010.46

Bolle, A., De Winter, J., Goossens, W., Haerens, P. and Dewaele, G., 2012, August. Scour monitoring around offshore jackets and gravity based foundations. In *Proceedings of the Sixth International Conference on Scour and Erosion, ICSE* (Vol. 6).

BOEM. 2019. Guidelines for Providing Information on Marine Mammals and Sea Turtles for Renewable Energy Development on the Atlantic Outer Continental Shelf Pursuant to 30 CFR Part 585 Subpart

Booman, C., Dalen, J., Leivestad, H, Levsen, A., van der Meer, T. and Toklum, K. 1996. Effects from airgun shooting on eggs, larvae, and fry. Experiments at the Institute of Marine Research and Zoological Laboratorium, University of Bergen. (In Norwegian. English summary and figure legends). *Fisk og havet* No. 3. 83 pp.

Bowles, A.E., M. Smulthea, B. Wursig, D.P. DeMaster, and D. Palka. 1994. Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island feasibility test. *Journal of the Acoustical Society of America* 96 (4): 2469-2484.
<https://doi.org/10.1121/1.410120>

Boyd, I., D. Claridge, C. Clark, & B. Southall. 2008. BRS 2008 Preliminary Report. U.S. Navy NAVSEA PEO IWS 5, ONR, U.S. Navy Environmental Readiness Division, NOAA, SERDP.

Brandt, M. J., A. Diederichs, K. Betke, and G. Nehls. 2011. Responses of harbour porpoises to pile driving at the Horns Rev II offshore wind farm in the Danish North Sea. *Marine Ecology Progress Series* 421:205-216. <https://doi.org/10.3354/meps08888>

Brandt, M.J., Dragon, A.C., Diederichs, A., Bellmann, M.A., Wahl, V., Piper, W., Nabe-Nielsen, J. and Nehls, G., 2018. Disturbance of harbour porpoises during construction of the first seven offshore wind farms in Germany. *Marine Ecology Progress Series*, 596: 213-232.

Brandt, M.J., Dragon, A.C., Diederichs, A., Schubert, A., Kosarev, V., Nehls, G., Wahl, V., Michalik, A., Braasch, A., Hinz, C. and Ketzer, C., 2016. Effects of offshore pile driving on

harbour porpoise abundance in the German Bight. Assessment of noise effects. Report by BioConsult SH, IBL Umweltplanung GmbH, and Institute of Applied Ecology (IfAO).

Brandt, M.J., S. Hansen, A. Diederichs, and G. Nehls. 2014. Do man-made structures and water depth affect the diel rhythms in click recordings of harbor porpoises (*Phocoena phocoena*)?. *Marine Mammal Science* 30(3): 1109-1121. <https://doi.org/10.1111/mms.12112>

Branstetter, B. K., and J. J. Finneran. 2008. Comodulation masking release in bottlenose dolphins (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 1: 625–633. <https://doi.org/10.1121/1.2918545>

Branstetter, B.K., J.S. Trickey, and H. Aihara. J.J. Finneran, and T.R. Liberman. 2013. Time and frequency metrics related to auditory masking of a 10 kHz tone in bottlenose dolphins (*Tursiops truncatus*). *J. Acoust. Soc. Am.* 134 (6):4556- 4565. <https://doi.org/10.1121/1.4824680chole>

Branstetter, B.K., K.L. Bakhtiari, J.S. Trickey, and J.J. Finneran. 2016. Hearing mechanisms and noise metrics related to auditory masking in bottlenose dolphins (*Tursiops truncatus*). p. 109-116 In: A.N. Popper and A. Hawkins (eds.), *The effects of noise on aquatic life II*. Springer, New York, NY. 1292 p.

Brasseur, S.M.J.M., G. Aarts, E. Meesters, T. van Polanen Petel, E. Dijkman, J. Cremer, and P. Reijnders. 2012. Habitat preferences of harbour seals in the Dutch coastal area: analysis and estimate of effects of offshore wind farms. Report C043-10.

Brenowitz, E.A. 2004. Plasticity of the adult avian song control system. *Annals of the New York Academy of Science* 1016: 560–585. <https://doi.org/10.1196/annals.1298.006>

Brown, D.M., J. Robbins, P.L. Sieswerda, R. Schoelkopf, and E.C.M. Parsons. 2018. “Humpback whale (*Megaptera novaeangliae*) sightings in the New York-New Jersey Harbor Estuary.” *Marine Mammal Science* 34(1):250-257.

Brown, D.M., P.L. Sieswerda, and E.C.M. Parsons. 2019. “Potential encounters between humpback whales

Brown, D., Robbins, J., Sieswerda, P., Ackerman, C., Aschettino, J., Barco, S., . . . Wiedenmann, J. 2022. Site fidelity, population identity and demographic characteristics of humpback whales in the New York Bight apex. *Journal of the Marine Biological Association of the United Kingdom*, 102(1-2), 157-165. doi:10.1017/S0025315422000388

Bruintjes R, Lynton-Jenkins J, Jones JW, Radford AN, 2016. Out-group threat promotes within-group affiliation in a cooperative fish. *Am Nat* 187:274–282.

Brumm, H. 2004. Causes and consequences of song amplitude adjustment in a territorial bird: a case study in nightingales. *Anais da Academia Brasileira de Ciências* 76(2): 289-295. <https://doi.org/10.1590/S0001-37652004000200017>

Buyse, J., Hostens, K., Degraer, S. and De Backer, A., 2022. Offshore wind farms affect the spatial distribution pattern of plaice *Pleuronectes platessa* at both the turbine and wind farm scale. *ICES Journal of Marine Science*, 79(6), pp.1777-1786.ter Hofstede *et al.*, 2022).