HEXIMA LIMITED

ASX ANNOUNCEMENT



29 April 2022

SHARECAFE SMALL CAP "HIDDEN GEMS" WEBINAR

MELBOURNE, AUSTRALIA (29 April 2022): Hexima Limited (ASX:HXL) a clinical stage biotechnology company developing pezadeftide (formerly HXP124), a potential new prescription topical treatment for onychomycosis, is pleased to announce its participation in the ShareCafe Small Cap "Hidden Gems" Webinar, to be held Friday 29 April 2022 from 12:30pm AEST / 10:30am AWST.

Managing Director & CEO, Mr Michael Aldridge will provide an overview of the Company's clinical stage, anti-infective development program. Hexima's lead product candidate, pezadeftide applied in a topical formulation, is a potential new prescription treatment for toenail fungal infections.

This webinar can be viewed live via Zoom and will provide viewers the opportunity to hear from, and engage with, a range of ASX-listed leading micro/mid cap companies.

To access further details of the event and to register at no cost, please copy and paste the following link into your internet browser:

https://us02web.zoom.us/webinar/register/9116505134210/WN_amL0UKucST6hkC3zvU-1Lw

A recorded copy of the webinar will be made available following the event.

A copy of the investor presentation to be delivered during the webinar is attached.

This announcement is authorised for release to ASX by Michael Aldridge, Managing Director & CEO. *Enquiries:*

Dr Nicole van der Weerden Chief Operating Officer n.vanderweerden@hexima.com.au

To join our email database and receive company announcements please click here

ABOUT HEXIMA

Hexima (ASX:HXL) is a clinical stage, anti-infectives focused biotechnology company engaged in the research and development of defensin peptides for applications as human therapeutics. Our lead product candidate, pezadeftide (HXP124) applied in a topical formulation, is a potential new prescription treatment for toenail fungal infections (or onychomycosis). Hexima is currently conducting an Australian phase IIb clinical trial testing pezadeftide for the treatment of onychomycosis. Hexima holds granted, long-life patents protecting pezadeftide in major markets globally. For additional information please visit www.hexima.com.au. You can also find us on Twitter and LinkedIn or email us at info@hexima.com.au.

HEXIMA LIMITED

ASX ANNOUNCEMENT



ABOUT ONYCHOMYCOSIS

Onychomycosis is a common fungal nail infection in the nail plate and nail bed. Prevalence of onychomycosis has been estimated at 10% (Japan) and 13.8% (USA).¹ Onychomycosis is an infectious disease and is difficult to treat with a significant healthcare burden. It causes pain in approximately 50% of patients and in the US results in close to four doctor's visits annually for treatment.² Onychomycosis impacts a patient's quality of life with 51% unable to wear the shoes they would prefer and 66% distressed by the appearance of their nail.³ It is important to treat onychomycosis as the fungi in the nail can be a source of secondary infection in other areas of the body or infect family members and spread to the environment.

Onychomycosis is the most common nail disorder accounting for 50% of all nail diseases. It is particularly prevalent in older, diabetic and immune compromised populations.² The global market for treatments for onychomycosis was approximately US\$3.7 billion in 2018.⁴

TREATMENT OF ONYCHOMYCOSIS

Approved prescription therapies for onychomycosis comprise either oral or topical medications. Oral medications are associated with adverse effects such as nausea, taste disturbance, and flatulence. They can also severely impact liver function and so often require liver function monitoring. The clinical and commercial success of topical medications has been constrained by an inability of anti-fungal agents to effectively penetrate the human nail and the lack of sufficient anti-fungal activity when in contact with the target pathogen.⁵

HEXIMA'S APPROACH

Hexima embraces the significant challenge of new product development for onychomycosis. Hexima has taken a very different approach, building on its many years of ground-breaking research into the evolutionary tools that plants use naturally to fight fungal infections. The result is pezadeftide, a new topical treatment for onychomycosis, with a novel and powerful fungicidal mode of action.

Historically, therapies for onychomycosis have generally focused on new forms of the traditional classes of antifungal agents or improving the topical delivery of systemic antifungal agents. Hexima's technology is a completely novel approach with fundamental differences that address the well-documented limitations of these traditional technologies.

Pezadeftide penetrates the nail more effectively than existing topical treatments and so can more readily target the fungal cells which proliferate in the nail bed. It is also more effective at rapidly killing fungal cells on contact. Together, these properties mean that pezadeftide has the potential to resolve the fungal infection more quickly, leading to faster and more complete clearing of the infected nail area. Consequently, pezadeftide offers the promise to capture significant value in a large and poorly served market.

¹ Tatchibana et al., Journal of Fungi, 2017

² Joseph et al, Supplement to Podiatry Today, 2013

³ Milobratovic et al., Mycoses, 2013

⁴ Persistence Market Research 2018

⁵ Wang et al., Onychomycosis: Diagnosis and Effective Management, 2018

HEXIMA LIMITED (ASX:HXL)

A game-changing treatment for onychomycosis



DISCLAIMER

Summary information

This presentation has been prepared by Hexima Ltd and its subsidiaries (collectively "Hexima"). The information in this presentation is of general background in summary form which is current as of April 2022 and does not purport to be complete. It does not contain all information relevant or necessary for an investment decision or that would be required to be included in a prospectus under the Corporations Act 2001 (Cth) (Corporations Act). The information in this presentation is subject to change without notice. No representation or warranty, express or implied, is made by Hexima or any of its advisers as to the accuracy, adequacy or reliability of any information contained in this presentation.

Not an offer

This presentation is not a prospectus or any other offering document under Australian law or any other law (and will not be lodged with ASIC). This presentation is for information purposes only and is not an invitation or offer of securities for subscription, purchase or sale in any jurisdiction. The distribution of this presentation outside Australia may be restricted by law. Any recipient of this presentation who is outside Australia must seek advice on and observe any such restrictions. This presentation may not be reproduced or published, in whole or in part, for any purpose without the prior written permission of Hexima. An investment in securities is subject to known and unknown risks, some of which are beyond the control of Hexima, including possible loss of income and principal invested. Hexima does not guarantee any particular rate of return or the performance of Hexima, nor does it guarantee any particular tax treatment. Investors should have regard to potential risks outlined in this presentation when making their investment decision.

Not financial or product advice

This presentation is for information purposes only and is not a prospectus, product disclosure statement or other offer document under Australian law or the law of any other jurisdiction. This document is not a financial product or investment advice, or a recommendation to acquire securities in Hexima, nor is it legal or tax advice. It has been prepared without taking into account the objectives, financial situation or needs of individuals. You are solely responsible for seeking independent and professional advice in relation to the information contained in this presentation and any action taken on the basis of that information. Before making an investment decision, prospective investors should consider the appropriateness of the information having regard to their own objectives, financial and tax situation and needs and seek legal and taxation advice appropriate to their jurisdiction. No reliance may be placed for any purpose whatsoever on the information included in this presentation or on its accuracy or completeness.

Financial data

All dollar values are in Australian dollars (A\$) unless stated otherwise.

Performance

Past performance information given in this presentation is given for illustrative purposes only and should not be relied upon as (and is not) an indication of future performance. The presentation includes forward-looking statements regarding future

events and the future financial performance of Hexima. Forward looking words such as "expect", "should", "could", "may", "predict", "plan", "will", "believe", "forecast", "estimate", "target" or other similar expressions are intended to identify forward-looking statements. Any forward looking statements included in this document involve subjective judgment and analysis and are subject to significant uncertainties, risks and contingencies, many of which are outside the control of, and are unknown to, Hexima and its officers, employees, agents or associates. In particular, factors such as outcomes of clinical trials and regulatory decisions and processes may affect the future operating and financial performance of Hexima. This may cause actual results to be materially different from any future results, performance or achievements expressed or implied by such statements. The information also assumes the success of Hexima's business strategies. The success of the strategies is subject to uncertainties and contingencies beyond control, and no assurance can be given that the anticipated benefits from the strategies will be realised in the periods for which forecasts have been prepared or otherwise. Given these uncertainties, you are cautioned to not place undue reliance on any such forward looking statements. Hexima is providing this information as of the date of this presentation and does not assume any obligation to update any forward-looking statements contained in this document as a result of new information, future events or developments or otherwise.

Disclaimer

Except as required by law, no representation or warranty, express or implied, is made as to the fairness, accuracy, completeness, reliability or correctness of the Information, opinions and conclusions, or as to the reasonableness of any assumption contained in this presentation. By receiving this presentation and to the extent permitted by law, you release Hexima and its officers, employees, agents and associates from any liability (including, without limitation, in respect of direct, indirect or consequential loss or damage or loss or damage arising by negligence) arising as a result of the reliance by you or any other person on anything contained in or omitted from this presentation. To the maximum extent permitted by law, Hexima and its respective advisers, affiliates, related bodies corporate, directors, officers, partners, employees and agents exclude and disclaim all liability, including without limitation for negligence or for any expenses, losses, damages or costs incurred by you as a result of the information in the presentation being inaccurate or incomplete in any way for any reason, whether by negligence or otherwise. To the maximum extent permitted by law, Hexima and its advisers, affiliates, related bodies corporate, directors, officers, partners, employees and agents make no representation or warranty, express or implied, as to the currency, accuracy, reliability or completeness of information in this presentation.

NOT FOR RELEASE OR DISTRIBUTION IN THE UNITED STATES



HEXIMA LIMITED (ASX: HXL)

DEVELOPING A NOVEL TOPICAL PRODUCT ADDRESSING A CLEAR UNMET NEED IN A LARGE AND GROWING MARKET



CLINICAL-STAGE,
INFECTIOUS DISEASE-FOCUSED
BIOTECHNOLOGY COMPANY



LARGE AND GROWING
MARKET WITH SUBSTANTIAL
UNMET NEED



MOLECULE WITH
UNIQUE MOA



PEZADEFTIDE ADDRESSES AN UNMET NEED. GOAL TO BE THE **TREATMENT OF CHOICE**



WELL-DEFINED
DEVELOPMENT PATH

Lead program is pezadeftide (HXP124), a **potential new topical treatment** for onychomycosis (fungal nail infections)

Exploring other applications for its anti-fungal peptide platform

Onychomycosis affects ~14% of the US population. Global market for treatments for onychomycosis US\$3.7 bn

Current treatments do not meet patient needs

- Topical drugs long course of treatment, limited efficacy
- Oral drugs more effective but risk of toxic side effects

Patients and clinicians have a clear preference for a safe topical product with a more convenient shorter course of therapy and better efficacy

Pezadeftide is a patented biologic with a novel fungicidal mode of action (MOA)

Rapidly penetrates the human nail to target the site of infection

Demonstrated in a phase I clinical trial to have a favourable safety profile and deliver effective and rapid anti-fungal treatment

Safe and well tolerated

High efficacy via consumer-friendly topical application

Short, convenient course of therapy, delivers rapid resolution of disease

Currently in phase II clinical trial – results Q2 2022
Phase III end of 2022



EXPERIENCED MANAGEMENT TEAM

PROVEN TRACK RECORD OF DELIVERING VALUE



MICHAEL ALDRIDGE
Chief Executive Officer

CEO Peplin, sold to Leo Pharma in 2009 for \$300M

SVP Corporate Strategy
Questcor, sold to Mallinckrodt
in 2014 for \$5.6B

SVP Corporate & Strategic Development Codexis, \$357M partnership with Nestle in PKU in 2017



DR. NICOLE VAN DER WEERDEN

Chief Operating Officer

Inventor on all Hexima's key patents

Led discovery and development program for pezadeftide

CEO of Hexima 2015-2020



PROF. MARILYN ANDERSON

Chief Science Officer

Founding scientist of Hexima

Fellow of the Australian Academy of Science and Australian Academy of Technological Sciences

Member of Hexima board of directors since 2010



DR NANCY SACCO
Chief Development Officer

Over 20 years leadership in the pharmaceutical industry.

VP & Head of Clinical Development roles at Xentria, Inc. & AnaptysBio, Inc.

Initiated and completed pivotal studies evaluating safety and efficacy of innovative products.



PHILLIP ROSE
Chief Commercial Officer

Registered Pharmacist

Specializes in market analysis, preparation & full strategy development to maximize commercial potential.

Consulted at Alza (now J&J), Reliant Pharmaceuticals (now GSK) and Peplin Inc. (now LEO).




PEZADEFTIDE IN ACTION









EXISTING THERAPIES DO NOT MEET CONSUMER NEEDS

CLEAR MARKET NEED FOR A SAFE, CONVENIENT AND MORE EFFECTIVE TOPICAL PRODUCT

> TOPICAL **TREATMENTS**



Long treatments, poor efficacy

ORAL DRUGS



Better efficacy but potential for serious adverse events





Patients with onychomycosis reluctant to use oral drugs because of potential toxicity



Topical products are therefore strongly preferred



However, existing topicals suffer from low efficacy rates and long courses of therapy



Patients often **stop** treatment because the appearance of the nail does not improve for many months




OUR SOLUTION: PEZADEFTIDE A NATURALLY OCCURRING PEPTIDE

ITS UNIQUE PROPERTIES ENABLE RAPID
NAIL PENETRATION AND FUNGAL KILLING

Pezadeftide is a potent broad-spectrum antifungal peptide that has evolved to kill fungal pathogens

- Hydrophilic & highly soluble drives nail penetration
- Resistant to proteases & extremely stable
- Regulated as a biologic
- Excellent safety profile
- Does not pass through human skin

PEZADEFTIDE MOLECULE





SUCCESSFUL PHASE I CLINICAL TRIAL

HXP124-ONY-001 - TRIAL DESIGN

Randomised, double blind, vehiclecontrolled, ascending dose cohort study


Patients treated nails daily with pezadeftide (or vehicle) for 6 weeks with follow-up at 12 weeks

36 patients treated with pezadeftide,
 12 treated with vehicle

Cohort 1, 2, 3 escalation cohorts

Cohort 4 expansion cohort

 30 patients, pezadeftide 2% vs vehicle, 6 weeks dosing





PHASE I: PRIMARY ENDPOINT SAFETY AND TOLERABILITY

HXP124-ONY-001 - NO SYSTEMIC ABSORPTION AND NO LOCAL REDNESS OR IRRITATION

Pezadeftide is safe and well tolerated

NO DRUG-RELATED ADVERSE EVENTS

Pezadeftide is safe and well tolerated when applied daily for 6 weeks.

NO SYSTEMIC TOXICITY

Pezadeftide
accumulated in nails and
was still detectable
6 weeks after dosing but
was not detected in the
bloodstream.




PHASE I: EFFECTIVE AND RAPID ANTI-FUNGAL ACTIVITY

HXP124-ONY-001 - MYCOLOGICAL CURE RATE FOR COHORT 4 30 PATIENTS TREATED AT HIGH DOSE (2%) FOR 6 WEEKS

Mycological cure* was achieved in 69% of pezadeftide-treated nails in Cohort 4 within 12 weeks (vehicle 29%)

Mycological Cure* rate at 12 weeks, >2-fold higher than current treatments, after only 6 weeks of daily treatment



■ Pezadeftide

0.0%

Mycological Cure at 12 weeks

■ Vehicle


PHASE I: RAPID CLEARANCE OF AFFECTED NAIL AREA

HXP124-ONY-001 - CLEAR NAIL GROWTH FOR COHORT 4 30 PATIENTS TREATED AT HIGH DOSE (2%) FOR 6 WEEKS

Pezadeftide cleared the affected nail area more effectively than vehicle (formulation not containing pezadeftide)

- Clinical Efficacy* was achieved in 14%
 of 2% pezadeftide-treated nails within just
 12 weeks
- No vehicle-treated nails achieved Clinical Efficacy

Clinical Efficacy over time





RAPID AND DRAMATIC IMPROVEMENT IN APPEARANCE OF NAILS

NOTICEABLE IMPROVEMENT IN JUST 2 WEEKS, ALMOST CLEAR IN 12 WEEKS

Pezadeftide penetrates the nail to kill the fungus, allowing healthy, uninfected nail to grow out

Clear nail growth continues after dosing has finished

Click to play animation





POTENTIAL TO DELIVER THE PREFERRED SOLUTION IN A CONSUMER-DRIVEN MARKET





- An easy-to-apply topical solution
- Rapid improvement in the appearance of the nail
- Early affirmation the drug is working
- A short course of effective treatment



FOR PHYSICIANS WHO WANT

- An effective product that will cure the infection
- A safe product
- To quickly know a patient is responding to therapy



FOR PAYERS WHO WANT

- An effective product that patients will not abandon
- A competitively-priced product

PHASE II CLINICAL TRIAL

HXP124-ONY-002 WEEK WEEK WEEK WEEK 12 WEEK SHORT COURSE DAILY DOSING 12 WEEK DAILY DOSING FOLLOWED LOADING/PULSE BY ONCE WEEKLY DOSING 31 WEEK LONG COURSE DAILY DOSING **FOLLOW-UP VISITS** DAILY DOSING **ONCE-WEEKLY DOSING** NO DOSING WASHOUT PERIOD NOTE: DAILY DOSING




- Multi-center, randomised, double blind, vehicle-controlled study
- Primary endpoint safety and tolerability, secondary endpoints Mycological Cure and Clinical Efficacy
- Three active (2% pezadeftide) versus vehicle arms to test optimal dosing strategy
- Safety & efficacy assessed at 13, 24, 36 and 40 weeks


PERIODS INCLUDE 1-WEEK WASHOUTS EVERY 6 WEEKS

PHASE II CLINICAL TRIAL - RESULTS Q2

PLATFORM TO ADVANCE TO PHASE III







PHASE II



FOLLOW UP AT 40 WEEKS

THREE DOSING REGIMENS



COMPARABLE OR
BETTER MYCOLOGICAL
CURE

 \mathcal{D}

 \Box

S

S

Q

20

2

STRONGER EVIDENCE OF
CLINICAL CURE

DIFFERENTIAL ACTIVITY
ACROSS THREE REGIMENS



PEZADEFTIDE: A POTENTIAL SOLUTION FOR A LARGE AND POORLY SERVED MARKET





Affects 14% of the population

Strong consumer preference for topical products

Clear unmet medical need



NEW AND UNIQUE

Novel molecule with unique mode of action

Strong patent protection and long patent life



SAFE

No systemic effects

No local redness or irritation



CONVENIENT

Easy to apply

Short treatment duration

Rapid clearing of infected nail

Consumer oriented packaging solution



EFFECTIVE

Efficiently penetrates the nail

Rapidly kills fungus

Best-in-class mycological cure



CONTACTS

MICHAEL ALDRIDGE

CHIEF EXECUTIVE OFFICER

m.aldridge@hexima.com.au +1 650 452 4684

DR NICOLE VAN DER WEERDEN

CHIEF OPERATING OFFICER

n.vanderweerden@hexima.com.au +61 407 039 983 hexima.com.au