BANKI KUU YA KENYA



CENTRAL BANK OF

KENYA

Haile Selassie Avenue P.O. Box 60000 - 00200 Nairobi Kenya Telephone: 2861000/2863000 Fax 340192/250783

Email: comm@centralbank.go.ke

TENDER DOCUMENT

TENDER FOR SUPPLY, INSTALLATION TESTING AND COMMISSIONING OF KITCHEN AND LPG EQUIPMENT SUB-CONTRACT FOR PROPOSED CONSTRUCTION OF NGONG POLICE COMPLEX FOR CENTRAL BANK OF KENYA -READVERTISEMENT

TENDER NO. CBK/118/2020-2021

CLOSING DATE: 16TH JUNE, 2021 AT 10:30 A.M

GUIDELINES IN PREPARATION OF BID DOCUMENT

In preparing the bid document in response to the tender, bidders are advised to note the following:

1. Section I – Invitation to Tender. This section gives guidelines on how and where to seek further clarification pertaining to the tender document; the form and amount of Tender Security required; where and when the tenders should be submitted; and place where tenders will be opened.

2. Section II – Instruction to Tenderers. This section guides tenderers basically on how to prepare their bid and how the tendering process will be carried out up to the award stage including notification of award to the successful bidder. "Appendix to Instruction to Tenderers" customizes clauses under Section II. Wherever there is a conflict between the provisions of the Instructions to Tenderers under Section II and the provisions of the appendix, the provisions of the appendix prevail.

3. **Evaluation Criteria**: This gives information on how the tender will be evaluated. Tenderers should be able to evaluate their bids before submission to determine in advance whether they meet the requirement of the bid or not. Through the evaluation criteria bidders will be able to note all the required documents that should be attached to the bid document.

No.	Documents forming part of the bid	Check(√)
1	The main sections of the tender document that includes:	
	Section I – Invitation to Tender;	
	Section II – Instruction to Tenderers; and	
	Section III – General Conditions of the Contract	
	Remain as they are in the tender document	
2	Copy of Certificate of Incorporation or Business Registration Certificate	
3	Duly completed Confidential Business Questionnaire in the format provided	
	in this tender document.	
4	Copy of the company's current Certificate of Tax Compliance issued by Kenya	
	Revenue Authority (KRA) valid at least up to the date of tender opening.	
5	Original Tender Security (Bid Bond) of Kshs 50,000 in the form provided in	
	this tender document valid for 150 Days from the date of tender opening	
6	5 Documentary evidence of the Company's valid registration by National	
	Construction Authority as Kitchen/LPG Equipment Installation Contractor	
	Category NCA 6 and above	
7	Provide Manufacturer's or authorization letter confirming the bidder as	
	dealer in the region for the proposed type of Kitchen Equipment	
	quoted. The letter(s) should indicate the make and country of	
	manufacture of the equipment	
8	List of at least three (3) clients with references (names and telephone of	
-	contact persons) to which the company has supplied and installed similar	
	equipment each valued at KShs.5,000,000 and above in the last 7 years. The	
	Bank may undertake due diligence on the list.	
	Note : Bidder to provide copies of contracts/LPOs and completion	

Checklist of document required to form the bid document:

	certificates/letter from the client confirming execution of the contract & amount.	
9	List of at least three (3) Qualified Technical Staff in the company in	
	mechanical, Electronics, Electrical or related field.	
10	Financial proposal containing priced Bill of Quantities.	
	Prices to be quoted inclusive of all taxes	
11	Duly filled and signed Form of Tender in the format provided in the tender	
	document	
12	Copy of Company profile.	
13	Bidders are required to serialize all the pages of the bid document submitted	
	including any addendum, appendixes and attachments	

SECTION 1: INVITATION FOR TENDERS

1. The Central Bank of Kenya invites sealed tenders from eligible suppliers for supply, installation, testing and commissioning of Kitchen and Liquefied Petroleum Gas (LPG) Equipment sub-contract for Proposed Construction of Ngong Police Complex in Ngong, Kajiado County.

2. Further information as pertains to this tender may be obtained during working hours (Monday to Friday) between 9:00 am and 5:00 pm using the following address: **The Director, General Services Department, Tel: +254 20 2861000/2860000, 5th Floor, Central Bank of Kenya, Haile Selassie Avenue, Nairobi, Email:** <u>supplies@centralbank.go.ke</u> during normal working hours.

3. A complete set of tender document containing detailed information may be downloaded from the PPIP website: <u>www.tenders.go.ke</u> OR Central Bank of Kenya website: <u>www.centralbank.go.ke</u> at no cost. Bidders who download the tender document are advised to register their participation in the tender using the Email: <u>supplies@centralbank.go.ke</u>.

4. Prices quoted should be net inclusive of all taxes, must be in Kenya Shillings and shall remain valid for **120 days** from the closing date of the tender.

5. Tenders must be accompanied by a **Tender Security of Kshs. 50,000.00**, valid for **150 days** from the date of tender opening. Failure to attach the Tender Security will lead to automatic rejection of the tender.

6. Completed tender documents are to be enclosed in plain sealed envelopes marked with tender reference number and be deposited in the **Green Tender Box No. 3** at the main entrance, ground floor of **Central Bank of Kenya along Haile Selassie Avenue**, so as to be received on or before **16**th **June**, **2021 at 10.30 A.M**.

7. Tenders will be opened on **16th June**, **2021 at 10.30 A.M** in the presence of the Candidates or their representatives who choose to attend the opening in the **Conference Room on Mezzanine Floor**, Central Bank of Kenya Head Office in Nairobi.

8. Bidders are required to serialize all the pages of the bid document submitted including any addendum, appendixes and attachments.

DIRECTOR, GENERAL SERVICES DEPARTMENT

TABLE OF CONTENTS

PAGE

SECTION I	INVITATION TO TENDER	4
SECTION II	INSTRUCTIONS TO TENDERERS Appendix to Instructions to Tenderers Evaluation Criteria	6 20 20
SECTION III	GENERAL CONDITIONS OF CONTRACT	25
SECTION IV	SPECIAL CONDITIONS OF CONTRACT	31
SECTION V	BILL OF QUANTITIES	32
SECTION VI	TECHNICAL SPECIFICATIONS	57
SECTION VII	STANDARD FORMS	66
7.1 F	ORM OF TENDER	67
7.2 C	ONFIDENTIAL BUSINESS QUESTIONNAIRES FORMS	68
7.3 T	ENDER SECURITY FORM	69
7.4 P	ERFORMANCE SECURITY FORM	70
7.5 C	ONTRACT FORM	71
7.6 N	IOTIFICATION OF AWARD	72
7.7	FORM RB 1	73
7.8	DECLARATION FORM	74

SECTION II -

INSTRUCTIONS TO TENDERERS Table of Clauses

		Page
2.1	Eligible Tenderers	7
2.2	Eligible Equipment	7
2.3	Cost of Tendering	7
2.4	Contents of Tender Document	8
2.5	Clarification of Tender Documents	8
2.6	Amendment of Tender Document	9
2.7	Language of Tender	9
2.8	Documents Comprising the Tender	9
2.9	Tender Forms	9
2.10	Tender Prices	10
2.11	Tender Currencies	10
2.12	Tenderers Eligibility and Qualifications	10
2.13	Goods' Eligibility and Conformity to Tender Document.	11
2.14	Tender Security	12
	Validity of Tenders	12
2.16	Format and Signing of Tenders	13
2.17	Sealing and Marking of Tenders	13
2.18	Deadline for Submission of Tender	13
2.19	Modification and Withdrawal of Tenders	14
2.20	Opening of Tenders	14
2.21	Clarification of Tenders	15
2.22	Preliminary Examination	15
2.23	Conversion to Single Currency	15
2.24	Evaluation and Comparison of Tenders	16
2.25	Contacting the Procuring Entity	17
2.26	Award of Contract	17
(a)	Post Qualification	17
(b)	Award criteria	17
(c)	Procuring Entity's Right to Accept or Reject any	
	or all Tenders	18
2.27	Notification of Award	18
2.28	Signing of Contract	18
2.29	Performance Security	19
2.30	Corrupt or Fraudulent Practices	19

SECTION II - INSTRUCTIONS TO TENDERERS

2.1 Eligible Tenderers

- 2.1.1 This Invitation for Tenders is open to all tenderers eligible as described in the Appendix to Instructions to Tenderers. Successful tenderers shall complete the supply, install and commissioning of the equipment by the intended completion date specified in the tender documents.
- 2.1.2 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender unless where specially allowed under the Public Procurement and Asset Disposal Act, 2015.
- 2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.
- 2.1.4 Tenderers involved in corrupt or fraudulent practices or debarred from participating in public procurement shall not be eligible.

2.2 Eligible Equipment

- 2.2.1 All equipment to be supplied and installed under the contract shall have their origin in eligible source countries.
- 2.2.2 For purposes of this clause, "origin" means the place where the equipment(s) are produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components
- 2.2.3 The origin of equipment is distinct from the nationality of the tenderer and shall be treated thus in the evaluation of the tender.

2.3 Cost of Tendering

- 2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the procuring entity, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.
- 2.3.2 The price to be charged for the tender document shall not exceed Ksh 1,000.00

2.3.3 The procuring entity shall allow the tenderer to review the tender document free of charge before purchase.

2.4. Contents of Tender Document

- 2.4.1 The tender document comprises the documents listed below and addenda issued in accordance with clause 2.6 of these instructions to tenderers
 - (i) Invitation to Tender
 - (ii) Instructions to Tenderers
 - (iii) General Conditions of Contract
 - (iv) Special Conditions of Contract
 - (v) Schedule of requirements
 - (vi) Technical Specifications
 - (vii) Tender Form and Price Schedules
 - (viii) Tender Security Form
 - (ix) Contract Form
 - (x) Performance Security Form
 - (xi) Bank Guarantee for Advance Payment Form
 - (xii) Manufacturer's Authorization Form
 - (xiii) Confidential Business Questionnaire Form
 - (xiv) Declaration form
- 2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

2.5 Clarification of Tender Documents

2.5.1 A prospective tenderer making inquiries of the tender documents may notify the Procuring entity in writing or by post at the entity's address indicated in the invitation for tenders. The Procuring entity will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of tenders, prescribed by the procuring entity. Written copies of the Procuring entities response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective tenderers that have received the tender document.

2.5.2 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

2.6 Amendment of Tender Documents

- 2.6.1 At any time prior to the deadline for submission of tender, the procuring entity, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by issuing an addendum.
- 2.6.2 All prospective tenderers that have obtained the tender documents will be notified of the amendment in writing or by post and will be binding on them.
- 2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Procuring entity, at its discretion, may extend the deadline for the submission of tenders.

2.7 Language of Tender

2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the Procuring entity, shall be written in English language, provided that any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.

2.8 Documents Comprising the Tender

- 2.8.1 The tender prepared by the tenderers shall comprise the following components.
 - (a) a Tender Form and a Price Schedule completed in accordance with paragraph 2.9, 2.10 and 2.11 below
 - (b) documentary evidence established in accordance with paragraph 2.12 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
 - (c) documentary evidence established in accordance with paragraph 2.13 that the goods and ancillary services to be supplied by the tenderer are eligible goods and services and conform to the tender documents; and
 - (d) tender security furnished in accordance with paragraph 2.14
 - (e) Confidential Business Questionnaire

2.9 Tender Form

2.9.1 The tenderer shall complete the Form of Tender and the appropriate Price Schedule furnished in the tender documents, indicating the equipment to be supplied, installed and commissioned and a brief description of the equipment, their country of origin, quantity, and prices.

2.10 Tender Prices

- 2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices where applicable and total tender price of the equipment and installation it proposes to supply under the contract.
- 2.10.2 Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - (i) the price of the equipment quoted EXW (ex works, ex factory, ex warehouse, ex showroom, or off-the-shelf, as applicable), including all customs duties and sales and other taxes already paid or payable:
 - (ii) charges for inland transportation, insurance, and other local costs incidental to delivery of the goods to their final destination; and
 - (iii) installation charges shall also be indicated separately for each equipment
- 2.10.3 Prices quoted by the tender shall remain fixed during the Tender's performance of the contract. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22 unless otherwise agreed by the parties.

2.11 Tender Currencies

- 2.11.1 Prices shall be quoted in the following currencies:
 - (a) For equipment that the tenderer will supply from within Kenya, the prices shall be quoted in Kenya Shillings; and
 - (b) For equipment that the tenderer will supply from outside Kenya, the prices may be quoted in US Dollars or in another freely convertible currency.
 - (c) Cost of installation and commissioning will be in Kenya Shillings.

2.12 Tenderers Eligibility and Qualifications

2.12.1 Pursuant to paragraph 2.1. the tenderers shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if its tender is accepted.

2.12.1 The documentary evidence of the tenderers eligibility to tender shall establish to the Procuring entity's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1

2.12.2 The documentary evidence of the tenderers qualifications to perform the contract if its tender is accepted shall establish to the Procuring entity's satisfaction;

(a) that, in the case of a tenderer offering to supply equipment under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the equipment, Manufacturer or producer to supply the equipment

- (b) that the tenderer has the financial, technical, and production capability necessary to perform the contract;
- (c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

2.13 Goods Eligibility and Conformity to Tender Document

- 2.13.1 Pursuant paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity to the tender documents of all equipment which the tenderer proposes to supply under the contract
- 2.13.2 The documentary evidence of the eligibility of the goods shall consist of statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.
- 2.13.3 The documentary evidence of conformity of the equipment to the tender documents may be in the form of literature, drawings, and data, and shall consist of:
 - a) a detailed description of the essential technical and performance characteristic of the equipment
 - b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the equipment for a period of two (2) years, following commencement of the use of the equipment by the Procuring entity; and
 - c) a clause-by-clause commentary on the Procuring entity's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.
- 2.13.4 For purposes of the commentary to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are intended to be descriptive only and not restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

2.14 Tender Security

- 2.14.1 The tenderer shall furnish, as part of its tender, a tender security for the amount and form specified in the Appendix to Instructions to Tenderers.
- 2.14.2 The tender security shall be in the amount not exceeding 2 percent of the tender price.
- 2.14.3 The tender security is required to protect the Procuring entity against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to paragraph 2.14.7
- 2.14.4 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form of
 - a) Cash
 - b) A bank guarantee
 - c) Such insurance guarantee approved by the Authority
 - d) Letter of credit.
- 2.14.5 Any tender not secured in accordance with paragraph 2.14.1 and 2.14.3 will be rejected by the Procuring entity as non responsive, pursuant to paragraph 2.22
- 2.14.6 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible but not later than thirty (30) days after the expiration of the period of tender validity prescribed by the Procuring entity.
- 2.14.7 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.27 and furnishing the performance security, pursuant to paragraph 2.28
- 2.14.8 The tender security may be forfeited:
 - a) if a tenderer withdraws its tender during the period of tender validity specified by the procuring entity on the Tender Form; or
 - b) in the case of a successful tenderer, if the tenderer fails:
 - i) to sign the contract in accordance with paragraph 2.27 1. or
 - ii) to furnish performance security in accordance with paragraph 2.28
 - c) If the tenderer rejects correction of an arithmetic error in the tender.

2.15 Validity of Tenders

2.15.1 Tenderers shall remain valid for 120 days or as specified in the tender documents after date of tender opening prescribed by the Procuring entity, pursuant to

paragraph 2.20. A tender valid for a shorter period shall be rejected by the Procuring entity as non-responsive.

2.15.2 In exceptional circumstances, the Procuring entity may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. A tenderer may refuse the request without forfeiting its tender security. A tenderer granting the request will not be required nor permitted to modify its tender.

2.16 Format and Signing of Tender

- 2.16.1 The Procuring entity shall prepare two copies of the tender, clearly marking each "ORIGINAL TENDER" and "COPY OF TENDER," as appropriate. In the event of any discrepancy between them, the original shall govern.
- 2.16.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. All pages of the tender, except for unamended printed literature, shall be initialed by the person or persons signing the tender.
- 2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialed by the person or persons signing the tender.

2.17 Sealing and Marking of Tenders

- 2.17.1The Tenderer shall seal the original and each copy of the tender in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope.
- 2.17.2 The inner and outer envelopes shall:

(a) be addressed to the Procuring entity at the address given on he Invitation to Tender.

(b) bear the tender number and name in the Invitation to Tender and the words "DO NOT OPEN BEFORE (*day, date at time of closing*)

- 2.17.3The inner envelopes shall also indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared "late".
- 2.17.4If the outer envelope is not sealed and marked as required by paragraph 2.17.2, the Procuring entity will assume no responsibility for the tender's misplacement or premature opening.

2.18 Deadline for Submission of Tenders

- 2.18.1 Tenders must be received by the Procuring entity at the address specified under paragraph 2.17.2 not later than (*the time and date specified*).
- 2.18.2 The Procuring entity may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of the Procuring entity and candidates previously subject to the deadline will therefore be subject to the deadline as extended
- 2.18.3 Bulky tenders which will not fit in the tender box shall be received by the procuring entity as provided for in the Appendix.

2.19 Modification and Withdrawal of Tenders

- 2.19.1 The tenderer may modify or withdraw its tender after the tender's submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by the Procuring entity prior to the deadline prescribed for submission of tenders.
- 2.19.2 The Tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.17. A withdrawal notice may also be sent by cable, telex but followed by a signed confirmation copy, postmarked not later than the deadline for submission of tenders.
- 2.19.3 No tender may be modified after the deadline for submission of tenders.
- 2.19.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its tender security, pursuant to paragraph 2.14.7

2.20 Opening of Tenders

2.20.1 The Procuring entity will open all tenders in the presence of tenderers' representatives who choose to attend, at (*the time, and the date*) and in the following location.(*address of the procuring entity*)

The tenderers' representatives who are present shall sign a tender opening register evidencing their attendance.

2.20.2 The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other

details as the Procuring entity, at its discretion, may consider appropriate, will be announced at the opening.

2.20.3 The Procuring entity will prepare minutes of the tender opening.

2.21 Clarification of Tenders

- 2.21.1 To assist in the examination, evaluation and comparison of tenders the Procuring entity may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.
- 2.21.2 Any effort by the tenderer to influence the Procuring entity in the Procuring entity's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

2.22 Preliminary Examination and Responsiveness

- 2.22.1 The Procuring entity will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.
- 2.22.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the candidate does not accept the correction of the errors, its tender will be rejected, and its tender security may be forfeited. If there is a discrepancy between words and figures the amount in words will prevail
- 2.22.3 The Procuring entity may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or effect the relative ranking of any tenderer.
- 2.22.4 Prior to the detailed evaluation, pursuant to paragraph 2.23 the Procuring entity will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and conditions of the tender documents without material deviations. The Procuring entity's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.
- 2.22.5 If a tender is not substantially responsive, it will be rejected by the Procuring entity and may not subsequently be made responsive by the tenderer by correction of the non conformity.

2.23 Conversion to Single Currency

2.23.1 Where other currencies are used, the Procuring Entity will convert those currencies to Kenya Shillings using the selling exchange rate on the date of tender closing provided by the Central Bank of Kenya.

2.24 Evaluation and Comparison of Tenders

- 2.24.1 The Procuring entity will evaluate and compare the tenders which have been determined to be substantially responsive, pursuant to paragraph 2.22
- 2.24.2 The Procuring entity's evaluation of a tender will exclude and not take into account
 - (a) in the case of equipment manufactured in Kenya or equipment of foreign origin already located in Kenya, sales and other similar taxes, which will be payable on the goods if a contract is awarded to the tenderer; and
 - (b) any allowance for price adjustment during the period of execution of the contract, if provided in the tender.
- 2.24.3 The comparison shall be of the ex-factory/ex-warehouse/off-the-shelf price of the goods offered from within Kenya, such price to include all costs, as well as duties and taxes paid or payable on components and raw material incorporated or to be incorporated in the goods.
- 2.24.4 The Procuring entity's evaluation of a tender will take into account, in addition to the tender price and the price of incidental services, the following factors, in the manner and to the extent indicated in paragraph 2.23.5 and in the technical specifications:
 - (a) delivery and installation schedule offered in the tender;
 - (b) deviations in payment schedule from the specifications in the Special Conditions of Contract;
 - (c) the cost of components, mandatory spare parts and service;
 - (d) the availability in Kenya of spare parts and after-sales service for the equipment offered in the tender;
- 2.24.5 Pursuant to paragraph 2.24.4 the following evaluation methods will be applied
- (a) *Delivery schedule*
 - (i) The Procuring entity requires that the equipment under the Invitation for Tenders shall be delivered at the time specified in the Schedule of Requirements. Tenders offering deliveries longer than the procuring entity's required delivery time will be treated as non-responsive and rejected.
- (b) Deviation in payment schedule
 Tenderers shall state their tender price for the payment of schedule outlined in the special conditions of contract. Tenders will be evaluated on the basis of this base price. Tenderers are, however, permitted to state an alternative payment schedule

and indicate the reduction in tender price they wish to offer for such alternative payment schedule. The Procuring entity may consider the alternative payment schedule offered by the selected tenderer.

(c) Spare parts and after sales service facilities

Tenderers must offer items with service and spare parts back-up. Documentary evidence and locations of such back-up must be given. Where a tenderer offers items without such back-up in the country, he must give a documentary evidence and assurance that he will establish adequate back-up for items supplied.

- 2.24.6 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.
- 2.24.7 Preference where allowed in the evaluation of tenders shall not exceed 15%

2.25 Contacting the Procuring Entity

- 2.25.1 Subject to paragraph 2.21 no tenderer shall contact the Procuring entity on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.
- 2.25.2 Any effort by a tenderer to influence the Procuring entity in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender.

2.26 Award of Contract

(a) **Post-Qualification**

- 2.26.1 In the absence of pre-qualification, the Procuring entity will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.
- 2.26.2 The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as such other information as the Procuring entity deems necessary and appropriate.
- 2.26.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event the Procuring entity will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.
- (b) Award Criteria

- 2.26.4 The Procuring entity will award the contract to the successful tenderer(s) whose tender has been determined to be substantially responsive and has been determined to be the lowest evaluated tender, provided further that the tenderer is determined to be qualified to perform the contract satisfactorily.
- 2.26.5 To qualify for contract awards, the tenderer shall have the following:
 - a) Necessary qualifications, capability experience, services, equipment and facilities to provide what is being procured.
 - b) Legal capacity to enter into a contract for procurement
 - c) Shall not be insolvent, in receivership, bankrupt or in the process of being wound up and is not the subject of legal proceedings relating to the foregoing.
 - d) Shall not be debarred from participating in public procurement.

(c) Procuring Entity's Right to Accept or Reject Any or All Tenders

2.26.6 The Procuring entity reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderer of the grounds for the procuring entity's action

- 2.26.7 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination
- 2.26.8 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.
- 2.26.9 A tenderer who gives false information in the tender document about is qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

2.27 Notification of Award

- 2.27.1 Prior to the expiration of the period of tender validity, the Procuring entity will notify the successful tenderer in writing that its tender has been accepted.
- 2.27.2 The notification of award will signify the formation of the Contract but will have to wait until the contract is finally signed by both parties. Simultaneous other tenderers shall be notified that their tenders have not been successful.
- 2.27.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.29, the Procuring entity will simultaneously inform the other tenderers that this tenderers have not been successful

2.28 Signing of Contract

- 2.28.1 At the same time as the Procuring entity notifies the successful tenderer that its tender has been accepted, the procuring entity will simultaneously inform the other tenderers that their tenders have not been successful.
- 2.28.2 Within fourteen (14) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the Procuring entity.
- 2.28.3 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

2.29 Performance Security

- 2.29.1 Within Thirty (30) days of the receipt of notification of award from the Procuring entity, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the Procuring entity.
- 2.29.2 Failure of the successful tenderer to comply with the requirements of paragraph 2.28 or paragraph 2.29 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the Procuring entity may make the award to the next lowest evaluated Candidate or call for new tenders.

2.30 Corrupt or Fraudulent Practices

- 2.30.1 The procuring entity requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts. A tenderer shall sign a declaration that he has and will not be involved in corrupt or fraudulent practices.
- 2.30.2 The Procuring entity will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.
- 2.30.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public Procurement in Kenya.

APPENDIX TO INSTRUCTIONS TO TENDERERS

The following information regarding the particulars of the tender shall complement, supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers.

Clause	Particulars of Appendix to Instructions to Tenders	
Reference		
2.1.1	The eligible tenderers are manufacturers or Authorized Dealers in the region of	
	Kitchen and LPG Equipment	
2.3.2	Tender document shall be downloaded from the PPIP website:	
	www.tender.go.ke or The Bank's Website: www.centralbank.go.ke at no cost	
2.4	Documents listed as "xi, Bank Guarantee for Advance Payment Form" do not	
	form part of this tender document.	
2.11.1	Prices quoted should be expressed in Kenyan Shillings.	
2.14.2	Tenders must be accompanied by a Tender Security of Kshs. 50,000.00 , valid for	
	150 days. Failure to attach the Tender Security will lead to automatic rejection of	
	the proposal.	
2.15.1	Tender shall remain valid for 120 days after date of tender opening.	
2.16.1	Only one "ORIGINAL TENDER" document will be submitted	
2.17.2 (b)	The outer envelopes shall bear the tender number and name in the Invitation to	
	Tender and the words "DO NOT OPEN BEFORE 16th June, 2021 at 10.30 am	
2.18.1	Tenders to be received not later than 16 th June, 2021 at 10.30 am	
2.20.1	The Procuring entity will open all tenders in the presence of tenderers'	
	representatives who choose to attend, on 16 th June, 2021 at 10.30 am The place of	
	opening will be Central Bank of Kenya, Head Office located along Haile	
	Selassie Avenue, Nairobi, Kenya, Mezzanine Conference Room.	
2.29.1	Performance security shall be 5% of the contract amount and shall be in form of	
	bank guarantee issued by a commercial bank registered in Kenya recognized by	
	Central Bank of Kenya	

Clause 2.6: EVALUATION CRITERIA

The received tenders will be evaluated in four stages as detailed below:

- 1. Stage 1: Compliance with Mandatory Requirements
- 2. Stage 2: Technical Evaluation on specifications
- 3. Stage 3: Technical Evaluation on Capacity to Deliver the contract
- 4. Stage 4: The Financial Evaluation
- 5. Recommendation of Award

Stage 1: Compliance with the Mandatory Requirements (MR)

The following mandatory requirements must be met notwithstanding other requirements in the documents:

No	Requirements	Tenderer's Response
MR 1	Provide documentary evidence of the company's Certificate of Incorporation or business registration certificate	
MR 2	Submit a duly completed Confidential Business Questionnaire in the format provided in this tender document.	
MR 3	AR 3 Provide copy of the company's current Certificate of Tax Compliance issued by Kenya Revenue Authority (KRA) valid at least up to the date of tender opening.	
MR 4	Provide Tender Security (Bid Bond) of Kshs 50,000 in the form provided in this tender document valid for 150 Days from the date of tender opening	
MR 5*	Provide documentary evidence of the Company's valid registration by	
MR 6	Provide Manufacturer's or authorization letter confirming the bidder as dealer in the region for the proposed type of Kitchen Equipment quoted. The letter(s) should indicate the make and country of manufacture of the Equipment	

Note: *Bidders are required to attach registration certificate as contractors in Kitchen Equipment (the main component of the tender) issued by National Construction Authority. LPG Certificate will only be considered for bidders summitting a bid for LPG only in the event that none of the bidders submit complete bid for both Kitchen & LPG

Bidders shall be required to meet all the Mandatory Requirements to progress to stage 2 on Technical Evaluation on specification.

Stage 2: Technical Evaluation on Specifications

Tenderers meeting the mandatory requirements in stage 1 above will be subjected to technical evaluation on specification of the key items offered.

The bid will be analyzed, using the information in the technical brochures, to determine compliance with <u>key technical specifications</u> for the equipment as indicated in Section VI of this tender document. Bidders will be required to meet the minimum technical specification of the equipment. Those not complying with the <u>key technical specifications</u> shall be disqualified while those meeting all the key technical specifications shall be progressed to third stage of evaluation on technical evaluation on capacity to deliver the contract.

Schedule of Key Items

No.	Description	Compliance with Specification	Country of Origin	Make/Model	Compliance (YES or No)
1	Crockery & Utensils Store				
2	Electric Convection Oven with Steam: Oven Weight 135 (Kg)				
3	Pastry: Stainless steel tall boy trolley for tray size 600x400				
4	 Meat Prep: Knee operated hand wash basin; Stainless steel double bowl sink 				
5	 Potato Peeling: Automatic Potato Peeler Machine 15KGS; Stainless steel double bowl sink 				
6	Dry Refuse: Stainless steel refuse bin				
7	Wet REFUSE: Stainless steel refuse bin				
8	Cold Prep: Stainless steel bowl sink				
9	Veg Prep: •Hand wash basin; • Stainless steel double bowl sink				
10	 Bulk Cooking: Stainless steel island type box shaped; Centrifugal Fan; Stainless Steel S Type Grease Filter 				
11	Support: Stainless steel Worktop With bowl sink				
12	 Retail Cooking: Stainless steel wall type box shaped; Stainless Steel S Type Grease Filter 				
13	Pot Wash Basin				

14	Dish Wash:		
	Stainless steel double bowl		
	sink		
15	Servery:		
	Stainless steel neutral		
	cupboard		
16	Cold Room:		
	Chiller Room:0°C-4		
17	Freezer Room:-18°C		
18	1000 Kgs L.P Gas storage		
	tank		

Stage 3: Technical Evaluation on capacity to deliver the contract

Tenderers fully complying with the technical specification will be subjected to technical evaluation on capacity to deliver the contract based on the technical parameters given below:

	Evaluation Attribute	Weighting Score	Max Score
T1	Number of years in the business of the supply and installation of Kitchen Equipment (a copy of certificate of incorporation to be provided for verification).	Each active year of registration will earn 4 marks to a maximum of 5 years	20
T2	Provide a list of at least three (3) clients with <u>references</u> (names and <u>telephone of contact persons</u>) to which the company has supplied and installed Kitchen equipment each valued at KShs.5,000,000 and above in the last 7 years. The Bank may undertake due diligence on the list. Note: Bidder to provide copies of contracts/LPOs and completion certificates/letter from the client confirming execution of the contract & amount.	Each reference client will earn 10 marks to a maximum of 3 clients.	30
Τ3	 Provide a list of at least three (3) Qualified Technical Staff in the company relevant to Kitchen, mechanical, Electronics, or related field. For any of the personnel provided to qualify, the following requirements MUST be met: a. As a minimum, the academic qualifications of each of the personnel MUST be from a recognized institution in any of the following fields; i. Mechanical ii. Electronics field iii. Other related field b. Technical personnel to be provided: i). Site Agent (Diploma holder and above); ii). 1No. Electrical/Electronics specialist (Diploma holder & above. iii).1No. Technicians/engineers as mechanical/Electronics / electricians etc (certificate holder & above) 	Each Qualified Technical Staff will earn 10 marks to a maximum of 3No. Qualified Technical Staff.	30

	Evaluation Attribute	Weighting Score	Max Score
	 c. All technical staff provided MUST have as a minimum three years' post college experience in Mechanical/ Electronics/Electrical, or related field. Each personnel MUST indicate the firms he/she has worked in since graduation. d. Detailed Curriculum Vitae (CV's) of each staff MUST be attached. The Curriculum Vitae MUST state qualification, experience, and duration with the firm and active contacts of the staff. The contacts given in the Curriculum Vitae MUST be active email addresses. e. Copies of academic certificates MUST be provided. f. The role of each technical staff should be indicated Where personnel provide certificates of degrees from foreign institutions, a letter of recognition of the institution from the Commissioner of University Education of Kenya MUST be provided for the certificate to qualify. 		
T4	Delivery Period	Delivery period up to three months – 20 marks Delivery period above three months up to six months – 10 marks Delivery period above six month – 0 marks	20
	Total		100

Tenderers will be required to **score 75% and above** on the above Technical Evaluation to qualify for Financial Evaluation.

Stage 4. Financial Evaluation

Tenderers that **score 75% and above** under Technical Evaluation on Capacity to deliver the contract will have their bids subjected to financial evaluation. Financial Evaluation shall involve checking arithmetic errors and completeness of the bill of quantities.

Recommendation of Award

The lowest evaluated bidders for both lot 1& 2 will be recommended for consideration of award of the tender. However, in the event that none of the bidders is successful in both lots (Lot 1&2), then the lowest evaluated bidder in each lot will be considered for award.

SECTION III:

GENERAL CONDITIONS OF CONTRACT

Table of Clauses

		Page
3.1	Definitions	26
3.2	Application	26
3.3	Country of Origin	
3.4	Standards	
3.5	Use of Contract Documents and Information	26
3.6	Patent Rights	27
3.7	Performance Security	27
3.8	Inspection and Tests	
3.9	Packing	28
3.10	Delivery and Documents	28
3.11	Insurance	28
3.12	Payment	28
3.13	Price	29
3.14	Assignments	29
3.15	Sub contracts	29
3.16	Termination for Default	29
3.17	Liquidated Damages	30
3.18	Resolution of Disputes	30
3.19	Language and law	30
3.20	Force Majeure	30
3.21	Notices	30

SECTION III - GENERAL CONDITIONS OF CONTRACT

3.1 **Definitions**

3.1.1 In this Contract, the following terms shall be interpreted as indicated:

- (a) "The Contract" means the agreement entered into between the Procuring entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) "The Contract Price" means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
- (c) "The Goods" means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to the Procuring entity under the Contract.
- (d) "The Procuring entity" means the organization purchasing the Goods under this Contract.
- (e) "The Tenderer' means the individual or firm supplying the Goods under this Contract.

3.2 Application

3.2.1 These General Conditions shall apply in all Contracts made by the Procuring entity for the procurement installation and commissioning of equipment to the extent that they are not superseded by provisions of other part of contract.

3.3 **Country of Origin**

- 3.3.1 For purposes of this clause, "Origin" means the place where the Goods were mined, grown or produced.
- 3.3.2 The origin of Goods and Services is distinct from the nationality of the tenderer and will be treated thus in the evaluation of the tender.

3.4 Standards

3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

3.5 Use of Contract Documents and Information

- 3.5.1 The Candidate shall not, without the Procuring entity's prior written consent, disclose the Contract, or any provision therefore, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring entity in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.
- 3.5.2 The tenderer shall not, without the Procuring entity's prior written consent, make use of any document or information enumerated in paragraph 3.5.1 above

3.5.3 Any document, other than the Contract itself, enumerated in paragraph 3.5.1 shall remain the property of the Procuring entity and shall be returned (all copies) to the Procuring entity on completion of the Tenderer's performance under the Contract if so required by the Procuring entity

3.6 **Patent Rights**

3.6.1 The tenderer shall indemnify the Procuring entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring entity's country

3.7 **Performance Security**

- 3.7.1 Within thirty (30) days of receipt of the notification of Contract award, the successful tenderer shall furnish to the Procuring entity the performance security where applicable in the amount specified in Special Conditions of Contract.
- 3.7.2 The proceeds of the performance security shall be payable to the Procuring entity as compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.
- 3.7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the procuring entity and shall be in the form of
 - a) Cash
 - b) Bank guarantee
 - c) Such insurance guarantee approved by the Authority
 - d) Letter of credit
- 3.7.4 The performance security will be discharged by the Procuring entity and returned to the Candidate not late than thirty (30) days following the date of completion of the Tenderer's performance obligations under the Contract, including any warranty obligations, under the Contract

3.8 **Inspection and Tests**

- 3.8.1 The Procuring entity or its representative shall have the right to inspect and/or to test the equipment to confirm their conformity to the Contract specifications. The Procuring entity shall notify the tenderer in writing in a timely manner, of the identity of any representatives retained for these purposes.
- 3.8.2 The inspections and tests may be conducted in the premises of the tenderer. All reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring entity.

- 3.8.3 Should any inspected or tested equipment fail to conform to the Specifications, the Procuring entity may reject the equipment, and the tenderer shall either replace the rejected equipment or make alterations necessary to make specification requirements free of costs to the Procuring entity.
- 3.8.4 The Procuring entity's right to inspect test and where necessary, reject the equipment after the equipment arrival and installation shall in no way be limited or waived by reason of the equipment having previously been inspected, tested and passed by the Procuring entity or its representative prior to the equipment delivery.
- 3.8.5 Nothing in paragraph 3.8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

3.9 Packing

- 3.9.1 The tenderer shall provide such packing and packaging of the equipment as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.
- 3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract

3.10 **Delivery and Documents**

3.10.1 Delivery of the equipment, documents and installation of the same shall be made by the tenderer in accordance with the terms specified by Procuring entity in its Schedule of Requirements and the Special Conditions of Contract

3.11 Insurance

3.11.1 The equipment supplied under the Contract shall be fully insured against loss or damage incidental to manufacturer or acquisition, transportation, storage, and delivery in the manner specified in the Special conditions of contract.

3.12 **Payment**

- 3.12.1 The method and conditions of payment to be made to the tenderer under this Contract shall be specified in Special Conditions of Contract
- 3.12.2 Payments shall be made promptly by the Procuring entity as specified in the contract

3.13 Prices

- 3.13.1 Prices charged by the tenderer for equipment delivered and installation performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.
- 3.13.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)
- 3.13.3 Where contract price variation is allowed, the variation shall not exceed 25% of the original contract price.
- 3.13.4 Price variation requests shall be processed by the procuring entity within 30 days of receiving the request.

3.14. Assignment

The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring entity's prior written consent

3.15. Subcontracts

3.15.1 The tenderer shall notify the Procuring entity in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract

3.16. Termination for Default

- 3.16.1 The Procuring entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part
 - (a) if the tenderer fails to deliver any or all of the equipment within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring entity
 - (b) if the tenderer fails to perform any other obligation(s) under the Contract
 - (c) if the tenderer, in the judgment of the Procuring entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract
- 3.16.2 In the event the Procuring entity terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, equipment similar to those undelivered, and the tenderer shall be liable to the Procuring entity for any excess costs for such similar equipment.

3.17. Liquidated Damages

3.17.1 If the tenderer fails to deliver and/or install any or all of the items within the period(s) specified in the contract, the procuring entity shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the delivered price of the delayed items up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

3.18. Resolution of Disputes

- 3.18.1 The procuring entity and the tenderer shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the contract
- 3.18.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require that the dispute be referred for resolution to the formal mechanisms specified in the SCC.

3.19. Language and Law

3.19.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise specified in the SCC

3.20. Force Majeure

3.20.1 The Tenderer shall not be liable for forfeiture of its performance security or termination for default if and to the extent that it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

3.21 Notices

- 3.21.1 Any notice given by one party to the other pursuant to this contract shall be sent to other party by post or by fax or Email and confirmed in writing to the other party's address specified.
- 3.21.2 A notice shall be effective when delivered or on the notices effective date, whichever is later.

SECTION IV (A): SPECIAL CONDITIONS OF CONTRACT

Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, between the GCC and the SCC, the provisions of the SCC herein shall prevail over those in the GCC.

1	er those in the GCC.	
General conditions	Special conditions of contract	
of contract reference		
3.1 (b)	The contract price will be in Kenya Shillings	
3.1 (C)	The works involves Supply, installation, testing, commissioning	
	and maintenance of Kitchen & LPG Equipment	
3.1 (d)	The procuring entity is Central Bank of Kenya , P. O. Box 60000 – 00200 , Nairobi	
3.7	Performance security shall be 5% of the contract amount and shall	
	be in form of bank guarantee issued by a commercial bank registered in Kenya recognized by Central Bank of Kenya	
3.10	1. Delivery and installation of the shall be at Ngong Police Housing Complex in Kajiado County	
	2. Upon delivery and installation of the equipment, the bidder shall notify the Bank and forward the following documents to the Bank through the Project Manager:	
	(i) Copies of the supplier invoice and delivery showing equipment description, unit price, total amount and	
	Contract Agreement	
3.12	The method and conditions of payment to the bidder under this	
0.12	contract shall be as follows:	
	(i) There shall be no advance payment under this contract	
	(ii) 95% payment shall be made upon certified delivery	
	and installation of the Kitchen & LPG Equipment.	
	(iii) 5% shall be made after the warranty period of one	
	year.	
	Note: Payments will be made by the Bank, within thirty (30) days	
	after submission of an invoice and a statement or claim by the	
	bidder.	
3.13.1	No price adjustments will be allowed unless under exceptional	
	circumstances and upon approval by the Bank	
3.18	If both parties have been unable to resolve amicably a contract	
	dispute either party may require that the dispute be referred to a	
	court of law of competent jurisdiction in Kenya	
3.19	The laws of Kenya shall apply	

SECTION V:BILL OF QUANTITIES - Lot 1: KITCHEN EQUIPMENT

ITEM	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
				Kshs	Kshs
	CROCKERY & UTENSILS STORE				
А	Stainless steel 4 tier rack with: -stainless steel Solid shelves -Sheet channel legs				
В	-Adjustable PVC grommet/stainless steel plugs fitted in 38 diameter tube -1500x500x1800 Stainless steel 4 tier rack with:	No.	4		
D	-stainless steel Solid shelves -Sheet channel legs -Adjustable Pvc grommet/stainless steel plugs fitted in 38				
С	diameter tube -1800x500x1800 Stainless steel 4 tier rack with: -stainless steel Solid shelves -Sheet channel legs	No.	1		
	-Adjustable Pvc grommet/stainless steel plugs fitted in 38 diameter tube 1100x500x1800	No.	1		
D	300x300mm Customized drain fitting complete with stainless steel grating cover and connection	No.	1		
	PASTRY				
Ε	Stainless steel tall boy trolley for tray size 600x400 with: -Lockable castors -Tube legs -Angle runners -Rod handle front stopper 465x615x1800	No.	2		
	-				
F	Stainless steel work top with; -Stainless steel channel backing -38 mm dia Round tube legs - Adjustable PVC grommets/ stainless steel plugs -Stainless steel undershelf				
	-50mm upstand at the back -1100x700x860	No.	1		
	TOTAL CARRIED FORWARD TO NEXT PAGE				

ITEM	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
			[Kshs	Kshs
	Total Brought Forward from Previous Page				
A	Stainless steel work top with; -Stainless steel channel backing -38 mm dia Round tube legs - Adjustable PVC grommets/ stainless steel plugs -Stainless steel undershelf				
В	-50mm upstand at the back -1500x700x860 Stainless steel wall type box shaped. Bolted pannel design complete with slopping filter housing with spacers,frame to have perforation for deoiling,body frame to have oil collecting channel and plugged holes for working and draining. Recessed spot lights complete box mounted on painted ms frame,top end cladded with GI	No.	1		
С	sheeting 1100x1000x500 900x300mm Customized drain fitting complete	No.	1		
C	with stainless steel grating cover and connection	No.	1		
D	Stainless Steel S Type Grease Filter -500x500x50		1		
Ε	ELECTRIC CONVECTION OVEN WITH STEAM; Pizzas, bread and fine pastries: use it to cook large batches without sacrificing precious time. Its high performance makes it the ideal ally for any professional in the bakery and pastry business. Sturdy and reliable, it gives you unbeatable freedom to adjust cooking to suit your different needs thanks to the direct steam option. CAPACITY 10. DISTANCE BETWEEN RACK RAILS 80 (mm). OVEN WEIGHT 135 (kg) . POWER SUPPLY 16 (kW). VOLTAGE AC 380/400 3N (V). FREQUENCY 50 (Hz). TEMPERATURE	No.	1		
F	100 ÷ 275 (°C) Baking trays	Item	1		
	TOTAL CARRIED FORWARD TO NEXT PAGE				

ITEM	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
				Kshs	Kshs
	Total Brought Forward from Previous Page				
А	Stainless steel rational oven stand with:				
	-1.5 mm thick top				
	-single under shelf -				
	-40mm Square legs -				
	-adjustable stainless steel plugs with runners below to hold 8				
	trays.	No.	1		
В	Stainless steel work top with;				
	-Stainless steel channel backing				
	-38 mm dia Round tube legs				
	- Adjustable PVC grommets/ stainless steel plugs				
	-Stainless steel undershelf				
	-50mm upstand at the back	No.	1		
С	2 door solid upright chiller; Features: 4 pcs castors, 8 shelves,				
	Dixell thermostat, S/S material; Specs: Volume(L) 1173.Net				
	Weight (kg) 161. Gross Weight (kg) 176. Temperature Range				
	2~+8°C. Climate				
	Class 4. Refrigerant R134a. Power Source(V/Hz) 220-240V				
	50Hz	No.	1		
D	60 Lt Spiral Mixer; Ideal equipment for pizzerias, pastry-				
_	shops, bakeries and families. Shape of the spiral allows				
	obtaining a perfectly mixed dough in few minutes. The bowl,				
	the spiral, the central column and the protection grid are made				
	of stainless steel. The gearbox is particulary silent as it is made				
	of oil bath gearmotor. All the equipment are equipped with	NIa	1		
	dough-breaker. The mixers can be equipped with a	No.	1		
	singlephase motor or a three phases one. On request, two				
	speeds are available on three-phases motors				
	PowerSupply(V) 230/1/50 Motor power (Kw) 1.5 - Capacity				
	(Ltr) 60 Single-phase motor power KW 1.1 Three-phase				
	motor power KW -60kg				
Ε	Stainless steel bowl sink complete with:	No.	1		
	-backing plate				
	-1.5 thick stainless steel top				
	-Rear up stand 50mm deck				
	-Marine edge				
	-Bowl size(500 x 400 x 250/300 mm)				
	-Round legs,38mm diameter with adjustable PVC Grommets/				
	stainless steel plugs				
	-stainless steel bracing all sides 25mm dia tube				
	-Stainless steel top made of ss 304 grade -700x700x860				
F	Mixer tap	No.	1		
	TOTAL CARRIED FORWARD TO NEXT PAGE				

ITEM	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
				Kshs	Kshs
	Total Brought Forward from Previous Page				
А	900x300mm Customized drain fitting complete with stainless steel grating cover and connection	No.	2		
	MEAT PREP				
В	Knee operated hand wash basin; Water flushing capability for 15 seconds - Wall mountable. Stainless steel housing. Weight: 7 kg. Net: 0.05 m3 -430x390x495	No.	1		
С	Stainless steel double bowl sink with: -2 Bowls -1.5mm thick stainless steel top -Rear up stand deck -Stainless steel sound deadening plate -Bowl(600 x 500 x 400 mm) -Round legs of 38 mm dia with adjustable stainless steel plugs. -Stainless steel bracing all sides -Stainless steel top made of ss 304 grade - 1500x600x860	No.	1		
D	Mixer tap	No.	1		
E F	300x300mm Customized drain fitting complete with stainless steel grating cover and connection Stainless steel work top with; -Stainless steel channel backing -38 mm dia Round tube legs - Adjustable PVC grommets/ stainless steel plugs	No.	2		
	-Stainless steel undershelf -50mm upstand at the back -1500x700x860	No.	2		
	TOTAL CARRIED FORWARD TO NEXT PAGE				

ITEM	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
				Kshs	Kshs
	Total Brought Forward from Previous Page				
A	Stainless steel work top with; -Stainless steel channel backing -38 mm dia Round tube legs - Adjustable PVC grommets/ stainless steel plugs -Stainless steel undershelf -50mm upstand at the back -1100x600x860	No.	1		
	POTATO PEELING				
В	Automatic Potato Peeler Machine 15KGS; adopts centrifugal principle and sheds by friction. It has high working efficiency. The main parts are made of stainless steel. POWER 0.75kw. 220V.	No.	1		
С	EFFICIENCY; 480-900kg/h. GW 66KGS. Stainless steel double bowl sink with:	10.	1		
C	-2 Bowls -1.5mm thick stainless steel top -Rear up stand deck -Stainless steel sound deadening plate				
	-Stainless steel sound deadening plate -Bowl(600 x 500 x 400 mm) -Round legs of 38 mm dia with adjustable stainless steel plugs. -Stainless steel bracing all sides -Stainless steel top made of ss 304 grade - 1500x600x860	No.	1		
D	Mixer tap	No.	1		
Е	300x300mm Customized drain fitting complete	No	2		
F	with stainless steel grating cover and connection Stainless steel work top with; -Stainless steel channel backing -38 mm dia Round tube legs - Adjustable PVC grommets/ stainless steel plugs -Stainless steel undershelf	No.	2		
	-50mm upstand at the back	No.	2		
	TOTAL CARRIED FORWARD TO NEXT PAGE				

ITEM	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
				Kshs	Kshs
	Total Brought Forward from Previous Page				
А	Knee operated hand wash basin; Water flushing capability for 15 seconds - Wall mountable. Stainless steel housing. Weight: 7 kg. Net: 0.05 m3 - 1100x600x860	No.	1		
	DRY REFUSE				
В	Stainless steel refuse bin -500x500x860	No.	3		
	WET REFUSE				
C	Stainless steel refuse bin -500x500x860	No.	3		
	COLD PREP				
D	Stainless steel work top with; -Stainless steel channel backing -38 mm dia Round tube legs - Adjustable PVC grommets/ stainless steel plugs -Stainless steel undershelf				
Е	-50mm upstand at the back -1800x700x860 Stainless steel bowl sink complete with: -backing plate -1.5 thick stainless steel top -Rear up stand 50mm deck -Marine edge	No.	1		
	-Bowl size(500 x 400 x 250/300 mm) -Round legs,38mm diameter with adjustable PVC Grommets/ stainless steel plugs -stainless steel bracing all sides 25mm dia tube -Stainless steel top made of ss 304 grade - 700x700x860	No.	1		
F	Mixer tap	No.	1		
	TOTAL CARRIED FORWARD TO NEXT PAGE				

ITEM	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
				Kshs	Kshs
	Total Brought Forward from Previous Page				
А	900x300mm Customized drain fitting complete with				
11	0 1	No.	1		
В	Under counter 2 door fridge With Cut out;		_		
	Features: 4 pcs castors, 2 shelves, Dixell thermostat,				
	S/S material; Specs :Volume (L) 314.Net Weight				
	(kg) 93. Gross Weight (kg) 108. Temperature Range				
	-2~+8°C.	No.	1		
	Climate Class 4. Refrigerant R134a. Power				
	Source(V/Hz) 220- 240V 50Hz -1800x700x860				
	VEG PREP				
С	Knee operated hand wash basin; Water flushing				
	capability for 15 seconds - Wall mountable. Stainless				
	steel housing. Weight: 7 kg. Net:				
		No.	1		
D	Stainless steel work top with;				
	-Stainless steel channel backing				
	-38 mm dia Round tube legs				
	- Adjustable PVC grommets/ stainless steel plugs				
	-Stainless steel undershelf	NT	1		
г	-50mm upstand at the back -1800x700x860	No.	1		
Ε	Stainless steel double bowl sink with:				
	-2 Bowls -1.5mm thick stainless steel top				
	-Rear up stand deck				
	-Stainless steel sound deadening plate				
	-Bowl(600 x 500 x 400 mm)	No.	1		
	-Round legs of 38 mm dia with adjustable stainless		_		
	steel plugs.				
	-Stainless steel bracing all sides				
	-Stainless steel top made of ss 304 grade -				
	1500x600x860				
F	Mixer tap	No.	1		
	TOTAL CARRIED FORWARD TO NEXT PAGE				

ITEM	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
				Kshs	Kshs
	Total Brought Forward from Previous Page				
A B	900x300mm Customized drain fitting complete with stainless steel grating cover and connection Stainless steel work top with; -Stainless steel channel backing -38 mm dia Round tube legs	No.	2		
	- Adjustable PVC grommets/ stainless steel plugs -Stainless steel undershelf -50mm upstand at the back -1100x600x860	No.	1		
С	BULK COOKING Hood: Stainless steel island type box shaped. Bolted pannel design complete with slopping filter housing with double sidded V shapped slopping filter housing, frame to have perforation for deoiling, body frame to have oil collecting channel and plugged holes for working and draining. Recessed spot lights complete box mounted on painted ms frame, top end cladded with GI sheeting	No.	1		
D	,suitable sized cut out for duct connection,4 or 6 nos corner brackets for mounting on ceiling or side walls. Centrifugal Fan, double exhaust fan in box casing with motor coupled to the fan wheel (forward shovels) through pulleys and belts. Structural shape aluminium frame, zinc-plate panel with noise				
	reduction and flame prooflining. CONSTRUCTION; The hopper consists of a structure of extruded profiles of oxidized aluminum P30 or P40 and nylon corner with glass fiber. FAN; The centrifugal fan double inlet is constructed robust-		1		
Е	Stainless Steel S Type Grease Filter -500x500x50	No.	10		
F	Metres runing length of duct made of 22 SWG G.I Sheets with 6 bends , Plenum box of 4000 x 1000 x 600mm 2 transition pieces with a goose neck and end piece fitted with expanded mesh to prevent rodents and birds from getting into the duct line. And Mounting brackets.	Item	1		
	TOTAL CARRIED FORWARD TO NEXT PAGE		1		
	CARRIED FORWARD TO TREAT LAGE				

ITEM	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
				Kshs	Kshs
	Total Brought Forward from Previous Page				
А	Combined cooker -2700x800x850	No.	1		
В	6 burner back and front arrangment; Low pressure complete with airation control Heavy duty cast iron pan support Stainless steel removable drip tray in heavy Stainless steel frame Low and high flame				
С	control knob Power 36 Kw-900x700 Stainless steel infill between the cooktops; Reverse channel stainless steel drop in between the frames of	No.	1		
	combined cooker450x700	No.	1		
D	2 burner back adjacent arrangement with; High pressure complete with airation control Heavy duty cast iron pan support stainless steel removable drip tray in heavy stainless steel frame low and high flame control knob. Power				
	24 Kw-1050x700	No.	1		
E	 Kusina tilting bratt pan; Capacity 80 lt• Stainless steel cooking pan While tilting bratt pan switch step in, system stops Safety thermostat • Capacity with 80 lt and 120 lt • Self hinged lid • 200 mm Depth stainless steel pan • 				
	Unscratchable enameled cast iron back grate • Thermostatic temperature control • Tubular burner placed under the tank • Pilot light and valve with thermocouple • Adjustable heating system 50°C - 300°C * Piezo-electric- 800x900x900	No.	2		
F	Kusina boiling pan; Capacity 150 lt• Water inlet tap and a drain tap on the • Direct or indirect heating • High efficiency by using oil in jacket • Long life and minimum maintenance provided by using oil in jacket • Safety thermostat • Safety discharge valve • Operating temperature range (0-180 ° C) • Power 12 kw • Gross Weight 180 kg • Gross Volume 1.05 m3 • Electrical Inlet 400 V 3N PE -800x900x900	No.	1		
	TOTAL CARRIED FORWARD TO NEXT PAGE				

ITEM	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
				Kshs	Kshs
	Total Brought Forward from Previous Page				
	SUPPORT				
А	Stainless steel WORKTOP WITH bowl sink complete	2			
	with:				
	-backing plate				
	-1.5 thick stainless steel top -Rear up stand 50mm deck				
	-Marine edge		_		
	-Bowl size(500 x 400 x 250/300 mm)	No.	2		
	-Round legs,38mm diameter with adjustable PVC				
	Grommets/ stainless steel plugs				
	-stainless steel bracing all sides 25mm dia tube -Stainless steel top made of ss 304 grade -				
	1200x600x860				
В	Mixer tap	No.	1		
С	Customized drain fitting and connection	No.	1		
D	Stainless steel work top with;				
	-Stainless steel channel backing				
	-38 mm dia Round tube legs - Adjustable PVC grommets/ stainless steel plugs				
	-Stainless steel undershelf	No.	2		
	-50mm upstand at the back -1500x600x860				
	RETAIL COOKING				
Е	Stainless steel wall type box shaped. Bolted pannel				
	design complete with slopping filter housing with				
	spacers, frame to have perforation for deoiling, body				
	frame to have oil collecting channel and plugged				
	holes for working and draining. Recessed spot lights complete box mounted on painted ms frame,top end	No.	1		
	cladded with GI sheeting				
	,suitable sized cut out for duct connection,4 or 6 nos				
	corner brackets for mounting on ceiling -				
г	2900x1000x500	NT	_		
F	Stainless Steel S Type Grease Filter -500x500x50	No.	5		
	TOTAL CARRIED FORWARD TO NEXT PAGE				

ITEM	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
				Kshs	Kshs
	Total Brought Forward from Previous Page				
А	Combined wall type cooker -2700x800x850	No.	1		
В	Four burner low pressure cooker with; 4 burner back and front arrangment Low pressure complete with airation control Heavy				
	duty cast iron pan support Stainless steel removable drip tray in heavy Stainless steel frame Low and high flame control knob Power 24 Kw - 600x700	No.	1		
С	1/2 Grooved 1/2 smooth hot plate griddle; Mild steel polished with 3 sides 3.0mm thick upstand guard. Flame duct at				
	backstainless steel tubular burner with low and high flame control valve burner. Oil draining channel in the front of hot plate and oil collecting tray in the front pannel. Power 9kw -500x600	No.	1		
D	Stainless steel chips dump complete with; 200mm deep 1/1 GN container,false perforated bottom for	No.	1		
E	2 BASIN ELECTRIC DEEP FAT FRYER 17+17 LT; Fully moulded top, obtained from a single large stainless steel plate. Large capacity shaped cooking pots, with wide vertical expansion zone to avoid	110.	1		
	depositing of foam during loading. Automatic temperature adjustment thermostat up to 190°C. Fire-proof safety thermostat (230°C). Oil drain valves. Support for baskets and lids. Removable and lifting stainless steel armoured heating elements. Reached programmed 800x700	No.	1		
	POT WASH				
F	Knee operated hand wash basin; Water flushing capability for 15 seconds - Wall mountable. Stainless steel housing. Weight: 7 kg. Net:				
	0.05 m3 -430x390x495	No.	1		
	TOTAL CARRIED FORWARD TO NEXT PAGE				

ITEM	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
				Kshs	Kshs
	Total Brought Forward from Previous Page				
А	Stainless steel trough sink complete with:				
	-Rear up stand				
	- hole for the sink waste				
	-Stainless steel channel backing	No.	1		
	-38 mm round tube legs				
	- Adjustable				
	PVC grommets/ stainless steel plug -1500x600x860				
В	Mixer tap	No.	2		
С	900x300mm Customized drain fitting complete with				
	stainless steel grating cover and connection	No.	1		
D	Stainless steel 4 tier rack with:				
	-stainless steel Solid shelves				
	-stainless steel tube legs 38mm diameter/32mm				
	square	No.	1		
	-Adjustable Pvc				
	grommet/stainless steel plugs fitted in 38 diameter tube 2000x500x1800				
Е	Stainless steel Receiving table with; Diameter				
	250mm Chute .38 mm round tube legs.				
	Adjustable PVC grommets/stainless steel plugs.				
	Stainless steel bracing on 3 sides -1500x600x860	No.	1		
F	Stainless steel Dust bin with: -				
	removable top hollow cover -				
	Lockable castor wheels.				
	- Suitable for under counter -350x350x750	No.	1		

ITEM	DESCRIPTION	UNIT	QTY.	RATE Kshs	AMOUNT Kshs
	Total Brought Forward from Previous Page DISH WASH				
Α	Stainless steel double bowl sink with: -2 Bowls -1.5mm thick stainless steel top				
	 -Rear up stand deck -Stainless steel sound deadening plate -Bowl(600 x 500 x 400 mm) -Round legs of 38 mm dia with adjustable stainless steel plugs. -Stainless steel bracing all sides -Stainless steel top made of ss 304 grade -1500x740x860 	No.	1		
В	Mixer tap	No.	1		
С	900x300mm Customized drain fitting and connection	No.	2		
	Hood type dish washer; Water consumption/cycle: 3.2litres. Booster Capacity: 8.2litres. Tank size: 42litres. Output (racks/hr)40. Booster heater 7KW. Tank heater 2KW. Wash pump 0.75 KW Electrical Rating400V/3N - 50Hz. Hood Type Dish Washer Full stainless steel frame. tank and panels Inlet and waste hoses included. Detergent dispenser and rinse aid dispenser. Guaranteed rinse cyce only when water at 85°c Micro filter on wash pump which delivers better wash results. 1 piece deep drawn wash tank. (RACK)500x500 -625x750x1460 Dish wash rack; This material is virtually indestructible and will not distort. This material is virtually indestructible and will not distort. Racks do not require any maintenance. The excellent technical and constructional characteristics present many advantages for the user400 x 400 Stainless steel run out table with; - Adjustable PVC grommets/stainless steel plugsStainless steel channel brackets	110.	1		
G	-2 bended upstands -38mm diameter round stainless steel tube legs - 1000x740x860 Stainless steel 4 tier rack with: -stainless steel Solid shelves -Sheet channel legs -Adjustable Pvc grommet/stainless steel plugs fitted in 38		1		
	diameter tube -1800x500x1800 OTAL CARRIED FORWARD TO NEXT PAGE	No.	1		

ITEM	DESCRIPTION	UNIT	QTY.	RATE Kshs	AMOUNT Kshs
	Total Brought Forward from Previous Page				
	SERVERY				
А	Stainless steel neutral cupboard with: -Stainless Steel Double Sliding door -One mid shelf -Stainless steel body construction -Round legs with adjustable feet -2000x700x860	No.	1		
В	Stainless steel work top with; -stainless steel channel backing -38 mm dia Round tube legs	No.	2		
С	-Adjustable PVC grommets/stainless steel plugs -Stainless steel undershelf -1500x700x860 Stainless steel Bain Marie with:				
	-Double sliding doors -Hot cupboard -Water well with wet element of 2.5 kW -Drainage with ball valve -1shelf -Double pannel for insulation -Stainless steel body construction	No.	2		
D	 Round legs with adjustable feet -can hold 5 Full size GN Containers Simmerstat temperature control Total load 3.5kw (20 Amp 220V) - 2000x700x860 Stainless steel neutral cupboard with: 				
_	-Stainless Steel Double Sliding door -One mid shelf -Stainless steel body construction	No.	1		
Е	-Round legs with adjustable feet -1500x700x860 Stainless steel refrigerated salad display counter with: -cupboard underneath -Condensing unit built under neath				
	-Open cubpoard below -130mm deep salad well -40mm thick insulation -Spiral contact copper tubes -1500x700x860	No.	1		
F	Stainless steel tray slide with: -1.5 mm designer mounting bracket -Tubular tray slide diameter 20mm welded on bracket made of 5 pieces				
	-Bracket is Bolted to counter -5300x300	No.	1		

ITEM	DESCRIPTION	UNIT	QTY.	RATE Kshs	AMOUNT Kshs
	Total Brought Forward from Previous Page DISPATCH				
A	Stainless steel neutral cupboard with: -Stainless Steel Double Sliding door -One mid shelf -Stainless steel body construction -Round legs with adjustable feet -1500x700x860	No.	2		
В	Stainless steel neutral cupboard with: -Stainless Steel Double Sliding door -One mid shelf -Stainless steel body construction -Round legs with adjustable feet -1100x700x860	No.	1		
С	COLD ROOM Chiller Room:0°C-4 Tough and durable both inside and out these modular coldrooms are fully food-safe and meet the most demanding of European standards for hygiene. Supplied with an integrated refrigeration system these modular coldrooms are as close to a plug-and- play solution you can get. The system is perfectly matched to the room dimensions ensuring it is efficient and effective without being excessive - 3800x2600x240	No.	1		
D	Stainless steel 4 tier rack with: -stainless steel Solid shelves -Sheet channel legs -Adjustable Pvc grommet/stainless steel plugs fitted in 38 diameter tube -1800x500x1800	No.	2		
Е	Stainless steel 4 tier rack with: -stainless steel Solid shelves -Sheet channel legs -Adjustable Pvc grommet/stainless steel plugs fitted in 38 diameter tube -1500x500x1800	No.	2		

ITEM	DESCRIPTION	UNIT	QTY.	RATE Kshs	AMOUNT Kshs
	Total Brought Forward from Previous Page				
	FREEZER ROOM				
	Freezer Room:-18°C Tough and durable both inside and out these modular coldrooms are fully food-safe and meet the most demanding of European standards for hygiene. Supplied with an integrated refrigeration system these modular coldrooms are as close to a plug-and- play solution you can get. The system is perfectly matched to the room dimensions ensuring it is efficient and effective without being excessive -3800x2600x240	No.	1		
	Stainless steel 4 tier rack with: -stainless steel Solid shelves -Sheet channel legs -Adjustable Pvc grommet/stainless steel plugs fitted in 38 diameter tube -1800x500x1800	No.	2		
	Stainless steel 4 tier rack with: -stainless steel Solid shelves -Sheet channel legs -Adjustable Pvc grommet/stainless steel plugs fitted in 38 diameter tube -1500x500x1800	No.	2		
D	Assembling with interconnected pipe work , insulation, Electric wiring Gassy and Setting to work	No.	2		
Ε	VEG STORE Stainless steel 4 tier rack with: -stainless steel Solid shelves -Sheet channel legs -Adjustable Pvc grommet/stainless steel plugs fitted in 38 diameter tube -1500x500x1800	No.	2		
F	Stainless steel 4 tier rack with: -stainless steel Solid shelves -Sheet channel legs -Adjustable Pvc grommet/stainless steel plugs fitted in 38 diameter tube -1100x500x1800	No.	6		

ITEM	DESCRIPTION	UNIT	QTY.	RATE Kshs	AMOUNT Kshs
	Total Brought Forward from Previous Page				
	DRY STORE				
А	Stainless steel 4 tier rack with: -stainless steel Solid shelves -Sheet channel legs	No.	5		
P	-Adjustable Pvc grommet/stainless steel plugs fitted in 38 diameter tube -1500x500x1800				
В	Stainless steel 4 tier rack with: -stainless steel Solid shelves -Sheet channel legs -Adjustable Pvc grommet/stainless steel plugs fitted in 38 diameter tube -1800x500x1800	No.	1		
С	Stainless steel 4 tier rack with: -stainless steel Solid shelves -Sheet channel legs -Adjustable Pvc grommet/stainless steel plugs fitted in 38 diameter tube -1100x500x1800	No.	5		
	RECEIVING AREA				
D	Electronic digital weighing scale 0-150 kg; These scales are ideal for weighing items in your warehouse or office, and can handle up to a mammoth 150kg!! With precision accuracy, the scales still measure to the nearest 0.1kg. Its platform is considerably larger than most other scales, hence is perfect for items of all different shapes and sizes. Although designed for heavy industrial use, the scale is lightweight and extremely easy to carry or move. Can plug into a socket (free AC adaptor included) or be used with 4V/4AH rechargeable lead acid battery (included and fitted)		1		
Е	Stainless steel work top with; -Stainless steel channel backing -38 mm dia Round tube legs - Adjustable PVC grommets/ stainless steel plugs -Stainless steel undershelf -50mm upstand at the back - 900x700x860	No.	1		
F	Metres running length of duct made of 22 SWG G.I Sheets with 6 bends , Plenum box of 4000 x 1000 x 600mm 2 transition pieces with a goose neck and end piece fitted with expanded mesh to prevent rodents and birds from getting into the duct line. And Mounting brackets.	Item	1		
ТО	TAL CARRIED FORWARD TO NEXT PAGE		Ŧ		<u> </u>

ITEM	DESCRIPTION	UNIT	QTY.	RATE Kshs	AMOUNT Kshs
	Total Brought Forward from Previous Page				
	OTHERS				
А	Insect Killer;				
	Power: 40 W Effective Area: 50m2 -500x250	No.	3		
В	Stainless steel floor trap with:				
	-Reverse angle frames	NT-	4		
	-Stainless steel cover	No.	4		
	-Fish tail for flooring -250x250				
С	Stainless steel floor trap with:				
	-Reverse angle frames	No.	5		
	-Stainless steel cover	INO.	5		
	-Fish tail for flooring -500x250				
D	Square flange; Top Flange: 3mm 304 Stainless Steel.				
	Basket: Spot welded construction with 3mm DIA				
	mesh to ensure that the smallest solids are collected.				
	Body: Metal Spun, single construction, ensures				
	leak-free operation.				
	Water Seal: Removable with 70mm water seal	No.	7		
	depth. Rubber Boot:				
	Ensures excellent water seal integrity and ease of				
	removal.Inlet				
	Diameter 200mm. Outlet Diameter 110 mm -				
	240x240x230				
Е	Stainless Steel Service Spine on Cooker	No.	2		
	Internal manifold Rego, Isolators, External				
F	Manifold, Rego, Isolators				
	,	No.	1		

DESCRIPTION	TENDER AMOUNT KSHS.
GRAND SUMMARY	
Preliminaries and General Conditions Brought Forward	
BILL No. 1: KITCHN EQUIPMENT INSTALLATION	
Total Brought Forward From Collection Page	
General Items	
Allow for the preparation of working drawings, record drawings and "as installed" / "as built" drawings, diagrams, instruction charts, operation and maintenance manuals, etc, all as specified in the attached specifications.	
SUB-TOTAL	
ADD 16% V.A.T	
PROVISIONAL SUM	3,000,000.00
CONTINGENCY AMOUNT	2,000,000.00
TOTAL CARRIED FORWARD TO FORM OF TENDER	
	GRAND SUMMARY Preliminaries and General Conditions Brought Forward BILL No. 1: KITCHN EQUIPMENT INSTALLATION Total Brought Forward From Collection Page General Items Allow for the preparation of working drawings, record drawings and "as installed" / "as built" drawings, diagrams, instruction charts, operation and maintenance manuals, etc, all as specified in the attached specifications. SUB-TOTAL ADD 16% V.A.T PROVISIONAL SUM CONTINGENCY AMOUNT

1B: Maintenance of the Installed Kitchen Equipment

No.	Machine	Quarterly Cost	Annual Cost (Kshs.)	Total Cost in Three Years (Kshs.)
i	Maintenance of the installed Kitchen Equipment	LS		

Note: Maintenance will involve service of the Equipment to ensure that the installed Equipment is kept at optimal operation during the maintenance period. Bidders are required to include in their bid a proposal for maintenance service. Maintenance will commence after the one year warranty and defect liability period.

BILL OF QUANTITIES LOT 2: LIGUEFIED PETROLEUM GAS (LPG) EQUIPMENT

ITEM	DESCRIPTION	UNIT	QTY	RATE (KSHS)	AMOUNT (KSHS)
	BILL No. 1: L.P GAS INSTALLATION				
1.00	Supply, install, test and commissioning the following; - PIPEWORK AND FITTINGS.				
	Prices for pipework shall include the following for coupling, connectors, adaptors, flanges, end caps, fixing brackets and plugs, and jointing to fittings etc, including jointing tapes, compounds etc, together with fixing pipe sleeves and the necessary builders works, all as required in the pipework installation.				
	Seamless Schedule 40 black mild steel pipes.				
А	40mm ø Pipe -	Lm	40		
В	32mm ø Pipe -	Lm	5		
C	25mm ø ditto -	Lm	10		
D	20mm ø ditto -	Lm	10		
Е	<u>Isolating gate valves</u> 40mm ø Valves -	No.	2		
F	32mm ø ditto -	No.	2		
G	20mm ø ditto -	No.	3		
Н	Reducing bush 20 mm x 15 mm	No	6		
Ι	Reducing bush 15 mm x 8 mm	No	6		
J	Hex Nipple 15 mm	No	6		
	TOTAL CARRIED FORWARD TO NEXT PAGE	<u> </u>		1	

Item	Description	UNIT	QTY	RATE (KSHS)	AMOUNT (KSHS)
	TOTAL BROUGHT FORWARD FROM PREVIOUS PAGE				
А	Angle Bracket Mild steel angle bracket to hold L. P. Gas pipework complete with anchoring rawl bolts, nuts and painted with 2 coats of super gloss paint on a primer coat.	No.	40		
В	Painting Allow for 2-coats of undercoat and 2-coats of oil based yellow colour to schedule 40 pipe and fitting to Engineer's approval. LP GAS BULK TANK	Item.	1		
	Supply, install test and commissioning of LPG tank and all its accessories as described below. 1000 Kgs L.P Gas storage Gas storage tank complete as specified and with filling valve, content gauge, multi valve, safety valve, drain		1		
	plug, and lockable cover for tanks filling all complete with factory protective paint finish. 40mm ø LPG meter complete with 1No. Isolating valve L.P Gas supply at STP.		1		
	<u>Regulators.</u> High pressure regulator as Rego connected to Pipework.	No.	1		
F	Low pressure regulators.	No.	3		
	Allow for the initial LPG charge for the one storage tank	Kg	1,000		
	Supply and install a no-smoking sign with the writing L.P GAS: NO SMOKING OR NAKED LIGHTS.	No.	2		
Ι	Automatic Dry Chemical Fire Extinguisher 50Kgs Automatic dry chemical fire extinguisher complete with pressure gauge, initial charge, glass bulb, sprinkler head and mounting base. The operating temparature of the bulb shall be 79°C. The unit shall be as Germania model GD 25 or equal and approved.	No.	1		
	TOTAL CARRIED FORWARD TO NEXT PAGE				

Item	Description	UNIT	QTY	RATE (KSHS)	AMOUNT (KSHS)
	TOTAL BROUGHT FORWARD FROM PREVIOUS PAGE				(10110)
	Copper tubes to B.S 2871 Part 1 with Brass capillary or compression fittings to B.S 864:1983 10/12 mm Copper Pipe	Lm	15		
В	Copper Adaptors to appliance and BSP fittings	No	6		
3.00	LPG LEAK DETECTION SYSTEM		0		
	Supply and install LPG Leak detector, Protection level IP44	No	2		
	Supply and install a central unit for LPG Leak detection system, Power supply 230 Vac or 12Vdc. Protection level IP65.	No	1		
Е	Piezoelectric modulated siren with flashing red light indication, Sound Intensity 115Db. Rating IP 43.	No	1		
F	Emergency switch button, to be configured with the central panel. Power supply 230Va. IP66	No	2		
<u>4.00</u>	Gas outlets and accessories.				
G	Flexible Hose pipe	Lm	6		
Η	Hose clips	No	6		
Ι	20mm normally open solenoid valve	No	4		
J	Pressure gauge.	No	1		
Κ	Second stage regulators	No.	3		
L	Complete Manifold with 3 outlet and 1 inlet	No.	3		
	Allow for configuring item c with the fire detection and alarm system	Item	1		
Ν	Allow for setting to work, testing and commissioning to satisfaction of project engineer/project manager.	Item	1		
	TOTAL COST FOR LP GAS INSTALLATION CAR SUMMARY PAGE	RIED F	ORWAI	RD TO	

ITEM	DESCRIPTION	ENDER AMOUN
		KSHS.
	GRAND SUMMARY	
А	Preliminaries and General Conditions Brought Forward	
	BILL No. 1: LP GAS INSTALLATION	
В	Total Brought Forward From Collection Page	
	General Items	
C	Allow for the preparation of working drawings, record drawings	
	and "as installed" / "as built" drawings, diagrams, instruction	
	charts, operation and maintenance manuals, etc, all as specified in	
Ð	the attached specifications.	
D	Allow for a minimum of seven (7) days Client training on the	
F	operation and maintenance of the installation.	
E	Allow for equipment submittals , samples and any other item necessary for execution of the contract to completion.	
	SUB-TOTAL	
	ADD 16% V.A.T	
	TOTAL CARRIED FORWARD TO FORM OF TENDER	

2B: Maintenance of the Installed LPG Equipment

No.	Machine	Quarterly Cost	Annual Cost (Kshs.)	Total Cost in Three Years (Kshs.)
i	Maintenance of the installed LPG Equipment	LS		

Note: Maintenance will involve service of the Equipment to ensure that the installed Equipment is kept at optimal operation during the maintenance period. Bidders are required to include in their bid a proposal for maintenance service. Maintenance will commence after the one year warranty and defect liability period.

Summary of Costs to be Transferred to the Form of Tender

Description	Total Cost in Kshs.
Total cost for Supply and Installation of Kitchen Equipment	
for Proposed Ngong Police Complex for CBK	
Total cost for three years maintenance of the installed	
Kitchen Equipment for Central Bank of Kenya.	
Sub Total	
Total cost for Supply and Installation of LPG Equipment for	
Proposed Ngong Police Complex for CBK	
Total cost for three years maintenance of the installed LPG	
Equipment for Central Bank of Kenya.	
Sub Total	
Grand Total Carried to Tender Form	
	for Proposed Ngong Police Complex for CBK Total cost for three years maintenance of the installed Kitchen Equipment for Central Bank of Kenya. Sub Total Total cost for Supply and Installation of LPG Equipment for Proposed Ngong Police Complex for CBK Total cost for three years maintenance of the installed LPG Equipment for Central Bank of Kenya. Sub Total

Note: Award of the tender will be to the lowest evaluated bidder for both supply, installation and three years maintenance of the Kitchen & LPG Equipment. However, in the event that none of the bidders is successful in both lots (Lot 1&2), then the lowest evaluated bidder in each lot will be considered for award.

We submit our tender for the above specified equipment amounting to

KShs_____in words: Kenya Shillings_____

1. Delivery period in Weeks _____

2. Completion period shall be weeks.

3. Our tender will remain valid for _____ (Not less than 120 days) from the date of tender opening)

Signature of tenderer _____

SECTION VI: TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS FOR EQUIPMENT

1. <u>General</u>

This section specifies the general requirement for plant, equipment and materials forming part of the Contract Works and shall apply except where specifically stated elsewhere in the Specification or on the Contract Drawings.

2. **Quality of Materials**

All plant, equipment and materials supplied as part of the Contract Works shall be new and of first class commercial quality, shall be free from defects and imperfections and where indicated shall be of grades and classifications designated herein.

All products or materials not manufactured by the Contractor shall be products of reputable manufacturers and so far as the provisions of the Specification is concerned shall be as if they had been manufactured by the Contractor.

Materials and apparatus required for the complete installation as called for by the Specification and Contract Drawings shall be supplied by the Contractor unless mention is made otherwise.

Materials and apparatus supplied by others for installation and connection by the Contractor shall be carefully examined on receipt. Should any defects be noted, the Contractor shall immediately notify the Engineer.

Defective equipment or that damaged in the course of installation or tests shall be replaced as required to the approval of the Engineer.

3. **Regulations and Standards**

The Contract Works shall comply with the current editions of the following:

- a) The Kenya Government Regulations.
- b) The United Kingdom Institution of Electrical Engineers (IEE) Regulations for the Electrical Equipment of Buildings.
- c) The United Kingdom Chartered Institute of Building Services Engineers (CIBSE) Guides.

- d) British Standard and Codes of Practice as published by the British Standards Institution (BSI)
- e) The Local Council By-laws.
- f) The Electricity Supply Authority By-laws.
- g) Local Authority By-laws.
- h) The Kenya Building Code Regulations.
- i) Kenya Standards

4. <u>Electrical Requirements</u>

Plant and equipment supplied under this Contract shall be complete with all necessary motor starters, control boards, and other control apparatus. Where control panels incorporating several starters are supplied they shall be complete with a main isolator.

The supply power up to and including local isolators shall be provided and installed under the Electrical Works. All other wiring and connections to equipment shall form part of this section of the works.

The Contractor shall supply three copies of all schematic, cabling and wiring diagrams for the Engineer's approval.

The starting current of all electric motors and equipment shall not exceed the maximum permissible starting currents described in the Electricity Supply Company By-laws & Regulations.

All electrical plant and equipment supplied by the Contractor shall be rated for the supply voltage and frequency obtained in Kenya, that is 415 Volts, 50Hz, 3-Phase or 240Volts, 50Hz, 1-phase.

Any equipment that is not rated for the above voltages and frequencies shall be rejected by the Engineer.

5. <u>Transport and Storage</u>

All plant and equipment shall, during transportation be suitably packed, crated and protected to minimize the possibility of damage and to prevent corrosion or other deterioration.

On arrival at site all plant and equipment shall be examined and any damage to parts and protective priming coats made good before storage or installation.

Adequate measures shall be taken by the Contractor to ensure that plant and equipment do not suffer any deterioration during storage.

Prior to installation all piping and equipment shall be thoroughly cleaned.

If, in the opinion of the Engineer any equipment has deteriorated or been damaged to such an extent that it is not suitable for installation, the Contractor shall replace this equipment at his cost.

6. <u>Site Supervision</u>

The Contractor shall ensure that there is an English-speaking supervisor on the site at all times during normal working hours.

7. <u>Installation</u>

Installation of all special plant and equipment shall be carried out by the Contractor under adequate supervision from skilled staff provided by the plant and equipment manufacturer or his appointed agent in accordance with the best standards of modern practice and to the relevant regulations and standards described under Clause 3 of this Section.

8. <u>Testing</u>

8.1 <u>General</u>

The Engineer reserves the right to inspect and test or witness all manufactured plant equipment and materials.

The right of the Engineer relating to the inspection, examination and testing of plant during manufacture shall be applicable to Insurance companies and inspection authorities so nominated by the Engineer.

The Contractor shall give two weeks' notice to the Engineer of his intention to carry out any inspection or tests and the Engineer or his representative shall be entitled to witness such tests and inspections.

Six copies of all test certificates and performance curves shall be submitted as soon as possible after the completion of such tests, to the Engineer for his approval.

Plant or equipment which is shipped before the relevant test certificate has been approved by the Engineer shall be shipped at the Contractor's own risk and should the test certificate not be approved new tests may be ordered by the Engineer at the Contractor's expense.

The foregoing provisions relate to tests at manufacturer's works and as appropriate to those carried out at site.

8.2 <u>Material Tests</u>

All material for plant and equipment to be installed under this Contract shall be tested, unless otherwise directed, in accordance with the relevant BS Specification concerned.

For materials where no BS Specification exists, tests are to be made in accordance with the best modern commercial methods to the approval of the Engineer, having regard to the particular type of the materials concerned.

The Contractor shall prepare specimens and performance tests and analyses to demonstrate conformance of the various materials with the applicable standards.

If stock material, which has not been specially manufactured for the plant and equipment specified is used, then the Contractor shall submit satisfactory evidence to the Engineer that such materials conform to the requirements stated herein in which case tests of material may be partially or completely waived.

Certified mill test reports of plates, piping and other materials shall be deemed acceptable.

8.3 <u>Manufactured Plant and Equipment – Work Tests</u>

The rights of the Engineer relating to the inspection, examination and testing of plant and equipment during manufacture shall be applicable to the Insurance Companies or Inspection Authorities so nominated by the Engineer.

Clause 8.1 shall apply where appropriate.

8.4 <u>Pressure Testing</u>

All pipework installations shall be pressure tested in accordance with the requirements of the various sections of this Specification.

The installations may be tested in sections to suit the progress of the works but all tests must be carried out before the work is buried or concealed behind building finishes. All tests must be witnessed by the Engineer or his representative and the Contractor shall give 48 hours' notice to the Engineer of his intention to carry out such tests.

Any pipework that is buried or concealed before witnessed pressure tests have been carried out shall be exposed at the expense of the Contractor and the specified tests shall then be applied.

The Contractor shall prepare test certificates for signature by the Engineer and shall keep a progressive and up-to-date record of the section of the work that has been tested.

9. <u>Colour Coding</u>

Unless stated otherwise in the Particular Specification all pipework shall be colour coded in accordance with the latest edition of BS 1710 and to the approval of the Engineer or Architect.

10. <u>Welding</u>

All welding unless stated otherwise shall be arc welding. Gas welding may be employed in certain circumstances provided that specific prior approval is obtained from the Engineer.

Welding codes and symbols shall be to BS 499.

For arc welding, welding, welders, welding processes procedures etc. shall be to BS EN 287 & BS EN 288. Materials for welding shall be grouped as per (published document of the BSI) PD CR 15608. Arc welded joints in steel shall comply with the guidelines in BS EN ISO 25817.

Welders where prior approval shall not be required shall comply with BS 4872.

Generally all welding shall comply with the requirements of BS EN 1011.

1.1 <u>Welder's Qualifications</u>

Any welder employed on this Contract shall have passed the trade tests as laid down by the Government. The Engineer may require to see the appropriate certificate obtained by any welder and should it be proved that the welder does not have the necessary qualifications the Engineer may instruct the Contractor to replace him by a qualified welder

1. <u>General Description</u>

The project consists of a police station, police canteen, 12No two bedroom units apartment block, 200 units hostel block, Administration block, classroom block, dining block, 400Pax Auditorium, 2No. Gate houses and a fuel station.

The scope of work includes design, drawings, Installations, Testing and commissioning of kitchen equipment's

The work is required to be carried out on a turnkey basis covering a guarantee of satisfactory performance as per the standards laid for a minimum of one year.

It should be noted as follows;

- 1. Civil works will be undertaken by the general contractor but required details will be provided by the Kitchen specialist contractor
- 2. Electrical Power will be provided by the electrical contractor to a local isolator. All other electrical works related to the plant will form part of the Kitchen equipment's scope.
- 3. Water supply will be provided by the plumbing contractor to a local point.

2. <u>Scope of Works</u>

- a) Design of kitchen equipment to meet required criteria
- b) Provide working drawings for approval
- c) Provide required civil works details for equipment's
- d) Supply of required kitchen equipment
- e) Electrical Panel & Internal Wiring
- f) All Plumbing in between the Plant as required with Valves
- g) Performance Guarantee and Warranties
- h) Training the Client staff on use of the equipment's.
- i) Extended warranty for an additional year.

3. Particular Technical Specifications

On compliance with Particular Technical Specifications, bidders shall be required to offer equipment/items which comply with the technical specifications set out below. In this regard, the bidders will be required to submit relevant technical brochures/technical specifications with the tender document, highlighting (using a mark-pen or highlighter) the Number/model of the proposed Equipment. Such brochures/ technical specifications should indicate comprehensive relevant data of the proposed equipment/items which should include but not limited to the following:

- (i) Standards of manufacture;
- (ii) Performance ratings/characteristics;
- (iii) Material of manufacture;

- (iv) Electrical power ratings; and
- (v) All other requirements as indicated in the technical specifications of the bid.
- (vi) Country of Origin, Model/Make/Manufacturer and catalogue numbers of the Equipment they propose to supply.


The bid will be analyzed, using the information in the technical brochures, to determine compliance with <u>key technical specifications</u> for the equipment. Bidders will be required to meet the minimum technical specification of the equipment. Those not complying with the <u>key technical specifications</u> shall be disqualified while those meeting the key technical specifications shall be progressed to technical evaluation on capacity to deliver the contract.

No.	Description	Compliance with Specification	Country of Origin	Make/Model	Compliance (YES or No)
1	Crockery & Utensils Store				
2	Electric Convection Oven with Steam: Oven Weight 135 (Kg)				
3	Pastry: Stainless steel tall boy trolley for tray size 600x400				
4	 Meat Prep: Knee operated hand wash basin; Stainless steel double bowl sink 				
5	 Potato Peeling: Automatic Potato Peeler Machine 15KGS; Stainless steel double bowl sink 				
6	Dry Refuse: Stainless steel refuse bin				
7	Wet REFUSE: Stainless steel refuse bin				
8	Cold Prep: Stainless steel bowl sink				
9	Veg Prep: •Hand wash basin; • Stainless steel double bowl sink				
10	Bulk Cooking: • Stainless steel island				

Schedule of Key Items to be filled by Bidders.

	tring hav shaned		
	type box shaped;		
	• Centrifugal Fan;		
	• Stainless Steel S Type		
	Grease Filter		
11	Support:		
	Stainless steel Worktop		
	With bowl sink		
12	Retail Cooking:		
	• Stainless steel wall type		
	box shaped;		
	Stainless Steel S Type		
	Grease Filter		
13	Pot Wash Basin		
14	Dish Wash:		
	Stainless steel double bowl		
	sink		
15	Servery:		
	Stainless steel neutral		
	cupboard		
16	Cold Room:		
	Chiller Room:0°C-4		
17	Freezer Room:-18°C		
18	1000 Kgs L.P Gas		
	storage tank		

Section Kitchen Space Plan



65

SECTION VII - STANDARD FORMS

Notes on the sample Forms

7.1. **Form of Tender** -The form of tender must be completed by the tenderer and submitted with the tender documents. It must also be duly signed by duly authorized representatives of the tenderer.

7.2. **Confidential Business Questionnaire Form** - This form must be completed by the tenderer and submitted with the tender documents.

7.3 **Tender Security**: When requested by the appendix to the instructions to tenderers, the tenderer should provide the tender security, either in the form included herein or in another form acceptable to the procuring entity pursuant to instructions to tenderers clause 12.3

7.4 **Performance Security Form**: Should not be completed by the tenderers at the time of tender preparation. Only the successful tenderer will be required to provide performance security and bank guarantee for advance payment forms in accordance with the forms indicated herein or in another form acceptable to the procuring entity and pursuant to the – conditions of contract.

7.5. **Contract Form** -The Contract Form shall not be completed by the tenderer at the time of submitting the tender. The Contract Form shall be completed after contract award and should incorporate the accepted contract price.

7.6. **Letter of Notification of Award** - Letter of Notification of Award shall not be completed by the tenderer at the time of submitting the tender. Letter of Notification of Award shall be completed after contract award and should incorporate the accepted contract price.

7.7. **FORM RB 1** - FORM RB 1 shall not be completed by the tenderer at the time of submitting the tender. The FORM RB 1 shall be used by the bidders in case of appeal.

7.8. **Declaration Form** - This form must be completed by the tenderer and submitted with the tender documents.

7.1 FORM OF TENDER

Date _____ Tender No. CBK/118/2020-2021

To: To: Central Bank of Kenya P. O. Box, 60000-00200 NAIROBI

Dear Sirs

1. Having examined the tender documents including Addenda Nos. the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply and deliver, Assets Tag Labels in conformity with the said tender documents for the sum of (total tender amount in words and figures) or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Tender.

2. We undertake, if our Tender is accepted, to deliver install and commission the equipment in accordance with the delivery schedule specified in the Schedule of Requirements.

4. We agree to abide by this Tender for a period of [*number*] days from the date fixed for tender opening of the Instructions to tenderers, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

5. This Tender, together with your written acceptance thereof and your notification of award, shall constitute a Contract, between us. Subject to signing of the Contract by the parties.

6. We understand that you are not bound to accept the lowest or any tender you may receive.

Dated this _____ day of _____ 20 ____

[signature]

[in the capacity of]

Duly authorized to sign tender for an on behalf of _____

7.2 CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM

You are requested to give the particulars indicated in Part 1 and either Part 2(a), 2(b) or 2 (c) whichever applied to your type of business You are advised that it is a serious offence to give false information on this form

Part 1 – General:			
Business Name Location of business premises			
Plot No			
Postal Address	Tel No	Fax	E mail
Nature of Business Registration Certificate No Maximum value of business which Name of your bankers	you can handle at an	y one time – Kshs.	

	Part 2 (a) – Sole Proprietor						
	Your name in full						
	Nationality Country of origin						
	1.8.1 Citizenship details						
	Part 2 (b) Partnership						
	Given details of partners as follows:						
	Name	Nationality	Citizenship Details	Shares			
	1	-	-				
	2						
	3						
	4						
	Part 2 (c) – Registered Company						
	Private or Public						
	State the nominal and issued capital of company-						
	Nominal Kshs.						
	Issued Kshs						
	Given details of all directors as follows						
	Name	Nationality	Citizenship Details	Shares			
	1	••••••					
	2						
	3						
	4						
	5						
DateSignature of Candidate							

If a Kenya Citizen, indicate under "Citizenship Details" whether by Birth, Naturalization or registration.

7.3 TENDER SECURITY FORM

Whereas[name of the tenderer](hereinafter called "the tenderer")has submitted its tender dated......[date of submission of tender] for the provision of[name and/or description of the services](hereinafter called "the Tenderer").....

KNOW ALL PEOPLE by these presents that WE.....

Of......having registered office at[name of procuring entity](hereinafter called "the Bank")are bound unto......[name of procuring entity](hereinafter called "the procuring entity") in the sum offor which payment well and truly to be made to the said Procuring entity, the Bank binds itself, its successors, and assigns by these presents. Sealed with the Common Seal of the said Bank this______ day of 20_____.

THE CONDITIONS of this obligation are: 1. If the tenderer withdraws its Tender during the period of tender validity specified by the tenderer the Tender Form; on or 2. If the tenderer, having been notified of the acceptance of its Tender by the Procuring entity during the period of tender validity:

(a) fails or refuses to execute the Contract Form, if required; or (b) fails or refuses to furnish the performance security, in accordance with the instructions to tenderers;

we undertake to pay to the Procuring entity up to the above amount upon receipt of its first written demand, without the Procuring entity having to substantiate its demand, provided that in its demand the Procuring entity will note that the amout claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions. This guarantee will remain in force up to and including thirty (30) days after the period of tender validity, and any demand in respect thereof should reach the Bank not later than the above date.

[signature of the bank]

(Amend accordingly if provided by Insurance Company)

7.4 PERFORMANCE SECURITY FORM

То:

[name of the Procuring entity]

WHEREAS		[name	of	tenderer](hereir	nafter	called	"the
tenderer") has undertaken, in pursuance of Contract No[reference number of							
the	contract]	dated	ł			20	to
supply						[Des	cripti
on services](Hereinafter called "the contract")							

AND WHEREAS it bas been stipulated by you in the said Contract that the tenderer shall furnish you with *a* bank guarantee by a reputable bank for the sum specified therein as security for compliance with the Tenderer's performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the tenderer a guarantee:

This guarantee is valid until the _____ day of 20

Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]

(Amend accordingly if provided by Insurance Company)

7.5 CONTRACT FORM

THIS AGREEMENT made the _____ day of _____ 20 ____ between CENTRAL BANK OF KENYA] (hereinafter called "the Procuring entity) of the one part and [name of tenderer] of [city and country of tenderer] (hereinafter called "the tenderer") of the other part; WHEREAS the Procuring entity invited tenders for certain goods] and has accepted a tender has the tenderer for the surply of these goods in the surply of

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to:

2. The following documents shall be deemed to form and be read and construed as part of this Agreement viz:

- (a) the Tender Form and the Price Schedule submitted by the tenderer
- (b) the Schedule of Requirements
- (c) the Technical Specifications
- (d) the General Conditions of Contract
- (e) the Special Conditions of contract; and
- (f) the Procuring entity's Notification of Award

3. In consideration of the payments to be made by the Procuring entity to the tenderer as hereinafter mentioned, the tender hereby covenants with the Procuring entity to provide the goods and to remedy defects therein in conformity in all respects with the provisions of the Contract

4. The Procuring entity hereby covenants to pay the tenderer in consideration of the provisions of the goods and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, sealed, delivered by ______ the _____ (for the Procuring entity

Signed, sealed, delivered by ______ the _____ (for the tenderer in the presence of ______

7.6 LETTER OF NOTIFICATION OF AWARD

Address of Procuring Entity

То:_____

RE: Tender No.

Tender Name_____

This is to notify that the contract/s stated below under the above mentioned tender have been awarded to you.

- 1. Please acknowledge receipt of this letter of notification signifying your acceptance.
- 2. The contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter.
- 3. You may contact the officer(s) whose particulars appear below on the subject matter of this letter of notification of award.

(FULL PARTICULARS)_____

SIGNED FOR ACCOUNTING OFFICER

REPUBLIC OF KENYA

PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD

APPLICATION NO......OF......20.

BETWEEN

.....APPLICANT

AND

REQUEST FOR REVIEW

I/We.....,the above named Applicant(s), of address: Physical address......Fax No.....Tel. No......Email, hereby request the Public Procurement Administrative Review Board to review the whole/part of the above mentioned decision on the following grounds , namely:-

1.

2.

etc.

By this memorandum, the Applicant requests the Board for an order/orders that: -

1.

2.

etc

SIGNED(Applicant)

Dated on......day of/...20......

FOR OFFICIAL USE ONLY

Lodged with the Secretary Public Procurement Administrative Review Board on day of20......

SIGNED Board Secretary

7.8 DECLARATION FORM

То		Date				
10						
The ter	derer i.e. (name and address)					
		declare the following:				
a)	Has not been debarred from participating in public procurement.					
b)	Has not been involved in and will not be involved in corrupt and fraudulent practices regarding public procurement.					
Tit	le Signature	Date				

(To be signed by authorized representative and officially stamped)