

**DALRADIAN Representations**

Response no	File Ref No TC	Date of correspondence received
265	TC 80/20_1	11/10/2020
346	TC80/20_1	09/10/2020
347	TC80/20_1	09/10/2020
348	TC80/20_1	09/10/2020
349	TC80/20_1	09/10/2020
350	TC80/20_1	09/10/2020
351	TC80/20_1	09/10/2020
352	TC80/20_1	09/10/2020
353	TC80/20_1	09/10/2020
354	TC80/20_1	09/10/2020
355	TC80/20_1	09/10/2020
356	TC80/20_1	09/10/2020
357	TC80/20_1	09/10/2020
358	TC80/20_1	08/10/2020
359	TC80/20_1	08/10/2020
360	TC80/20_1	08/10/2020
361	TC80/20_1	09/10/2020
362	TC80/20_1	09/10/2020
363	TC80/20_1	09/10/2020
364	TC80/20_1	09/10/2020

DALRADIAN OBJECTIVES

365	TC80/20_1	09/10/2020
366	TC80/20_1	09/10/2020
367	TC80/20_1	09/10/2020
368	TC80/20_1	09/10/2020
369	TC80/20_1	09/10/2020
370	TC80/20_1	09/10/2020
371	TC80/20_1	09/10/2020
372	TC80/20_1	09/10/2020
373	TC80/20_1	09/10/2020
374	TC80/20_1	09/10/2020
375	TC80/20_1	09/10/2020
376	TC80/20_1	09/10/2020
377	TC80/20_1	09/10/2020
378	TC80/20_1	09/10/2020
379	TC80/20_1	09/10/2020
380	TC80/20_1	09/10/2020
381	TC80/20_1	09/10/2020
382	TC80/20_1	09/10/2020
383	TC80/20_1	09/10/2020
384	TC80/20_1	09/10/2020
385	TC80/20_1	09/10/2020
386	TC80/20_1	09/10/2020
387	TC80/20_1	09/10/2020

DALRADIAN OBJECTIVES

388	TC80/20_1	09/10/2020
389	TC80/20_1	09/10/2020
390	TC80/20_1	09/10/2020
391	TC80/20_1	09/10/2020
392	TC80/20_1	09/10/2020
393	TC80/20_1	09/10/2020
394	TC80/20_1	09/10/2020
395	TC80/20_1	09/10/2020
396	TC80/20_1	09/10/2020
397	TC80/20_1	09/10/2020
398	TC80/20_1	09/10/2020
399	TC80/20_1	09/10/2020
400	TC80/20_1	09/10/2020
401	TC80/20_1	09/10/2020
402	TC80/20_1	09/10/2020
403	TC80/20_1	09/10/2020
404	TC80/20_1	09/10/2020
405	TC80/20_1	09/10/2020
406	TC80/20_1	09/10/2020
407	TC80/20_1	09/10/2020
408	TC80/20_1	09/10/2020
409	TC80/20_1	09/10/2020
410	TC80/20_1	09/10/2020

DALRADIAN OBJECTIVES

411	TC80/20_1	09/10/2020
412	TC80/20_1	10/10/2020
413	TC80/20_1	10/10/2020
414	TC80/20_1	10/10/2020
415	TC80/20_1	10/10/2020
416	TC80/20_1	10/10/2020
417	TC80/20_1	10/10/2020
418	TC80/20_1	10/10/2020
419	TC80/20_1	10/10/2020
420	TC80/20_1	10/10/2020
421	TC80/20_1	10/10/2020
422	TC80/20_1	10/10/2020
423	TC80/20_1	10/10/2020
424	TC80/20_1	10/10/2020
425	TC80/20_1	10/10/2020
426	TC80/20_1	10/10/2020
427	TC80/20_1	10/10/2020
428	TC80/20_1	10/10/2020
429	TC80/20_1	10/10/2020
430	TC80/20_1	10/10/2020
431	TC80/20_1	10/10/2020
432	TC80/20_1	10/10/2020
433	TC80/20_1	10/10/2020

DALRADIAN OBJECTIVES

434	TC80/20_1	10/10/2020
435	TC80/20_1	10/10/2020
436	TC80/20_1	10/10/2020
437	TC80/20_1	10/10/2020
438	TC80/20_1	10/10/2020
439	TC80/20_1	11/10/2020
440	TC80/20_1	11/10/2020
441	TC80/20_1	11/10/2020
442	TC80/20_1	11/10/2020
443	TC80/20_1	11/10/2020
444	TC80/20_1	11/10/2020
445	TC80/20_1	11/10/2020
446	TC80/20_1	11/10/2020
447	TC80/20_1	11/10/2020
448	TC80/20_1	11/10/2020
449	TC80/20_1	11/10/2020
450	TC80/20_1	11/10/2020
451	TC80/20_1	11/10/2020
452	TC80/20_1	11/10/2020
453	TC80/20_1	11/10/2020
454	TC80/20_1	12/10/2020
455	TC80/20_1	12/10/2020
456	TC80/20_1	12/10/2020

DALRADIAN OBJECTIVES

457	TC80/20_1	12/10/2020
458	TC80/20_1	12/10/2020
459	TC80/20_1	12/10/2020
460	TC80/20_1	12/10/2020
461	TC80/20_1	12/10/2020
462	TC80/20_1	12/10/2020
463	TC80/20_1	12/10/2020
464	TC80/20_1	12/10/2020
465	TC80/20_1	12/10/2020
466	TC80/20_1	12/10/2020
467	TC80/20_1	12/10/2020
468	TC80/20_1	12/10/2020
469	TC80/20_1	12/10/2020
470	TC80/20_1	12/10/2020
471	TC80/20_1	15/10/2020
472	TC80/20_1	15/10/2020
473	TC80/20_1	15/10/2020
474	TC80/20_1	15/10/2020
475	TC80/20_1	15/10/2020
476	TC80/20_1	15/10/2020
477	TC80/20_1	13/10/2020
478	TC80/20_1	13/10/2020
479	TC80/20_1	13/10/2020

## DALRADIAN OBJECTIVES

480	TC80/20_1	13/10/2020
481	TC80/20_1	13/10/2020
482	TC80/20_1	13/10/2020
483	TC80/20_1	14/10/2020
484	TC80/20_1	14/10/2020
485	TC80/20_1	14/10/2020
486	TC80/20_1	14/10/2020
487	TC80/20_1	14/10/2020
488	TC80/20_1	14/10/2020
489	TC80/20_1	14/10/2020
490	TC80/20_1	14/10/2020
491	TC80/20_1	15/10/2020
492	TC80/20_1	15/10/2020
493	TC80/20_1	15/10/2020
494	TC80/20_1	15/10/2020
495	TC80/20_1	15/10/2020
496	TC80/20_1	15/10/2020
497	TC80/20_1	15/10/2020
498	TC80/20_1	15/10/2020
499	TC80/20_1 & TC 40/12_4	9 & 19/10/2020
500	TC81/20_1	26/10/2020
501	TC81/20_1	26/10/2020
502	TC81/20_1	26/10/2020

DALRADIAN OBJECTIVES

503	TC81/20_1	26/10/2020
504	TC81/20_1	26/10/2020
505	TC81/20_1	26/10/2020
506	TC81/20_1	26/10/2020
507	TC81/20_1	26/10/2020
508	TC81/20_1	26/10/2020
509	TC81/20_1	26/10/2020
510	TC81/20_1	26/10/2020
511	TC81/20_1	26/10/2020
512	TC81/20_1	26/10/2020
513	TC81/20_1	26/10/2020
514	TC81/20_1	26/10/2020
515	TC81/20_1	26/10/2020
516	TC81/20_1	26/10/2020
517	TC81/20_1	26/10/2020
518	TC81/20_1	26/10/2020
519	TC81/20_1	26/10/2020
520	TC81/20_1	26/10/2020
521	TC81/20_1	26/10/2020
522	TC81/20_1	26/10/2020
523	TC81/20_1	26/10/2020
524	TC81/20_1	26/10/2020
525	TC81/20_1	26/10/2020

DALRADIAN OBJECTIVES

526	TC81/20_1	26/10/2020
527	TC81/20_1	26/10/2020
528	TC81/20_1	26/10/2020
529	TC81/20_1	27/10/2020
530	TC81/20_1	27/10/2020
531	TC81/20_1	27/10/2020
532	TC81/20_1	27/10/2020
533	TC81/20_1	27/10/2020
534	TC81/20_1	27/10/2020
535	TC81/20_1	27/10/2020
536	TC81/20_1	27/10/2020
537	TC81/20_1	27/10/2020
538	TC81/20_1	27/10/2020
539	TC81/20_1	27/10/2020
540	TC81/20_1	27/10/2020
541	TC81/20_1	27/10/2020
542	TC81/20_1	27/10/2020
543	TC81/20_1	27/10/2020
544	TC81/20_1	27/10/2020
545	TC81/20_1	27/10/2020
546	TC81/20_1	27/10/2020
547	TC81/20_1	27/10/2020
548	TC81/20_1	27/10/2020

DALRADIAN OBJECTIVES

549	TC81/20_1	27/10/2020
550	TC81/20_1	27/10/2020
551	TC81/20_1	27/10/2020
552	TC81/20_1	27/10/2020
553	TC81/20_1	27/10/2020
554	TC81/20_1	27/10/2020
555	TC81/20_1	27/10/2020
556	TC81/20_1	27/10/2020
557	TC81/20_1	27/10/2020
558	TC81/20_1	27/10/2020
559	TC81/20_1	27/10/2020
560	TC81/20_1	27/10/2020
561	TC81/20_1	27/10/2020
562	TC81/20_1	27/10/2020
563	TC81/20_1	27/10/2020
564	TC81/20_1	27/10/2020
565	TC81/20_1	27/10/2020
566	TC81/20_1	27/10/2020
567	TC81/20_1	27/10/2020
568	TC81/20_1	27/10/2020
569	TC81/20_1	27/10/2020
570	TC81/20_1	27/10/2020
571	TC81/20_1	27/10/2020

DALRADIAN OBJECTIVES

572	TC81/20_1	27/10/2020
573	TC81/20_1	27/10/2020
574	TC81/20_1	27/10/2020
575	TC81/20_1	27/10/2020
576	TC81/20_1	27/10/2020
577	TC81/20_1	27/10/2020
578	TC81/20_1	27/10/2020
579	TC81/20_1	27/10/2020
580	TC81/20_1	27/10/2020
581	TC81/20_1	27/10/2020
582	TC81/20_1	27/10/2020
583	TC81/20_1	27/10/2020
584	TC81/20_1	27/10/2020
585	TC81/20_1	27/10/2020
586	TC81/20_1	27/10/2020
587	TC81/20_1	27/10/2020
588	TC81/20_1	27/10/2020
589	TC81/20_1	27/10/2020
590	TC81/20_1	27/10/2020
591	TC81/20_1	27/10/2020
592	TC81/20_1	27/10/2020
593	TC81/20_1	27/10/2020
594	TC81/20_1	27/10/2020

DALRADIAN OBJECTIVES

595	TC81/20_1	27/10/2020
596	TC81/20_1	27/10/2020
597	TC81/20_1	27/10/2020
598	TC81/20_1	27/10/2020
599	TC81/20_1	27/10/2020
600	TC81/20_1	27/10/2020
601	TC81/20_1	27/10/2020
602	TC81/20_1	27/10/2020
603	TC81/20_1	27/10/2020
604	TC81/20_1	27/10/2020
605	TC81/20_1	27/10/2020
606	TC81/20_1	27/10/2020
607	TC81/20_1	27/10/2020
608	TC81/20_1	27/10/2020
609	TC81/20_1	27/10/2020
610	TC81/20_1	27/10/2020
611	TC81/20_1	27/10/2020
612	TC81/20_1	27/10/2020
613	TC81/20_1	27/10/2020
614	TC81/20_1	27/10/2020
615	TC81/20_1	27/10/2020
616	TC81/20_1	27/10/2020
617	TC81/20_1	27/10/2020

DALRADIAN OBJECTIVES

618	TC81/20_1	27/10/2020
619	TC81/20_1	27/10/2020
620	TC81/20_1	27/10/2020
621	TC81/20_1	27/10/2020
622	TC81/20_1	27/10/2020
623	TC81/20_1	27/10/2020
624	TC81/20_1	27/10/2020
625	TC81/20_1	27/10/2020
626	TC81/20_1	27/10/2020
627	TC81/20_1	27/10/2020
628	TC81/20_1	27/10/2020
629	TC81/20_1	27/10/2020
630	TC81/20_1	27/10/2020
631	TC81/20_1	27/10/2020
632	TC81/20_1	27/10/2020
633	TC81/20_1	27/10/2020
634	TC81/20_1	27/10/2020
635	TC81/20_1	27/10/2020
636	TC81/20_1	27/10/2020
637	TC81/20_1	27/10/2020
638	TC81/20_1	28/10/2020
639	TC81/20_1	28/10/2020
640	TC81/20_1	28/10/2020

DALRADIAN OBJECTIVES

641	TC81/20_1	28/10/2020
642	TC81/20_1	28/10/2020
643	TC81/20_1	28/10/2020
644	TC81/20_1	28/10/2020
645	TC81/20_1	28/10/2020
646	TC81/20_1	28/10/2020
647	TC81/20_1	28/10/2020
648	TC81/20_1	28/10/2020
649	TC81/20_1	28/10/2020
650	TC81/20_1	28/10/2020
651	TC81/20_1	28/10/2020
652	TC81/20_1	28/10/2020
653	TC81/20_1	28/10/2020
654	TC81/20_1	28/10/2020
655	TC81/20_1	28/10/2020
656	TC81/20_1	28/10/2020
657	TC81/20_1	28/10/2020
658	TC81/20_1	28/10/2020
659	TC81/20_1	28/10/2020
660	TC81/20_1	28/10/2020
661	TC81/20_1	28/10/2020
662	TC81/20_1	28/10/2020
663	TC81/20_1	28/10/2020

DALRADIAN OBJECTIVES

664	TC81/20_1	28/10/2020
665	TC81/20_1	28/10/2020
666	TC81/20_1	28/10/2020
667	TC81/20_1	28/10/2020
668	TC81/20_1	28/10/2020
669	TC81/20_1	28/10/2020
670	TC81/20_1	28/10/2020
671	TC81/20_1	28/10/2020
672	TC81/20_1	28/10/2020
673	TC81/20_1	28/10/2020
674	TC81/20_1	28/10/2020
675	TC81/20_1	28/10/2020
676	TC81/20_1	28/10/2020
677	TC81/20_1	28/10/2020
678	TC81/20_1	28/10/2020
679	TC81/20_1	28/10/2020
680	TC81/20_1	28/10/2020
681	TC81/20_1	28/10/2020
682	TC81/20_1	28/10/2020
683	TC81/20_1	28/10/2020
684	TC81/20_1	29/10/2020
685	TC81/20_1	29/10/2020
686	TC81/20_1	29/10/2020

DALRADIAN OBJECTIVES

687	TC81/20_1	29/10/2020
688	TC81/20_1	29/10/2020
689	TC81/20_1	29/10/2020
690	TC81/20_1	29/10/2020
691	TC81/20_1	29/10/2020
692	TC81/20_1	29/10/2020
693	TC81/20_1	29/10/2020
694	TC81/20_1	29/10/2020
695	TC81/20_1	29/10/2020
696	TC81/20_1	29/10/2020
697	TC81/20_1	29/10/2020
698	TC81/20_1	29/10/2020
699	TC81/20_1	29/10/2020
700	TC81/20_1	29/10/2020
701	TC81/20_1	29/10/2020
702	TC81/20_1	29/10/2020
703	TC81/20_1	29/10/2020
704	TC81/20_1	29/10/2020
705	TC81/20_1	29/10/2020
706	TC81/20_1	29/10/2020
707	TC81/20_1	29/10/2020
708	TC81/20_1	29/10/2020
709	TC81/20_1	29/10/2020

DALRADIAN OBJECTIVES

710	TC81/20_1	29/10/2020
711	TC81/20_1	29/10/2020
712	TC81/20_1	29/10/2020
713	TC81/20_1	29/10/2020
714	TC81/20_1	29/10/2020
715	TC81/20_1	29/10/2020
716	TC81/20_1	29/10/2020
717	TC81/20_1	29/10/2020
718	TC81/20_1	29/10/2020
719	TC81/20_1	29/10/2020
720	TC81/20_1	29/10/2020
721	TC81/20_1	29/10/2020
722	TC81/20_1	29/10/2020
723	TC81/20_1	29/10/2020
724	TC81/20_1	29/10/2020
725	TC81/20_1	29/10/2020
726	TC81/20_1	29/10/2020
727	TC81/20_1	29/10/2020
728	TC81/20_1	29/10/2020
729	TC81/20_1	29/10/2020
730	TC81/20_1	29/10/2020
731	TC81/20_1	29/10/2020
732	TC81/20_1	29/10/2020

## DALRADIAN OBJECTIVES

733	TC81/20_1	30/10/2020
734	TC81/20_1	30/10/2020
735	TC81/20_1	30/10/2020
736	TC81/20_1	30/10/2020
737	TC81/20_1	30/10/2020
738	TC81/20_1	30/10/2020
739	TC81/20_1	30/10/2020
740	TC81/20_1	30/10/2020
741	TC81/20_1	30/10/2020
742	TC81/20_1	30/10/2020
743	TC81/20_1	30/10/2020
744	TC81/20_1	30/10/2020
745	TC81/20_1	30/10/2020
746	TC81/20_1	31/10/2020
747	TC81/20_1	31/10/2020
748	TC81/20_1	31/10/2020
749	TC80/20_1 TC 81/20_1 & TC 40/12_4	22/10/2020
750	TC80/20_1 & TC 81/20_1	23/10/2020
751	TC80/20_1	23/10/2020
752	TC81/20_1 TC 80/20_1 & TC 40/12_4	26/10/2020
753	TC80/20_1 TC 81/20_1 & TC 40/12_4	27/10/2020
754	TC81/20-1	28/10/2020
755	TC81/20_1	27/10/2020

DALRADIAN OBJECTIVES

756	TC81/20_1	27/10/2020
757	TC81/20_1	27/10/2020
758	TC81/20_1	27/10/2020
759	TC81/20_1	27/10/2020
760	TC81/20_1	27/10/2020
761	TC081/20_1	27/10/2020
762	TC81/20_1	27/10/2020
763	TC81/20_1	27/10/2020
764	TC80/20_1	27/10/2020
765	TC80/20_1	27/10/2020

Issue Number	Question detail	Response number
1	<p>This is another confusing Discharge Consent application as it was advertised in the local press on 3rd September, yet the date published on DAERA website is 17th September! Why is there this variation in dates? What was changed in the intervening period?</p>	<p>265, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 427, 428, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 457, 458, 459, 460, 462, 463, 464, 465, 466, 468, 469, 470, 471, 472, 473, 474, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 749, 750, 753, 764, 765</p>
2	<p>There is no 'date received' stamp on the application W01, yet the date it was signed by the applicant is 17th April 2020. Why did NIEA wait until September to advertise it? Under Schedule 1, Paragraph 2 (2), to the Water (Northern Ireland) Order, the application is to be treated as refused if it is not given within the period of 4 months from the date the application is received.</p>	<p>265, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 427, 428, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 457, 458, 459, 460, 462, 463, 464, 465, 466, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 749, 750, 753, 764, 765</p>

3	<p>This application states that it is for a variation of an existing consent no. 068/12/12. There is a discrepancy between the grid references for the original discharge consent and this current application. Discharge Consent 068/12/12 was for grid ref E 257040 N 386710 whereas this Discharge Consent is for grid reference E 257077 N 386907. Surely then, this has to be treated as a completely new Application?</p>	<p>265, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 427, 428, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 457, 458, 459, 460, 462, 463, 464, 465, 466, 468, 469, 470, 471, 472, 473, 474, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 749, 750, 753, 764, 765</p>
4	<p>This application forms part of Dalradian's planning application for a goldmine and processing plant ref LA10/2017/1249/F. Why has it been sliced off for separate consideration? This is a prime example of project splitting and is not lawful.</p>	<p>265, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 427, 428, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 457, 458, 459, 460, 462, 463, 464, 465, 466, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 749, 750, 753, 764, 765</p>

5	<p>The "Proposed Discharge Criteria" document dated April 2020 by Kaya Consulting Limited submitted with this Application differs from the "Review of Discharge Criteria" document dated Jan 2020 submitted with Application for Discharge Consent TrC40/20-04. Why are there two different documents for similar discharges into the same river?</p>	<p>265, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 427, 428, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 457, 458, 459, 460, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 749, 750, 753, 764, 765</p>
6	<p>The River Foyle and its tributaries flow through 3 counties : Tyrone, Derry and Donegal so there is a cross- border element to this matter. Have the authorities in Donegal been consulted (under ESPOO) about Dalradian's toxic application?</p>	<p>429, 447, 467, 498</p>
7	<p>Why are applications being split and advertised as similar applications. This can only be done to confuse local people many of whom will not be able to object as they may not have access to local newspapers in our present situation during Covid 19 and therefore not see the application.</p>	<p>456</p>

8	<p>This Consent to Discharge is markedly similar to that advertised using TrC40/12-04 on the 19th August 2020. That reference has disappeared. Is this the same one, in a different reference?</p>	459
9	<p>This application would appear to be part of a project splitting exercise. It is part of the planning reference LA10/2017/1249/F. If this is the case is this a lawful application at all?</p>	459
10	<p>There have been three applications for consent to discharge by Dalradian in the last two months, and I have reason to believe there may be a fourth pending. Is this designed to confuse the public and/or the department, and swamp people in paperwork and contradictory information?</p>	459
11	<p>Dalradian has advertised 3 applications for discharge consents in the past two months or less and apparently there is a fourth one in the pipeline. How is this allowed? It seems to be a deliberate attempt to confuse the public and to swamp ordinary people in paperwork.</p>	475

12	The application includes a Shadow HRA. There is no HRA or statement from the relevant competent authority to support the outcomes of the Shadow HRA?	751
Questions relating to TC 81/20_1		

1

TrC40/12-4 - I received a hard copy of the main application form (WO1) only and no hard copy of Annex 2 which lists details of the contents or items to be discharged into the identified location. These papers were received on the 13<sup>th</sup> October 2020 which was after the closing date for submissions despite the fact that they had been requested a considerable time prior to the closing date. TrC81/20 - I received a hard copy of the main application form (WO1) only and no hard copy of Annex 2 which lists details of the contents or items to be discharged into the identified location. These papers were received on the 13th October 2020 with the papers on application TrC40/12-4. This is an appalling manner in which to treat the general public and would lead one to question whether there is a more sinister aspect to this omission as the Annex 2 is a vital document in the application process as it details the chemicals and any other matter to be discharged into our precious waterways.

500

2	I have searched the website of the department in relation to this and the other applications referred to herein and nowhere do I see in an easy, accessible format any explanation or description of the process which is undertaken by the dept. in dealing with these types of application, e.g. who are the consultees, what is the decision-making process, what further engagement is available for the public	500
---	---	-----

3

Dalradian's response (Q 5) 'Rainfall Independent Discharges' implies that Mains Water will be a source of supply. This raises huge questions about the potential impacts on the local water supply if Dalradian's planning application (LA10/2017/1249/F) is allowed.

501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 674, 675, 676, 677, 678, 679, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763

4	<p>The maximum quantity of sewage (Q.1) in any one day is written as 12 cubic metres per day. Is this a realistic amount of 'shite' for the 350 full time employees that Dalradian plan to employ (as frequently advertised by them)?</p>	<p>501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 559, 560, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 588, 589, 591, 592, 593, 594, 595, 596, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 612, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 628, 630, 631, 632, 633, 634, 636, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 659, 660, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 674, 676, 677, 678, 679, 682, 683, 684, 685, 686, 687, 688, 689, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 709, 710, 712, 713, 715, 716, 718, 728, 729, 730, 731, 732, 733, 734, 735, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763</p>
5	<p>The maximum quantity of sewage (Q.1) in any one day is written as 12 cubic metres per day. Is this a realistic estimate for the 350 full time employees that Dalradian plan to employ (as frequently advertised by them)?</p>	<p>526</p>

6	The maximum quantity of sewage (Q.1) in any one day is written as 12 cubic metres per day. Is this a realistic amount of waste for the 350 full time employees that Dalradian plan to employ (as frequently advertised by them)?	544, 675
7	The maximum quantity of sewage (Q.1) in any one day is written as 12 cubic metres per day. Is this a realistic amount of sewage for the 350 full time employees that Dalradian plan to employ (as frequently advertised by them)?	561, 661, 681
8	The maximum quantity of sewage (Q.1) in any one day is written as 12 cubic metres per day. Is this a realistic amount of 'excrement and waste' for the 350 full time employees that Dalradian plan to employ (as frequently advertised by them)?	597
9	The maximum quantity of sewage (Q.1) in any one day is written as 12 cubic metres per day. Is this a realistic amount of excrement for the 350 full time employees that Dalradian plan to employ?	627, 708, 714, 717, 736, 747

10	The maximum quantity of sewage (Q.1) in any one day is written as 12 cubic metres per day. Is this a realistic amount of human faecal material for the 350 full time employees that Dalradian plan to employ (as frequently advertised by them)?	611, 613
11	The maximum quantity of sewage (Q.1) in any one day is written as 12 cubic metres per day. Is this a realistic amount of 'excretion' for the 350 full-time employees that Dalradian plans to employ (as frequently advertised by them)?	719, 720, 721, 722, 723, 724, 725, 726, 727
12	The maximum quantity of sewage (Q.1) in any one day is written as 12 cubic metres per day - is this a realistic fguer given that Dalradian have expressed their intention to employ 350 full time personnel?	626
13	The maximum quantity of sewage (Q.1) in any one day is written as 12 cubic metres per day. Is this a realistic amount of defecation for the 350 full time employees that Dalradian plan to employ (as frequently advertised by them)?	662

14	<p>The maximum quantity of sewage (Q.1) in any one day is written as 12 cubic metres per day. Is this a realistic amount for the 350 full time employees that Dalradian plan to employ (as frequently advertised by them)?</p>	629, 637
15	<p>There are many activities listed in the application which could contaminate surface water: mining activities including water pumped from underground mine, runoff and seepage through the mine waste storage facility &amp; runoff from roads/ yards/ buildings, etc. This 'et cetera' is open to speculation. Surely there will be acids, oils, flocculants, and diesel spilled from using 3.3 million litres per year? How can these substances be quantified, let alone their risk assessed? How is the Precautionary Principle applied to this application?</p>	527
16	<p>May I enquire, as a very concerned rate-paying citizen, why your department has even entertained a proposal for a development for which there is no planning permission?</p>	647

17	To those of us, unenlightened in the mechanism of bodies whose operation depends upon public funds; and, therefore are accountable to those at whose pleasure they serve, I would insist that you present to me the reasoning behind this, <b>those persons involved</b> , and just how much public funds (ie, your time) has been used in dealing with this so-called proposal for something with no planning permission.	647
----	--	-----

18	<p>Would you not agree? The Pollanroe Burn is a tributary of the Owenreagh River which is an Area of Special Scientific Interest (ASSI) because of the presence of freshwater pearl mussels, etc. and it is also part of the headwaters of the Foyle River Basin, itself an Area of Special Scientific Interest. These rivers must not be poisoned but instead afforded the highest levels of protection; subsequently, we would expect our public departments to vigorously prevent anything being discharged into said rivers which could, potentially alter its status. Given the sheer amount of toxic chemicals proposed by Dalradian, it beggars belief that a veritable cocktail of poisons, such as that proposed by Dalradian, would even have made it past the initial consultation by the Water Regulation Dept.</p>	647
19	<p>Again, as this is in the public domain, I would instruct you to make available all information pertaining to this proposal.</p>	647