References used to create NOAA Fisheries' Proposed Rule to Designate Marine Critical Habitat for Six Distinct Population Segments of the Green Sea Turtle (*Chelonia mydas*) under the Endangered Species Act.

Abbott IA. 1984. Limu: An ethnobotanical study of some Hawaiian seaweeds: National Tropical Botanical Garden.

Aeby G, Aletto SC, Anderson P, Carroll B, DiDonato E, DiDonato G, Farmer V, Fenner D, Gove J, Gulick S, et al. 2008. The State of Coral Reef Ecosystems of American Samoa. Waddell J, Clarke AM, editors. The State of Coral Reef Ecosystems of the United States and Pacific Freely Associated States: 2008: NOAA Technical Memorandum NOS NCCOS 73. NOAA/NCCOS Center for Coastal Monitoring and Assessment's Biogeography Team. Silver Spring, MD. p. 307-351.

Anderson TR, Fletcher CH, Barbee MM, Frazer LN, Romine BM. 2015. Doubling of coastal erosion under rising sea level by mid-century in Hawaii. Natural Hazards 78:75-103.

Arms S. 1996. Overwintering behavior and movement of immature green sea turtles in South Texas waters. Texas A&M.

Arthur KE, Balazs GH. 2008. A Comparison of Immature Green Turtle (Chelonia mydas) Diets among Seven Sites in the Main Hawaiian Islands 1. Pacific Science 62:205-217.

Auster PJ, Campanella F, Kurth R, Munoz RC, Taylor JC. 2020. Identifying Habitat Associations of Sea Turtles Within an Area of Offshore Sub-Tropical Reefs (NW Atlantic). Southeastern Naturalist 19:460-471.

Avens L, Braun-McNeill J, Epperly SP, Lohmann KJ. 2003. Site fidelity and homing behavior in juvenile loggerhead sea turtles (Caretta caretta). Marine Biology 143:211-220.

Avens L, Lohmann KJ. 2004. Navigation and seasonal migratory orientation in juvenile sea turtles. Journal of Experimental Biology 207:1771-1778.

Avens L, Snover ML. 2013. Age and age estimation in sea turtles. Wyneken J, Lohmann KJ, Musick JA, editors. The Biology of Sea Turtles Volume III: CRC Press Boca Raton, FL. p. 97-133.

Babcock EA, Barnette MC, Bohnsack JA, Isely JJ, Porch CE, Richards PM, Sasso C, Zhang X. 2018. Integrated Bayesian models to estimate bycatch of sea turtles in the Gulf of Mexico and southeastern U.S. Atlantic coast shrimp otter trawl fishery. United States. National Marine Fisheries S, Southeast Fisheries Science C, editors. Miami, FL.

Bagley D, Welsh R. 2022. An Assessment of the Distribution of Large Immature and Adult Green Turtles Along Hawk Channel in the Florida Keys. (Report for IRG).

Bagley DA, Kubis SA, Bresette MJ, Ehrhart LM. 2008. Satellite tracking juvenile green turtles from Florida's east coast: the missing size classes found. Rees AF, Frick M, Panagopoulou A, Williams K, editors. Proceedings of the 27th Annual Symposium on Sea Turtle Biology and Conservation.: NOAA Technical Memorandum NMFS-SEFSC-569. p. 37.

Bahr K, Coffey D, Rodgers K, Balazs G. 2018. Observations of a rapid decline in invasive macroalgal cover linked to green turtle grazing in a Hawaiian marine reserve. Micronesica 7:1-11.

Baker JD, Harting AL, Johanos TC, London JM, Barbieri MM, Littnan CL. 2020. Terrestrial habitat loss and the long-term viability of the French Frigate Shoals Hawaiian monk seal subpopulation.

Baker JD, Littnan CL, Johnston DW. 2006. Potential effects of sea level rise on the terrestrial habitats of endangered and endemic megafauna in the Northwestern Hawaiian Islands. Endangered Species Research 2:21-30.

Balazs G, Van Houtan K, Hargrove S, Brunson S, Murakawa S. 2015. A review of the demographic features of Hawaiian green turtles (*Chelonia mydas*). Chelonian Conservation Biology 14:119–129.

Balazs GH. 1976. Green turtle migrations in the Hawaiian archipelago. Biological conservation 9:125-140.

Balazs GH. 1985. Status and ecology of marine turtles at Johnston Atoll. Atoll Research Bulletin 285:1-46.

Balazs GH editor.; 1980.

Balazs GH, Chaloupka MY. 2006. Recovery trend over 32 years at the Hawaiian green turtle rookery of French Frigate Shoals. Atoll Research Bulletin 543:147-158.

Balazs GH, Chaloupka MY. 2004. Spatial and temporal variability in somatic growth of green sea turtles (Chelonia mydas) resident in the Hawaiian Archipelago. Marine Biology 145:1043-1059.

Balazs GH, Forsyth RG, Kam AKH editors.; 1987.

Balazs GH, Parker DM, Rice MR. 2017. Ocean pathways and residential foraging locations for satellite tracked green turtles breeding at French Frigate Shoals in the Hawaiian Islands. Micronesica 4.

Barnard D, Keinath JA, Musick J editors. SA Eckert, KL Eckert, and TH Richardson (compilers), Proceedings of the Ninth Annual Workshop on Sea Turtle Conservation and Biology. National Oceanic and Atmospheric Administration Technical Memorandum, National Marine Fisheries Service, Southeast Fisheries Science Center SEFC-232. 1989.

Barraza AD, Komoroske LM, Allen C, Eguchi T, Gossett R, Holland E, Lawson DD, LeRoux RA, Long A, Seminoff JA, et al. 2019. Trace metals in green sea turtles (Chelonia mydas) inhabiting two southern California coastal estuaries. Chemosphere 223:342-350.

Barraza AD, Komoroske LM, Allen CD, Eguchi T, Gossett R, Holland E, Lawson DD, LeRoux RA, Lorenzi V, Seminoff JA, et al. 2020. Persistent organic pollutants in green sea turtles (Chelonia mydas) inhabiting two urbanized Southern California habitats. Marine Pollution Bulletin 153:110979.

Bass AL, Epperly SP, Braun-McNeill J. 2006. Green turtle (*Chelonia mydas*) foraging and nesting aggregations in the Caribbean and Atlantic: Impacts of currents and behavior on dispersal. Journal of Heredity 97:346-354.

Becker SL, Brainard RE, Van Houtan KS. 2019. Densities and drivers of sea turtle populations across Pacific coral reef ecosystems. Plos One 14:e0214972.

Bell CD, Parsons J, Austin TJ, Broderick AC, Ebanks-Petrie G, Godley BJ. 2005. Some of them came home: the Cayman Turtle Farm headstarting project for the green turtle Chelonia mydas. Oryx 39:137-148.

Bellmund SA, Musick JA, Klinger RC, Byles RA, Keinath JA, Barnard DE. 1987. Ecology of sea turtles in Virginia. Virginia Institute of Marine Science, College of William and Mary, Gloucester Point, Virginia.

Bentley BP, McGlashan JK, Bresette MJ, Wyneken J. 2021. No evidence of selection against anomalous scute arrangements between juvenile and adult sea turtles in Florida. Journal of Morphology 282:173-184.

Bevan E, Wibbels T, Navarro E, Rosas M, Najera BM, Sarti L, Illescas F, Montano J, Peña LJ, Burchfield P. 2016. Using unmanned aerial vehicle (UAV) technology for locating, identifying, and monitoring courtship and mating behavior in the green turtle (Chelonia mydas). Herpetol. Rev 47:27-32.

Bjorndal KA editor.; 1990.

Bjorndal KA. 1997. Foraging ecology and nutrition of sea turtles. Lutz PL, Musick JA, editors. The Biology of Sea Turtles: CRC Press Boca Raton, Florida. p. 199-232.

Bjorndal KA. 1980a. Nutrition and grazing behavior of the green turtle Chelonia mydas. Marine Biology 56:147-154.

Bjorndal KA. 1980b. Nutrition and grazing behavior of the green turtle, Chelonia mydas. Marine Biology 56:147-154.

Bjorndal KA, Bolten AB, Chaloupka M, Saba VS, Bellini C, Marcovaldi MAG, Santos AJB, Bortolon LFW, Meylan AB, Meylan PA, et al. 2017. Ecological regime shift drives declining growth rates of sea turtles throughout the West Atlantic. Global Change Biology 23:4556-4568.

Bolten AB. 2003. Variation in sea turtle life history patterns: Neritic vs. oceanic developmental stages. Lutz PL, Musick JA, Wyneken J, editors. The biology of sea turtles, Volume II: CRC Press Boca Raton, FL. p. 455.

Booth DT. 2009. Swimming for your life: locomotor effort and oxygen consumption during the green turtle (Chelonia mydas) hatchling frenzy. Journal of Experimental Biology 212:50-55.

Booth J, Peters JA. 1972. Behavioural studies on the green turtle (Chelonia mydas) in the sea. Animal Behaviour 20:808-812.

Boulon RH. 1983. Some Notes on the Population Biology of Green (Chelonia mydas) and Hawksbill (Eretmochelys imbricata) Turtles in the NE USVA: 1981-1983.

Boulon RH, Frazer NB. 1990. Growth of Wild Juvenile Caribbean Green Turtles, Chelonia mydas. Journal of Herpetology 24:441-445.

Boulon RH, Olsen DA. 1982. NMFS Aerial Turtle Census, USVI.

Bowen BW, Meylan AB, Ross JP, Limpus CJ, Balazs GH, Avise JC. 1992. Global population structure and natural history of the green turtle (Chelonia mydas) in terms of matriarchal phylogeny. Evolution 46:865-881.

Boyle MC, Limpus CJ. 2008. The stomach contents of post-hatchling green and loggerhead sea turtles in the southwest Pacific: an insight into habitat association. Marine Biology 155:233-241.

Braun C, Smith J, Vroom P editors. Proc 11th Coral Reef Symp. 2009.

Braun McNeill J, Hall A, Richards P. 2018. Trends in fishery-dependent captures of sea turtles in a western North Atlantic foraging region. Endangered Species Research 36:315-324.

Bresette M, Gorham J, Peery B. 1998. Site fidelity and size frequencies of juvenile green turtles (Chelonia mydas) utilizing near shore reefs in St. Lucie County, Florida. Marine Turtle Newsletter 82:5-7.

Bresette MJ, Witherington BE, Herren RM, Bagley DA, Gorham JC, Traxler SL, Crady CK, Hardy R. 2010. Size-class partitioning and herding in a foraging group of green turtles Chelonia mydas. Endangered Species Research 9:105-116.

Brill RW, Balazs GH, Holland KN, Chang RKC, Sullivan S, George JC. 1995. Daily movements, habitat use, and submergence intervals of normal and tumor-bearing juvenile green turtles (Chelonia mydas L.) within a foraging area in the Hawaiian Islands. Journal of Experimental Marine Biology and Ecology 185:203-218.

Bruno RS, Restrepo JA, Valverde RA. 2020. Effects of El Nino Southern Oscillation and local ocean temperature on the reproductive output of green turtles (Chelonia mydas) nesting at Tortuguero, Costa Rica. Marine Biology 167.

Burke V, Morreale S, Logan P, Standora E. 1992. Diet of green turtles (*Chelonia mydas*) in the waters of Long Island, N.Y. . In Proceedings of the Eleventh Annual Workshop on Sea Turtle Conservation and Biology. NOAA Tech. Mem. NMFS-SEFSC-302, pp 140-141.

Bustard HR. 1967. Mechanism of nocturnal emergence from the nest in green turtle hatchlings. Nature 214:317-317.

Butler JN, Morris BF, Cadwallader J, Stoner AW. 1983. Studies of Sargassum and the Sargassum community.

Butler JN, Stoner AW. 1984. Pelagic Sargassum: Has its biomass changed in the last 50 years? Deep Sea Research Part A. Oceanographic Research Papers 31:1259-1264.

Carballo JL, Olabarria C, Garza Osuna T. 2002. Analysis of four macroalgal assemblages along the Pacific Mexican coast during and after the 1997-98 El Nino. Ecosystems 5:749-760.

Carr A, Meylan AB. 1980. Evidence of passive migration of green turtle hatchlings in Sargassum. Copeia 1980:366-368

Carr A, Ross P, Carr S. 1974. Internesting behavior of the green turtle, Chelonia mydas, at a mid-ocean island breeding ground. Copeia:703-706.

Carr AF. 1987. New Perspectives on the Pelagic Stage of Sea Turtle Development. Conservation Biology 1:103-121.

Carr AF. 1961. Pacific turtle problem. Natural History 70:64-71.

Carr AF. 1960. Turtle Problem.

Chabot R. 2018. Using Biomarkers to Assess the Migratory Ecology and Reproduction of the Florida Green Turtle (Chelonia mydas). University of Central Florida.

Chabot RM, Welsh RC, Mott CR, Guertin JR, Shamblin BM, Witherington BE. 2021. A Sea Turtle Population Assessment for Florida's Big Bend, Northeastern Gulf of Mexico. Gulf and Caribbean Research 32:19-33.

Chaloupka MY, Balazs GH. 2007. Using Bayesian state-space modelling to assess the recovery and harvest potential of the Hawaiian green sea turtle stock. Ecological Modelling 205:93-109.

Chaloupka MY, Balazs GH, Work TM. 2009. Rise and fall over 26 years of a marine epizootic in Hawaiian green sea turtles. The Journal of Wildlife Diseases 45:1138-1142.

Choi DY, Gredzens C, Shaver DJ. 2021. Plastic ingestion by green turtles (Chelonia mydas) over 33 years along the coast of Texas, USA. Marine Pollution Bulletin 173:113111.

Clarke D, Balazs G, Hargrove S. 2012. Green Sea Turtles Up and Down the Anahulu River. 31st Annual Symposium on Sea Turtle Biology and Conservation; San Diego, California, USA: NOAA Technical Memorandum NMFS-SEFSC-631. p. 139.

Clukey KE, Lepczyk CA, Balazs GH, Work TM, Li QX, Bachman MJ, Lynch JM. 2018. Persistent organic pollutants in fat of three species of Pacific pelagic longline caught sea turtles: accumulation in relation to ingested plastic marine debris. Science of the Total Environment 610:402-411.

Clukey KE, Lepczyk CA, Balazs GH, Work TM, Lynch JM. 2017. Investigation of plastic debris ingestion by four species of sea turtles collected as bycatch in pelagic Pacific longline fisheries. Marine Pollution Bulletin 120:117-125.

Coker R. 1906. The natural history and cultivation of the diamond-back terrapin with notes on other forms of turtles. The North Carolina Geological Survey Bulletin 14.

Collazo JA, Boulon Jr R, Tallevast TL. 1992. Abundance and growth patterns of Chelonia mydas in Culebra, Puerto Rico. Journal of Herpetology:293-300.

Collen J, Garton D, Gardner J. 2009. Shoreline changes and sediment redistribution at Palmyra Atoll (Equatorial Pacific Ocean): 1874—present. Journal of Coastal Research 25:711-722.

Comuzzie DKC, Owens DW. 1990. A Quantitative Analysis of Courtship Behavior in Captive Green Sea Turtles (Chelonia mydas). Herpetologica 46:195-202.

Comyns BH, Crochet NM, Franks JS, Hendon JR, Waller RS. 2002. Preliminary assessment of the association of larval fishes with pelagic Sargassum habitat and convergence zones in the north central Gulf of Mexico.

Cook M, Reneker JL, Nero RW, Stacy BA, Hanisko DS, Wang Z. 2021. Use of Drift Studies to Understand Seasonal Variability in Sea Turtle Stranding Patterns in Mississippi. Frontiers in Marine Science 8.

Coyne MS. 1994. Nesting ecology of subadult green sea turtles in south Texas waters. p. 87.

Craig P, Balazs GH. 1995. Marine Turtle Travels from American Samoa to French Polynesia. Marine Turtle Newsletter 70:5-6.

Craig P, Parker DM, Brainard RE, Rice M, Balazs GH. 2004. Migrations of green turtles in the central South Pacific. Biological conservation 116:433-438.

Crear DP, Lawson DD, Seminoff JA, Eguchi T, LeRoux RA, Lowe CG. 2017. Habitat Use and Behavior of the East Pacific Green Turtle, Chelonia mydas, in an Urbanized System. Bulletin, Southern California Academy of Sciences 116:17-32.

Crear DP, Lawson DD, Seminoff JA, Eguchi T, LeRoux RA, Lowe CG. 2016. Seasonal shifts in the movement and distribution of green sea turtles Chelonia mydas in response to anthropogenically altered water temperatures. Marine Ecology Progress Series 548:219-232.

Dailer ML, Knox RS, Smith JE, Napier M, Smith CM. 2010. Using δ15N values in algal tissue to map locations and potential sources of anthropogenic nutrient inputs on the island of Maui, Hawai'i, USA. Marine pollution bulletin 60:655-671.

Dameron OJ, Parke M, Albins MA, Brainard R. 2007. Marine debris accumulation in the Northwestern Hawaiian Islands: An examination of rates and processes. Marine Pollution Bulletin 54:423-433.

Daniel RS, Smith KU. 1947. The sea-approach behavior of the neonate loggerhead turtle (Caretta caretta). Journal of Comparative and Physiological Psychology 406:413-420.

Davenport J editor. ANNUAL SEA TURTLE SYMPOSIUM. 1997.

Dawes CJ, Phillips RC, Morrison G, Dawes CJ. 2004. Seagrass communities of the Gulf Coast of Florida: status and ecology: Florida Fish and Wildlife Conservation Commission Fish and Wildlife Research

Diez C. 2003. Evaluation of the possible areas for study of sea turtles around Vieques.

Dizon AE, Balazs GH. 1982. Radio telemetry of Hawaiian Green Turtles at their breeding colony. Marine Fisheries Review 44:13-20.

Doughty RW. 1984. Sea turtles in Texas: a forgotten commerce. The Southwestern Historical Quarterly 88:43-70.

Dutra LXC, Haywood MDE, Singh S, Ferreira M, Johnson JE, Veitayaki J, Kininmonth S, Morris CW, Piovano S. 2021. Synergies between local and climate-driven impacts on coral reefs in the Tropical Pacific: A review of issues and adaptation opportunities. Marine Pollution Bulletin 164:111922.

Dutton PH, Jensen MP, Frutchey K, Frey A, LaCasella E, Balazs GH, Cruce J, Tagarino A, Farman R, Tatarata M. 2014. Genetic stock structure of green turtle (Chelonia mydas) nesting populations across the Pacific islands. Pacific Science 68:451-464.

Eaton C, McMichael E, Witherington B, Foley A, Hardy R, Meylan A. 2008. In-water sea turtle monitoring and research in Florida: review and recommendations. U.S. Dep. Commerce, NOAA Tech. Memo. NMFS-OPR-38, 233 p.

Eguchi T, Seminoff JA, LeRoux RA, Dutton PH, Dutton DL. 2010. Abundance and survival rates of green turtles in an urban environment: coexistence of humans and an endangered species. Marine Biology 157:1869-1877.

Ehrhart LM. 1983. Marine turtles of the Indian River lagoon system. Florida Scientist 46:337-346.

Ehrhart LM, Redfoot WE, Bagley DA. 2007. Marine turtles of the central region of the Indian River Lagoon System, Florida. Florida Scientist 70:415-434.

Ehrhart LM, Witherington BE. 1992. Green Turtle. Moler PE, editor. Rare and Endangered Biota of Florida Vol. III: Univ. of Florida Press, Gainesville, Florida. p. 90-94.

Epperly S, Braun J, Chester A, Cross F, Merriner J, Tester P. 1995. Winter distribution of sea turtles in the vicinity of Cape Hatteras and their interactions with the summer flounder trawl fishery. Bulletin of Marine Science 56:547-568

Epperly SP, Braun-McNeill J, Richards P. 2007a. Trends in catch rates of sea turtles in North Carolina, USA. Endangered Species Research 3:283-293.

Epperly SP, Braun-McNeill J, Richards PM. 2007b. Trends in catch rates of sea turtles in North Carolina, USA. Endangered Species Research 3:283-293.

Esteban N, Mortimer JA, Stokes HJ, Laloe JO, Unsworth RKF, Hays GC. 2020. A global review of green turtle diet: sea surface temperature as a potential driver of omnivory levels. Marine Biology 167.

Federal Geographic Data Committee. 2012. Coastal and marine ecological classification standard. Publication# FGDC-STD-018-2012.

Field D, Kenworthy J, Carpenter D. 2021. Why Is the Extent of Submerged Aquatic Vegetation Important Within the Albemarle-Pamlico Estuarine System?

Fish MR, Côté IM, Gill JA, Jones AP, Renshoff S, Watkinson AR. 2005. Predicting the impact of sea-level rise on Caribbean sea turtle nesting habitat. Conservation Biology 19:482-491.

FitzSimmons NN, Limpus CJ, Norman JA, Goldizen ARR, Miller JD, Moritz C. 1997a. Philopatry of male marine turtles inferred from mitochondrial DNA markers. PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF 94:8912-8917.

FitzSimmons NN, Moritz C, Limpus CJ, Pope L, Prince RIT. 1997b. Geographic structure of the mitochondrial and nuclear gene polymorphisms in Australian green turtle populations and male-biased gene flow. Genetics 147:1843-1854.

Foley AM, Schroeder BA, Hardy R, MacPherson SL, Nicholas M, Coyne MS. 2013. Postnesting migratory behavior of loggerhead sea turtles Caretta caretta from three Florida rookeries. Endangered Species Research 21:129-142.

Fourqurean J, Willsie A, Rose C, Rutten L. 2001. Spatial and temporal pattern in seagrass community composition and productivity in south Florida. Marine Biology 138:341-354.

Francke DL, Hargrove SA, Vetter W, Winn CD, Balazs GH, Hyrenbach KD. 2013. Behavior of juvenile green turtles in a coastal neritic habitat: validating time-depth-temperature records using visual observations. Journal of Experimental Marine Biology and Ecology 444:55-65.

Frick J. 1976. Orientation and behaviour of hatchling green turtles (Chelonia mydas) in the sea. Animal Behaviour 24:849-857.

Friedlander AM, Aeby G, Brainard R, Brown E, Chaston K, Clark A, Mcgowan P, Montgomery T, Walsh W, Williams I, et al. 2008. The state of coral reef ecosystems of the Main Hawaiian Islands. Waddell J, Clarke AM, editors. The State of Coral Reef Ecosystems of the United States and Pacific Freely Associated States: 2008: NOAA Technical Memorandum NOS NCCOS 73. NOAA/NCCOS Center for Coastal Monitoring and Assessment's Biogeography Team. Silver Spring, MD. p. 219-253.

Friedlander AM, Aeby G, Brown E, Clark A, Coles S, Dollar S, Hunter C, Jokiel P, Smith J, Walsh B, et al. 2005. The State of Coral Reef Ecosystems of the Main Hawaiian Islands. The State of Coral Reef Ecosystems of the United States and Pacific Freely Associated States: 2005: NOAA Technical Memorandum NOS NCCOS 11. NOAA/NCCOS Center for Coastal Monitoring and Assessment's Biogeography Team. Silver Spring, MD. 522 pp. p. 222-269.

Friedlander AM, Brown EK, Monaco ME, Clark A editors.; 2006.

Fujisaki I, Hart KM, Sartain-Iverson AR. 2016. Habitat selection by green turtles in a spatially heterogeneous benthic landscape in Dry Tortugas National Park, Florida. Aquatic Biology 24:185-199.

Gaos A, Martin SL, Jones TT. 2020a. Sea turtle tagging in the Naval Base Guam area. Annual Report prepared for the U.S. Naval Base Guam, Apra Harbor, Guam by NOAA Fisheries, the Marine Turtle Biology and Assessment Group, Protected Species Division, Pacific Islands Fisheries Science Center, Honolulu, Hawaii, under Interagency Agreement. 24 p.

Gaos AR, Martin SL, Jones TT. 2020b. Sea turtle tagging in the Mariana Islands Training and Testing (MITT) study area. Annual Report prepared for the U.S. Pacific Fleet Environmental Readiness Office, Pearl Harbor, Hawaii by NOAA Fisheries, Marine Turtle Biology and Assessment Group, Protected Species Division, Pacific Islands Fisheries Science Center, Honolulu, Hawaii under Interagency Agreement. DR-20-003, 47 p. doi:10.25923/qq2e-e198.

Gehrke K. 2017. Home range and habitat use of juvenile green sea turtles (*Chelonia mydas*) in Brewers Bay, St. Thomas, USVI. University of the Virgin Islands.

Gheskiere T, Magda V, Greet P, Steven D. 2006. Are strandline meiofaunal assemblages affected by a once-only mechanical beach cleaning? Experimental findings. Marine environmental research 61:245-264.

Glen F, Broderick AC, Godley BJ, Hays GC. 2006. Thermal control of hatchling emergence patterns in marine turtles. Journal of Experimental Marine Biology and Ecology 334:31-42.

Gorham JC, Bresette MJ, Guertin JR, Shamblin BM, Nairn CJ. 2016. Green turtles (Chelonia mydas) in an urban estuary system: Lake Worth Lagoon, Florida. Florida Scientist 79:14.

Goshe LR, Avens L, Scharf FS, Southwood AL. 2010. Estimation of age at maturation and growth of Atlantic green turtles (Chelonia mydas) using skeletochronology. Marine Biology 157:1725-1740.

Gower FR, King SA. 2011. Distribution of floating sargassum in the gulf of mexico and the atlantic ocean mapped using MERIS. Int. J. Remote Sens. 32:1917-1929.

Gower J, Hu C, Borstad G, King S. 2006. Ocean color satellites show extensive lines of floating Sargassum in the Gulf of Mexico. IEEE Transactions on Geoscience and Remote Sensing 44:3619-3625.

Grant GS, Craig P, Balazs GH. 1997. Notes on juvenile hawksbill and green turtles in American Samoa. Pacific Science 51:48-53.

Griffin LP, Brownscombe JW, Gagne TO, Wilson AD, Cooke SJ, Danylchuk AJ. 2017. Individual-level behavioral responses of immature green turtles to snorkeler disturbance. Oecologia 183:909-917.

Griffin LP, Smith BJ, Cherkiss MS, Crowder AG, Pollock CG, Hillis-Starr Z, Danylchuk AJ, Hart KM. 2020. Space use and relative habitat selection for immature green turtles within a Caribbean marine protected area. Animal Biotelemetry 8:22.

Gulick AG, Johnson RA, Pollock CG, Hillis-Starr Z, Bolten AB, Bjorndal KA. 2020. Recovery of a large herbivore changes regulation of seagrass productivity in a naturally grazed Caribbean ecosystem. Ecology 101:e03180.

Gulick AG, Johnson RA, Pollock CG, Hillis-Starr Z, Bolten AB, Bjorndal KA. 2021. Recovery of a cultivation grazer: A mechanism for compensatory growth of Thalassia testudinum in a Caribbean seagrass meadow grazed by green turtles. Journal of Ecology 109:3031-3045.

Guseman JL, Ehrhart LM. 1990. Green turtles on sabellariid worm reefs: initial results from studies on the Florida Atlantic coast. Richardson TH, Richardson JI, Donnelly M, editors. Proceedings of the Tenth Annual Workshop on Sea Turtle Biology and Conservation.: NOAA Technical Memorandum NMFS-SEFC-278. p. 125-127.

Gyuris E. 1994. The rate of predation by fishes on hatchlings of the green turtle (Chelonia mydas). Coral Reefs 13:137-144.

Halley JM, Van Houtan KS, Mantua N. 2018. How survival curves affect populations' vulnerability to climate change. Plos One 13:e0203124.

Handley L, Altsman D, DeMay R. 2007. Seagrass status and trends in the northern Gulf of Mexico: 1940–2002.

Hanna ME. 2021. Home range and movements of green turtles at a protected estuary in southern California: implications for coastal management and habitat protection. University of California San Diego.

Hapdei JR. 2020. RMU: Chelonia mydas, Central West Pacific. Work TM, Parker D, Balazs G, editors. Sea Turtles in Oceania MTSG Annual Regional Report.

Hardy JD. 1972. Reptiles of the Chesapeake Bay region. Chesapeake Science:S128-S134.

Hardy RF, Hu C, Witherington B, Lapointe B, Meylan A, Peebles E, Meirose L, Hirama S. 2018. Characterizing a sea turtle developmental habitat using Landsat observations of surface-pelagic drift communities in the eastern Gulf of Mexico. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing 11:3646-3659.

Hargrove SA, Work TM, Brunson S, Foley AM, Balazs GH, Girard A, Stacy BA, Diez C, Baptistotte C, Limpus CJ. 2016. Proceedings of the 2015 international summit on fibropapillomatosis: global status, trends, and population impacts.

Harrington K, Rice M, Balazs G editors. Proceedings of the 20th Annual Symposium on Sea Turtle Biology and Conservation, Orlando, Florida. US Department of Commerce, Miami, Florida. 2000.

Hart KM, Iverson AR, Benscoter AM, Fujisaki I, Cherkiss MS, Pollock C, Lundgren I, Hillis-Starr Z. 2017. Resident areas and migrations of female green turtles nesting at Buck Island Reef National Monument, St. Croix, US Virgin Islands. Endangered Species Research 32:89-101.

Hart KM, White CF, Iverson AR, Whitney N. 2016. Trading shallow safety for deep sleep: juvenile green turtles select deeper resting sites as they grow. Endangered Species Research 31:61-73.

Hart KM, Zawada DG, Fujisaki I, Lidz BH. 2013. Habitat use of breeding green turtles Chelonia mydas tagged in Dry Tortugas National Park: Making use of local and regional MPAs. Biological conservation 161:142-154.

Hatase H, Sato K, Yamaguchi M, Takahashi K, Tsukamoto K. 2006. Individual variation in feeding habitat use by adult female green sea turtles (Chelonia mydas): are they obligately neritic herbivores? Oecologia 149:52-64.

Hays G, Glen F, Broderick A, Godley B, Metcalfe J. 2002. Behavioural plasticity in a large marine herbivore: contrasting patterns of depth utilisation between two green turtle (Chelonia mydas) populations. Marine Biology 141:985-990.

Hendrickson JR. 1958. The green sea turtle, Chelonia mydas (Linn.) in Malay and Sarawak. Proceedings of the Zoological Society of London 130:455-535.

Heppell SS. 1998. Application of life-history theory and population model analysis to turtle conservation. Copeia:367-375.

Heppell SS, Heppell SA, Read AJ, Crowder LB. 2005. Effects of fishing on long-lived marine organisms. Marine conservation biology: the science of maintaining the sea's biodiversity. Island Press, Washington, DC:211-231.

Herren RM, Bagley DA, Bresette MJ, Holloway-Adkins KG, Clark D, Witherington BE. 2018. Sea Turtle Abundance and Demographic Measurements in a Marine Protected Area in the Florida Keys, USA. Herpetological Conservation and Biology 13:224-239.

Hirama S, Ehrhart LM. 2007. Description, prevalence and severity of green turtle fibropapillomatosis in three developmental habitats on the east coast of Florida. Florida Scientist 70:435-448.

Hirth HF editor.; 1997.

Holloway-Adkins KG, Hanisak MD. 2017. Macroalgal foraging preferences of juvenile green turtles (Chelonia mydas) in a warm temperate/subtropical transition zone. Marine Biology 164.

Howell EA, Bograd SJ, Morishige C, Seki MP, Polovina JJ. 2012. On North Pacific circulation and associated marine debris concentration. Marine Pollution Bulletin 65:16-22.

Howell LN, Reich KJ, Shaver DJ, Landry Jr AM, Gorga CC. 2016. Ontogenetic shifts in diet and habitat of juvenile green sea turtles in the northwestern Gulf of Mexico. Marine Ecology Progress Series 559:217-229.

Howell LN, Shaver DJ. 2021. Foraging habits of green sea turtles (Chelonia mydas) in the Northwestern Gulf of Mexico. Frontiers in Marine Science 8:418.

Huizenga BD, Deskins E, Finkel H, Moran S, Rock K, Sweeney B, Wheeler G. 2007. Wake Island Supplemental Environmental Assessment. MISSILE DEFENSE AGENCY WASHINGTON DC.

Ilo L, Camacho G, Alepuyo C. 2005. Sea turtle nesting and in-water assessment report for the Commonwealth of the Northern Mariana southern inhabitant islands of Saipan, Tinian, and Rota. CNMI Division of Fish and Wildlife Report.

IRG. 2013. Demographic assessment of marine turtles in the Big Bend seagrasses and St. Martins Marsh Aquatic Preserves.

IRG. 2014. Reconnaissance-level surveys of sea turtle distribution and abundance in nearshore Louisiana waters.

Johnson MR, Williams SL, Lieberman CH, Solbak A. 2003. Changes in the abundance of the seagrasses Zostera marina L. (eelgrass) and Ruppia maritima L. (widgeongrass) in San Diego, California, following an El Niño Event. Estuaries 26:106-115.

Jones TT, Seminoff JA. 2013. Feeding biology: advances from field-based observations, physiological studies and molecular techniques. Wyneken J, Lohmann KJ, Musick JA, editors. The Biology of Sea Turtles Volume III: CRC Press, Boca Raton, FL. p. 211-247.

Jones TT, Van Houtan KS. 2014. SEA TURTLE TAGGING IN THE MARIANA ISLANDS RANGE COMPLEX (MIRC) ANNUAL PROGRESS REPORT.

Jung MR, Balazs GH, Work TM, Jones TT, Orski SV, Rodriguez C V, Beers KL, Brignac KC, Hyrenbach KD, Jensen BA. 2018. Polymer identification of plastic debris ingested by pelagic-phase sea turtles in the central Pacific. Environmental science & technology 52:11535-11544.

Karl SA, Bowen BW, Avise JC. 1992. Global population genetic structure and male-mediated gene flow in the green turtle (Chelonia mydas): RFLP analyses of anonymous nuclear loci. Genetics 131:163-173.

Keller JM, Pugh RS, Becker PR editors.; 2014 Gaithersburg, MD.

Kelley JR, Kelley KL, Savage AE, Mansfield KL. 2022. Novel disease state model finds most juvenile green turtles develop and recover from fibropapillomatosis. Ecosphere 13:e4000.

Kelly IK, Cayanan CJ. 2020. RMU: Chelonia mydas, Central West Pacific. Work TM, Parker D, Balazs G, editors. Sea Turtles in Oceania MTSG Annual Regional Report.

Kimmel T. 2006. Maryland Department of Natural Resources National Fish and Wildlife Foundation Grant Final Report.

Kimmel T. 2007. Sea turtle tagging and health assessment study in the Maryland portion of the Chesapeake Bay. Final Report submitted to NOAA Fisheries.

King CS. 2007. An assessment of sea turtle relative abundance, distribution, habitat, and population characteristics within the Kaho'olawe Island Reserve, Hawai'i. Nova Southeastern University.

Kittle RP, McDermid KJ. 2016. Glyphosate herbicide toxicity to native Hawaiian macroalgal and seagrass species. Journal of Applied Phycology 28:2597-2604.

Kittle RP, McDermid KJ, Muehlstein L, Balazs GH. 2018. Effects of glyphosate herbicide on the gastrointestinal microflora of Hawaiian green turtles (Chelonia mydas) Linnaeus. Marine Pollution Bulletin 127:170-174.

Koch V, Peckham H, Mancini A, Eguchi T. 2013. Estimating at-sea mortality of marine turtles from stranding frequencies and drifter experiments. PLOS ONE 8:e56776.

Kolinski S, Hoeke R, Holzwarth S, Vroom P. 2005. Sea turtle abundance at isolated reefs of the Mariana Archipelago. MICRONESICA-AGANA- 37:287.

Kolinski S, Ilo L, Manglona J. 2004. Green turtles and their marine habitats at Tinian and Aguijan, with projections on resident turtle demographics in the southern arc of the Commonwealth of the Northern Mariana Islands. Micronesica 37:97-118.

Kolinski SP, Cruce J, Parker DM, Balazs GH, Clarke R. 2014. Migrations and conservation implications of postnesting green turtles from Gielop Island, Ulithi Atoll, Federated States of Micronesia. Micronesica 4.

Kolinski SP, Hoeke RK, Holzwarth SR, Ilo LI, Cox EF, O'Conner RC, Vroom PS. 2006. Nearshore distribution and an abundance estimate for green sea turtles, Chelonia mydas, at Rota Island, Commonwealth of the Northern Mariana Islands. Pacific Science 60:509-522.

Kolinski SP, Parker DM, Ilo LI, Ruak JK. 2001. An Assessment of the Sea Turtles and Their Marine and Terrestrial Habitats at Saipan, Commonwealth of the Northern Mariana Islands. Micronesica 34:55-72.

Komoroske LM, Lewison RL, Seminoff JA, Deheyn DD, Dutton PH. 2011. Pollutants and the health of green sea turtles resident to an urbanized estuary in San Diego, CA. Chemosphere 84:544-552.

Komoroske LM, Lewison RL, Seminoff JA, Deustchman DD, Deheyn DD. 2012. Trace metals in an urbanized estuarine sea turtle food web in San Diego Bay, CA. Science of the Total Environment 417:108-116.

Kubis SA, Chaloupka MY, Ehrhart LM, Bresette MJ. 2009. Growth rates of juvenile green turtles Chelonia mydas from three ecologically distinct foraging habitats along the east central coast of Florida, USA. Marine Ecology Progress Series 389:257-269.

Lamont MM, Iverson AR. 2018. Shared habitat use by juveniles of three sea turtle species. Marine Ecology Progress Series 606:187-200.

Lamont MM, Johnson D. 2021. Variation in Species Composition, Size and Fitness of Two Multi-Species Sea Turtle Assemblages Using Different Neritic Habitats. Frontiers in Marine Science 7.

Lamont MM, Mollenhauer R, Foley AM. 2021. Capture vulnerability of sea turtles on recreational fishing piers. Ecology and Evolution.

Lamont MM, Putman NF, Fujisaki I, Hart KM. 2015. Spatial requirements of different life-stages of the loggerhead turtle (Caretta caretta) from a distinct population segment in the northern Gulf of Mexico. Herpetological Conservation and Biology 10:26-43.

Lamont MM, Seay DR, Gault K. 2018. Overwintering behavior of juvenile sea turtles at a temperate foraging ground. Ecology 99:2621-2624.

Landry AM, Jr., Costa DT, Williams BB, Coyne MS. 1992. Sea turtle capture and habitat characterization study. A report to the National Marine Fisheries Service/Southeast Fisheries Center, Galveston Laboratory, project no. R/F-51, 109 pp.

Lapointe BE, Bedford BJ. 2011. Stormwater nutrient inputs favor growth of non-native macroalgae (Rhodophyta) on O'ahu, Hawaiian Islands. Harmful Algae 10:310-318.

Lemons G, Lewison R, Komoroske L, Gaos A, Lai C-T, Dutton P, Eguchi T, LeRoux R, Seminoff JA. 2011. Trophic ecology of green sea turtles in a highly urbanized bay: insights from stable isotopes and mixing models. Journal of Experimental Marine Biology and Ecology 405:25-32.

Limpus CJ. 1993. The green turtle, Chelonia mydas, in Queensland: breeding males in the southern Great Barrier Reef. Wildlife Research 20:513.

Limpus CJ. 1971. Sea turtle ocean finding behaviour. Search 2:385-387.

Lindeman KC, Snyder DB. 1999. Nearshore hardbottom fishes of southeast Florida and effects of habitat burial caused by dredging. Fishery Bulletin 97:508-525.

Lohmann KJ, Lohmann CMF. 2003. Orientation mechanisms of hatchling loggerheads. Bolten AB, Witherington BE, editors. Loggerhead sea turtles. Washington D.C.: Smithsonian Books. p. 44-62.

Lohmann KJ, Lohmann CMF, Ehrhart LM, Bagley DA, Swing T. 2004. Geomagnetic map used in sea-turtle navigation. Nature 428:909-910.

Long C. 2021. Long-Term Changes in Juvenile Green Turtle Abundance and Foraging Ecology in the Indian River Lagoon, Florida. University of Central Florida.

Long CA, Chabot RM, El-Khazen MN, Kelley JR, Mollet-Saint Benoît C, Mansfield KL. 2021. Incongruent long-term trends of a marine consumer and primary producers in a habitat affected by nutrient pollution. Ecosphere 12:e03553.

Lynch JM. 2018. Quantities of marine debris ingested by sea turtles: global meta-analysis highlights need for standardized data reporting methods and reveals relative risk. Environmental science & technology 52:12026-12038.

MacDonald B, Lewison RL, Madrak SV, Seminoff JA, Eguchi T. 2012. Home ranges of East Pacific green turtles, Chelonia mydas, in a highly urbanized temperate foraging ground. Marine Ecology Progress Series 461:211-221.

MacDonald BD, Madrak SV, Lewison RL, Seminoff JA, Eguchi T. 2013. Fine scale diel movement of the east Pacific green turtle, Chelonia mydas, in a highly urbanized foraging environment. Journal of experimental marine biology and ecology 443:56-64.

Maison KA, Kelly IK, Frutchey KP. 2010. Green turtle nesting sites and sea turtle legislation throughout Oceania.

Makowski C, Seminoff JA, Salmon M. 2006. Home range and habitat use of juvenile Atlantic green turtles (Chelonia mydas L.) on shallow reef habitats in Palm Beach, Florida, USA. Marine Biology 148:1167-1179.

Mansfield KL, Wyneken J, Luo J. 2021. First Atlantic satellite tracks of 'lost years' green turtles support the importance of the Sargasso Sea as a sea turtle nursery. Proceedings of the Royal Society B: Biological Sciences 288:20210057.

Martin SL, Van Houtan KS, Jones TT, Aguon CF, Gutierrez JT, Tibbatts RB, Wusstig SB, Bass JD. 2016. Five Decades of Marine Megafauna Surveys from Micronesia. Frontiers in Marine Science 2.

McClellan CM, Read AJ. 2009. Confronting the gauntlet: understanding incidental capture of green turtles through fine-scale movement studies. Endangered Species Research 10:165-179.

McClellan CM, Read AJ, Price BA, Cluse WM, Godfrey MH. 2009. Using telemetry to mitigate the bycatch of long-lived marine vertebrates. Ecological Applications 19:1660-1671.

McDermid K, Jha R, Rice M, Balazs G. 2018. Of turtles and trees: nutritional analysis of tree heliotrope (Heliotropium foertherianum) leaves consumed by green turtles (Chelonia mydas) in Hawai'i. Micronesica 2:1-11.

McDermid KJ, Lefebvre JA, Balazs GH. 2015. Nonnative seashore paspalum, Paspalum vaginatum (Poaceae), consumed by Hawaiian green sea turtles (Chelonia mydas): Evidence for nutritional benefits. Pacific Science 69:48-57.

McDonald DL, Dutton PH, Mayer D, Merkel K editors.; 1994 San Diego, California.

McDonald TL, Schroeder BA, Stacy BA, Wallace BP, Starcevich LA, Gorham J, Tumlin MC, Cacela D, Rissing M, McLamb DB. 2017. Density and exposure of surface-pelagic juvenile sea turtles to Deepwater Horizon oil. Endangered Species Research 33:69-82.

McFadden KW, Gómez A, Sterling EJ, Naro-Maciel E. 2014. Potential impacts of historical disturbance on green turtle health in the unique & protected marine ecosystem of Palmyra Atoll (Central Pacific). Marine pollution bulletin 89:160-167.

Mendonça MT. 1981. Comparative growth rates of wild immature Chelonia mydas and Caretta caretta in Florida. Journal of Herpetology 15:447-451.

Mendonça MT. 1983. Movements and Feeding Ecology of Immature Green Turtles (Chelonia mydas) in a Florida Lagoon. Copeia1 4:1013-1023.

Metz TL, Gordon M, Mokrech M, Guillen G. 2020. Movements of Juvenile Green Turtles (Chelonia mydas) in the Nearshore Waters of the Northwestern Gulf of Mexico. Frontiers in Marine Science 7.

Metz TL, Landry AM. 2013. An assessment of green turtle (Chelonia mydas) stocks along the Texas coast, with emphasis on the lower Laguna Madre. Chelonian Conservation and Biology 12:293-302.

Meylan A. 1982. Sea turtle migration - evidence from tag returns. Bjorndal KA, editor. Biology and Conservation of Sea Turtles. Washington, DC: Smithsonian Institute Press. p. 91-100.

Meylan PA, Meylan AB. 2011. The Ecology and Migrations of Sea Turtles 8. Tests of the Developmental Habitat Hypothesis. Bulletin of the American Museum of Natural History:77.

Meylan PA, Meylan AB, Gray JA. 2011. The ecology and migrations of sea turtles 8. Tests of the developmental habitat hypothesis. Bulletin of the American Museum of Natural History 2011:1-70.

Michael JA. 2020. Factors affecting green sea turtle density in the northern USVI: evidence of an evolutionary trap? : University of the Virgin Islands.

Milton S, Lutz P, Shigenaka G. 2003. Oil toxicity and impacts on sea turtles. Oil and Sea Turtles: Biology, Planning, and Response. NOAA National Ocean Service:35-47.

Montello MA, Goulder KD, Pisciotta RP, McFarlane WJ. 2022. Historical Trends in New York State Cold-Stunned Sea Turtle Stranding-to-Release: 1998–2019. Chelonian Conservation and Biology 21:74-87, 14.

Moran K, Bjorndal KA. 2007. Simulated green turtle grazing affects nutrient composition of the seagrass Thalassia testudinum. Marine Biology 150:1083-1092.

Morreale S, Standora E. 1998. Early life stage ecology of sea turtles in northeastern U.S. waters. NOAA Technical Memorandum NMFS-SEFSC-413, 49 pp.

Morreale SJ. 2005. Assessing Health, Status, and Trends in Northeastern Sea Turtle Populations (Interim Report).

Morris LJ, Hall LM, Jacoby CA, Chamberlain RH, Hanisak MD, Miller JD, Virnstein RW. 2022. Seagrass in a changing estuary, the Indian River Lagoon, Florida, United States. Frontiers in Marine Science.

Morrison G, Greening H. 2011. Seagrass. Integrating science and resource management in Tampa Bay, Florida. US Geological Survey Circular 1348:63-103.

Mortimer JA. 1981. The Feeding Ecology of the West Caribbean Green Turtle (Chelonia mydas) in Nicaragua. Biotropica 13:49-58.

Mott CR, Salmon M. 2011. Sun Compass Orientation by Juvenile Green Sea Turtles (Chelonia mydas) Sun Compass Orientation by Juvenile Green Sea Turtles (Chelonia mydas). Atlantic 10:73-81.

Mrosovsky N. 1968. Nocturnal emergence of hatchling sea turtles: control by thermal inhibition of activity. Nature 220:1338-1339.

Murakawa SKK, Snover ML. 2018. Impact of exceptional growth rates on estimations of life-stage duration in Hawaiian green sea turtles. Endangered Species Research 35:181-193.

Naro-Maciel E, Arengo F, Galante P, Vintinner E, Holmes KE, Balazs G, Sterling EJ. 2018. Marine protected areas and migratory species: residency of green turtles at Palmyra Atoll, Central Pacific. Endangered Species Research 37:165-182.

Naro-Maciel E, Reid BN, Alter SE, Amato G, Bjorndal KA, Bolten AB, Martin M, Nairn CJ, Shamblin B, Pineda-Catalan O. 2014. From refugia to rookeries: Phylogeography of Atlantic green turtles. Journal of Experimental Marine Biology and Ecology 461:306-316.

Nelms SE, Piniak WE, Weir CR, Godley BJ. 2016. Seismic surveys and marine turtles: An underestimated global threat? Biological conservation 193:49-65.

Nero RW, Cook M, Coleman AT, Solangi M, Hardy R. 2013. Using an ocean model to predict likely drift tracks of sea turtle carcasses in the north central Gulf of Mexico. Endangered Species Research 21:191-203.

Nero RW, Cook M, Reneker JL, Wang Z, Schultz EA, Stacy BA. 2022. Decomposition of Kemp's ridley (Lepidochelys kempii) and green (Chelonia mydas) sea turtle carcasses and its application to backtrack modeling of beach strandings. Endangered Species Research 47:29-47.

Niemuth JN, Harms CA, Macdonald JM, Stoskopf MK. 2020. NMR-based metabolomic profile of cold stun syndrome in loggerhead Caretta caretta, green Chelonia mydas and Kemp's ridley Lepidochelys kempii sea turtles in North Carolina, USA. Wildlife Biology 2020.

Niethammer KR, Balazs GH, Hatfield JS, Nakai GL, Megyesi JL. 1997. Reproductive biology of the green turtle (Chelonia mydas) at Tern Island, French Frigate Shoals, Hawaii. Pacific Science 51:36-47.

NMFS. 2013. Biological Report on the Designation of Marine Critical Habitat for the Loggerhead Sea Turtle, *Caretta caretta*

NMFS. 2012. Final Biological Report to Revise Critical Habitat for Leatherback Sea Turtles.

NMFS. 2008. USACE Jacksonville District Reach 8 beach nourishment located in Palm Beach County, Florida (Consultation Number FISER/2007108929).

NMFS, USFWS. 1998a. Recovery Plan for U.S. Pacific Populations of the East Pacific Green Turtle (*Chelonia mydas*).

NMFS, USFWS. 1998b. Recovery Plan for U.S. Pacific Populations of the Green Turtle.

NMFS, USFWS. 1991. Recovery Plan for U.S. Population of Atlantic Green Turtle (Chelonia mydas).

Nurzia-Humburg I, Hargrove SK, Balazs GH. 2013. Nesting lifespan of green turtles at East Island, French Frigate Shoals (1965-2012).

Nurzia Humburg I, Balazs G. 2014. Forty Years of Research: Recovery Records of Green Turtles Observed or Originally Tagged

at French Frigate Shoals in the

Northwestern Hawaiian Islands, 1973-2013. NOAA Technical Memorandum NMFS-PIFSC-40.

Ogden JC, Robinson L, Whitlock K, Daganhardt H, Cebula R. 1983. Diel foraging patterns in juvenile green turtles (*Chelonia mydas* L.) in St. Croix United States Virgin Islands. Journal of Experimental Marine Biology and Ecology 66:199-205.

Parker DM, Balazs GH, Frutchey K, Kabua E, Langridrik M, Boktok K. 2015. Conservation considerations revealed by the movements of post-nesting green turtles from the Republic of the Marshall Islands. Micronesica 3:1-9.

Parker DM, Dutton PH, Balazs GH. 2011. Oceanic Diet and Distribution of Haplotypes for the Green Turtle, Chelonia mydas, in the Central North Pacific. Pacific Science 65:419-431.

Patrício AR, Formia A, Barbosa C, Broderick AC, Bruford M, Carreras C, Catry P, Ciofi C, Regalla A, Godley BJ. 2017. Dispersal of green turtles from Africa's largest rookery assessed through genetic markers. Marine Ecology Progress Series 569:215-225.

Patrício R, Diez CE, van Dam RP. 2014. Spatial and temporal variability of immature green turtle abundance and somatic growth in Puerto Rico. Endangered Species Research 23:51-62.

Pearse D, Avise J. 2001. Turtle mating systems: behavior, sperm storage, and genetic paternity. Journal of Heredity 92:206-211.

Perrault JR, Levin M, Mott CR, Bovery CM, Bresette MJ, Chabot RM, Gregory CR, Guertin JR, Hirsch SE, Ritchie BW. 2021. Insights on immune function in free-ranging green sea turtles (Chelonia mydas) with and without fibropapillomatosis. Animals 11:861.

Piacenza SE, Balazs GH, Hargrove SK, Richards PM, Heppell SS. 2016. Trends and variability in demographic indicators of a recovering population of green sea turtles Chelonia mydas. Endangered Species Research 31:103-117.

Piovano S, Batibasaga A, Ciriyawa A, LaCasella EL, Dutton PH. 2019. Mixed stock analysis of juvenile green turtles aggregating at two foraging grounds in Fiji reveals major contribution from the American Samoa Management Unit. Scientific Reports 9:3150.

Piovano S, Lemons GE, Ciriyawa A, Batibasaga A, Seminoff JA. 2020. Diet and recruitment of green turtles in Fiji, South Pacific, inferred from in-water capture and stable isotope analysis. Marine Ecology Progress Series 640:201-213.

Plotkin P. 2003. Adult migrations and habitat use. Lutz P, Musick J, Wyneken J, editors. The Biology of Sea Turtles, Volume II. Boca Raton, Florida: CRC Press. p. 225-242.

Pollock C. 2013. Abundance and Distribution of Sea Turtles at Buck Island Reef National Monument, St. Croix, USVI. University of the Virgin Islands.

Project GloBAL editor.; 2009a.

Project GloBAL editor.; 2009b.

Putman NF, Mansfield KL. 2015. Direct evidence of swimming demonstrates active dispersal in the sea turtle "lost years". Curr Biol 25:1221-1227.

Putman NF, Seney EE, Verley P, Shaver DJ, López-Castro MC, Cook M, Guzmán V, Brost B, Ceriani SA, Mirón RdJGD. 2020. Predicted distributions and abundances of the sea turtle 'lost years' in the western North Atlantic Ocean. Ecography 43:506-517.

Read A, Foster B, McClellan C, Waples D. 2004. Habitat use of sea turtles in relation to fisheries interactions. Final Report: North Carolina Fishery Resource Grant Program Project 02-FEB-05.

Redfoot WE. 1997. Population structure and feeding ecology of green turtles utilizing the Trident Submarine Basin, Cape Canaveral, Florida as developmental habitat. Univ. of Central Florida, Orlando, FL.

Redfoot WE, Ehrhart LM. 2000. Green turtles in three developmental habitats of the Florida Atlantic coast: population structure, fibropapillomatosis and post-juvenile migratory destinations. Abreu-Grobois FA, Briseno-

Duenas R, Marquez R, Sarti L, editors. Proceedings of the Eighteenth International Sea Turtle Symposium. U.S. Dept. of Commerce: NOAA Technical Memorandum NMFS-SEFSC-436. p. 32.

Reich KJ, Bjorndal KA, Martinez del Rio C. 2008. Effects of growth and tissue type on the kinetics of 13C and 15N incorporation in a rapidly growing ectotherm. Oecologia 155:651-663.

Reininger A, Martin S, Allen C, Staman M, Staman J, Jones T. 2019 Spatial distribution of green sea turtle (*Chelonia mydas*) nests at French Frigate Shoals, Hawaii: implications for carrying capacity? 39th Annual Symposium on Sea Turtle Biology and Conservation. February 2-9, 2019. Charleston, South Carolina.

Renaud ML, Carpenter JA, Williams JA. 1995. Activities of juvenile green turtles, Chelonia mydas, at a jettied pass in south Texas. Fish. Bull 93:586-593.

Reynolds MHH, Berkowitz P, Courtot KNN, Krause CMM. 2012. Predicting sea-level rise vulnerability of terrestrial habitat and wildlife of the northwestern Hawaiian Islands. U.S. Geological Survey Open-File Report 2012-1182. p. 139.

Rice M, Balazs GH. 2008. Diving behavior of the Hawaiian green turtle (Chelonia mydas) during oceanic migrations. Journal of Experimental Marine Biology and Ecology 356:121-127.

Rice MR, Balazs GH, Hallacher L, Dudley W, Watson G, Krusell K, Larson B editors. EIGHTEENTH INTERNATIONAL SEA TURTLE SYMPOSIUM. 2000.

Rice N, Hirama S, Witherington B. 2021. High frequency of micro-and meso-plastics ingestion in a sample of neonate sea turtles from a major rookery. Marine Pollution Bulletin 167:112363.

Roberson K, Kendall MS, Parker D, Murakawa S. 2016. Chapter 5 Sea Turtles. Costa BM, Kendall MS, editors. Marine Biogeographic Assessment of the Main Hawaiian Islands. Bureau of Ocean Energy Management and National Oceanic and Atmospheric Administration. OCS Study BOEM 2016-035 and NOAA Technical Memorandum NOS NCCOS 214. 359 pp.

Roberts MA, Schwartz TS, Karl SA. 2004. Global population genetic structure and male-mediated gene flow in the green sea turtle (Chelonia mydas): analysis of microsatellite loci. Genetics 166:1857.

Robinson NJ, Deguzman K, Bonacci-Sullivan L, DiGiovanni RA, Pinou T. 2020. Rehabilitated sea turtles tend to resume typical migratory behaviors: satellite tracking juvenile loggerhead, green, and Kemp's ridley turtles in the northeastern USA. Endangered Species Research 43:133-143.

Roche DC. 2016. Trophic ecology of green turtles (Chelonia mydas) from Dry Tortugas National Park, Florida.

Rodriguez AR, Heck KL. 2020. Green turtle herbivory and its effects on the warm, temperate seagrass meadows of St. Joseph Bay, Florida (USA). Marine Ecology Progress Series 639:37-51.

Ross P, DeLorenzo ME. 1997. Sediment contamination problems in the Caribbean Islands: Research and regulation. Environmental Toxicology and Chemistry 16:52-58.

Russell D, Balazs GH. 1994. Colonization by the alien marine alga Hypnea musciformis (Wulfen) J. Ag. (Rhodophyta: Gigartinales) in the Hawaiian islands and its utilization by the green turtle, Chelonia mydas L. Aquatic Botany 47:53-60.

Russell DJ, Balazs GH. 2009. Dietary Shifts by Green Turtles (Chelonia mydas) in the Kāne'ohe Bay Region of the Hawaiian Islands: A 28-Year Study. Pacific Science 63:181-192.

Russell DJ, Balazs GH. 2015. Increased use of non-native algae species in the diet of the Green Turtle (Chelonia mydas) in a primary pasture ecosystem in Hawaii. Aquatic Ecosystem Health & Management 18:342-346.

Russell DJ, Balazs GH, Phillips RC, Kam AK. 2003. Discovery of the sea grass Halophila decipiens (Hydrocharitaceae) in the diet of the Hawaiian green turtle, Chelonia mydas. Pacific science 57:393-397.

Russell DJ, Hargrove S, Balazs GH. 2011. Marine sponges, other animal food, and nonfood items found in digestive tracts of the herbivorous marine turtle Chelonia mydas in Hawai'i. Pacific Science 65:375-381.

Salmon M, Wyneken J, Fritz E, Lucas M. 1992. Seafinding by hatchling sea turtles: role of brightness, silhouette and beach slope as orientation cues. Behaviour 122:56-77.

San Diego Unified Port District. 2010. Final Environmental Impact Report for the Chula Vist Bayfront Master Plan. State Clearinghouse Number 2005081077.

Santos BS, Friedrichs MA, Rose SA, Barco SG, Kaplan DM. 2018a. Likely locations of sea turtle stranding mortality using experimentally-calibrated, time and space-specific drift models. Biological Conservation 226:127-143.

Santos BS, Kaplan DM, Friedrichs MA, Barco SG, Mansfield KL, Manning JP. 2018b. Consequences of drift and carcass decomposition for estimating sea turtle mortality hotspots. Ecological Indicators 84:319-336.

Santos KC, Livesey M, Fish M, Lorences AC. 2017. Climate change implications for the nest site selection process and subsequent hatching success of a green turtle population. Mitigation and Adaptation Strategies for Global Change 22:121-135.

Sargent FJ, Leary TJ, Crewz DW, Kruer CR. 1995. Scarring of Florida's seagrasses: assessment and management options.

Sato K, Matsuzawa Y, Tanaka H, Bando T, Minamikawa S, Sakamoto W, Naito Y. 1998. Internesting intervals for loggerhead turtles, Caretta caretta, and green turtles, Chelonia mydas, are affected by temperature. Canadian Journal of Zoology 76:1651-1662.

Schroeder BA, Ehrhart LM, Bagley DA, Coyne MS, Foley A, Balazs GH, Witherington BE. 2008. Migratory routes and resident areas of adult female and male Florida green turtles. Rees AF, Frick M, Panagopoulou A, Williams K, editors. Proceedings of the 27th Annual Symposium on Sea Turtle Biology and Conservation.: NOAA Technical Memorandum NMFS-SEFSC-569. p. 59-60.

Schwartz FJ. 1960. The barnacle, Platylepas hexastylos, encrusting a green turtle, Chelonia mydas mydas, from Chincoteague Bay, Maryland. Chesapeake Science 1:116-117.

Seaborn GT, Katherine Moore M, Balazs GH. 2005. Depot fatty acid composition in immature green turtles (Chelonia mydas) residing at two near-shore foraging areas in the Hawaiian Islands. Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology 140:183-195.

Seminoff JA, Allen CD, Balazs GH, Dutton PH, Eguchi T, Haas H, Hargrove SA, Jensen M, Klemm DL, Lauritsen AM. 2015. Status review of the green turtle (*Chelonia mydas*) under the Endangered Species Act.

Seminoff JA, Resendiz A, Nichols WJ. 2002. Home range of green turtles Chelonia mydas at a coastal foraging area in the Gulf of California, Mexico. Marine Ecology Progress Series 242:253-265.

Seminoff JA, Shanker K. (Assessment; Endangered; IUCN Criteria; Modelling; Population trend; sea turtle co-authors). 2008. Marine turtles and IUCN Red Listing: A review of the process, the pitfalls, and novel assessment approaches. Journal of Experimental Marine Biology and Ecology 356:52-68.

Seminoff JA, Whitman ER, Wallace BP, Bayless A, Resendiz A, Jones TT. 2021. No rest for the weary: restricted resting behavior of green turtles (*Chelonia mydas*) at a deep-neritic foraging area influences expression of life history traits. Journal of Natural History 54:2979–3001.

Shamblin BM, Bagley DA, Ehrhart LM, Desjardin NA, Martin RE, Hart KM, Naro-Maciel E, Rusenko K, Stiner JC, Sobel D. 2015. Genetic structure of Florida green turtle rookeries as indicated by mitochondrial DNA control region sequences. Conservation Genetics 16:673-685.

Shamblin BM, Bagley DA, Ehrhart LM, Desjardin NA, Martin RE, Hart KM, Naro-Maciel E, Rusenko K, Stiner JC, Sobel D, et al. 2014. Genetic structure of Florida green turtle rookeries as indicated by mitochondrial DNA control region sequences. Conservation Genetics 16:673-685.

Shamblin BM, Dutton PH, Shaver DJ, Bagley DA, Putman NF, Mansfield KL, Ehrhart LM, Pena LJ, Nairn CJ. 2017. Mexican origins for the Texas green turtle foraging aggregation: A cautionary tale of incomplete baselines and poor marker resolution. Journal of Experimental Marine Biology and Ecology 488:111-120.

Shamblin BM, Hart KM, Martin KJ, Ceriani SA, Bagley DA, Mansfield KL, Ehrhart LM, Nairn CJ. 2020. Green turtle mitochondrial microsatellites indicate finer-scale natal homing to isolated islands than to continental nesting sites. Marine Ecology Progress Series 643:159-171.

Shamblin BM, Witherington BE, Hirama S, Hardy RF, Nairn CJ. 2018. Mixed stock analyses indicate population-scale connectivity effects of active dispersal by surface-pelagic green turtles. Marine Ecology Progress Series 601:215-226.

Shaver DJ. 2000. Distribution, residency, and seasonal movements of the green sea turtle, Chelonia mydas (Linnaeus, 1758), in Texas: Texas A&M University.

Shaver DJ. 1994. Relative abundance, temporal patterns, and growth of sea turtles at the Mansfield Channel, Texas. Journal of Herpetology 28:491-497.

Shaver DJ, Hart KM, Fujisaki I, Rubio C, Sartain AR. 2013. Movement mysteries unveiled: spatial ecology of juvenile green sea turtles. Reptiles in research:463-484.

Shaver DJ, Tissot PE, Streich MM, Walker JS, Rubio C, Amos AF, George JA, Pasawicz MR. 2017. Hypothermic stunning of green sea turtles in a western Gulf of Mexico foraging habitat. Plos One 12:e0173920.

Shaver DJ, Walker JS, Backof TF. 2019. Fibropapillomatosis prevalence and distribution in green turtles Chelonia mydas in Texas (USA). Diseases of Aquatic Organisms 136:175-182.

Shigenaka G, Stacy BA, Wallace BP. 2021. Oil and Sea Turtles. Office of Response and Restoration NOS, NOAA, editor.

Short FT, Neckles HA. 1999. The effects of global climate change on seagrasses. Aquatic Botany 63:169-196.

Siegfried T, Noren C, Reimer J, Ware M, Fuentes MMPB, Piacenza SE. 2021. Insights Into Sea Turtle Population Composition Obtained With Stereo-Video Cameras in situ Across Nearshore Habitats in the Northeastern Gulf of Mexico. Frontiers in Marine Science 8.

Skelton PA. 2003. Seaweeds of American Samoa. Prepared for Department of Marine and Wildlife Resources, Government of Samoa. International Ocean Institute and Oceania Research and Development Associates. Townsville, Australia.

Sloan KA, Addison DS, Glinsky AT, Benscoter AM, Hart KM. 2022. Inter-Nesting Movements, Migratory Pathways, and Resident Foraging Areas of Green Sea Turtles (Chelonia mydas) Satellite-Tagged in Southwest Florida. Frontiers in Marine Science.

Smith MM, Salmon M. 2009. A comparison between the habitat choices made by hatchling and juvenile green turtles (Chelonia mydas) and loggerheads (Caretta caretta).9-13.

Snoddy JE, Landon M, Blanvillain G, Southwood A. 2009. Blood biochemistry of sea turtles captured the Lower Cape Fear River, North Carolina, in gillnets. The Journal of Wildlife Management 73:1394-1401.

Snoddy JE, Southwood Williard A. 2010. Movements and post-release mortality of juvenile sea turtles released from gillnets in the lower Cape Fear River, North Carolina, USA. Endangered Species Research 12:235-247.

Snover ML editor.; 2008.

Southwest Florida Water Management District. 2022. Article 2064: https://www.swfwmd.state.fl.us/resources.

Southwood Williard A, Hall AG, Fujisaki I, McNeill JB. 2017. Oceanic overwintering in juvenile green turtles Chelonia mydas from a temperate latitude foraging ground. Marine Ecology Progress Series 564:235-240.

Stadler M, Salmon M, Roberts C. 2015. Ecological correlates of green turtle (Chelonia mydas) abundance on the nearshore worm reefs of southeastern Florida. Journal of Coastal Research 31:244-254.

Staman M, Staman J, Reininger A, Coppenrath C, Kerschner L, Gaos A. 2020. Status and trends of Honu, or green sea turtles (*Chelonia mydas*), in the Papahānaumokuākea Marine National Monument. Proceedings of the 27th Annual Hawai'i Conservation Conference. 1-3 September 2020.

Sterling EJ, McFadden KW, Holmes KE, Vintinner EC, Arengo F, Naro-Maciel E. 2013. Ecology and Conservation of Marine Turtles in a Central Pacific Foraging Ground.

Stinson ML. 1984. Biology of sea turtles in San Diego Bay, California, and in the northeastern Pacific Ocean.

Stringell TB, Clerveaux WV, Godley BJ, Kent FEA, Lewis EDG, Marsh JE, Phillips Q, Richardson PB, Sanghera A, Broderick AC. 2016. Taxonomic distinctness in the diet of two sympatric marine turtle species. Marine Ecology 37:1036-1049.

Summers TM, Jones TT, Martin SL, Hapdei JR, Ruak JK, Lepczyk CA. 2017. Demography of Marine Turtles in the Nearshore Environments of the Northern Mariana Islands. Pacific Science 71:269-286.

Summers TM, Martin SL, Hapdei JR, Ruak JK, Jones TT. 2018. Endangered Green Turtles (Chelonia mydas) of the Northern Mariana Islands: Nesting Ecology, Poaching, and Climate Concerns. Frontiers in Marine Science 4.

Swarzenski PW, Dulai H, Kroeger KD, Smith C, Dimova N, Storlazzi CD, Prouty N, Gingerich SB, Glenn CR. 2017. Observations of nearshore groundwater discharge: Kahekili Beach Park submarine springs, Maui, Hawaii. Journal of Hydrology: Regional Studies 11:147-165.

Tagarino A, Saili K, Utzurrum R editors.; 2008.

Tagarino A, Utzurrum R editors.; 2010.

Tetratech. 2014. SEA TURTLE MARINE RESOURCES SURVEY REPORT.

Thiel M, Gutow L. 2005. The ecology of rafting in the marine environment. II. The rafting organisms and community. Oceanography and marine biology 43:279-418.

Thums M, Whiting SD, Reisser J, Pendoley KL, Pattiaratchi CB, Proietti M, Hetzel Y, Fisher R, Meekan MG. 2016. Artificial light on water attracts turtle hatchlings during their near shore transit. Royal Society Open Science 3:160142.

Tiwari M, Balazs GH, Hargrove S. 2010. Estimating carrying capacity at the green turtle nesting beach of East Island, French Frigate Shoals. Marine Ecology Progress Series 419:289-294.

True F. 1884. The turtle and terrapin fisheries. In: . The Fisheries and Fishery Industries of the United States, Section V: History and Methods of the Fisheries, Volume II. . Washington, D.C.: Government Printing Office. p. 495-503.

Tuato'o-Bartley N, Morrell TE, Craig P. 1993. Status of sea turtles in American Samoa in 1991.

Turner-Tomaszewicz C, Seminoff JA. 2012. Turning off the heat: impacts of power plant decommissioning on green turtle research in San Diego Bay. Coastal Management 40:73-87.

Valverde RA, Holzwart KR. 2017. Sea turtles of the Gulf of Mexico. Habitats and Biota of the Gulf of Mexico: Before the Deepwater Horizon Oil Spill: Volume 2: Fish Resources, Fisheries, Sea Turtles, Avian Resources, Marine Mammals, Diseases and Mortalities:1189-1351.

Van Houtan KS editor.; 2010.

Van Houtan KS, Balazs GH, Hargrove. 2014a. Modeling sea turtle maturity age from partial life history records. Pacific Science 68.

Van Houtan KS, Halley JM, Marks W. 2015. Terrestrial basking sea turtles are responding to spatio-temporal sea surface temperature patterns. Biology Letters 11:20140744.

Van Houtan KS, Hargrove SK, Balazs GH. 2014b. Modeling sea turtle maturity age from partial life history records. Pacific Science 68:465-477.

Vander Zanden HB, Arthur KE, Bolten AB, Popp B, Lagueux CJ, Harrison E, Campbell C, Bjorndal KA. 2013. Trophic ecology of a green turtle breeding population. Marine Ecology Progress Series 476:237-249.

Wabnitz C, Balazs GH, Beavers S, Bjorndal KA, Bolten AB, Christensen V, Hargrove S, Pauly D. 2010. Ecosystem structure and processes at Kaloko Honokohau, focusing on the role of herbivores, including the green sea turtle Chelonia mydas, in reef resilience. Marine Ecology Progress Series 420:27-44.

Wallace BP, Heppell SS, Lewison RL, Kelez S, Crowder LB. 2008. Impacts of fisheries bycatch on loggerhead turtles worldwide inferred from reproductive value analyses. Journal of Applied Ecology 45:1076-1085.

Wallace BP, Stacy BA, Cuevas E, Holyoake C, Lara PH, Marcondes ACJ, Miller JD, Nijkamp H, Pilcher NJ, Robinson I, et al. 2020. Oil spills and sea turtles: documented effects and considerations for response and assessment efforts. Endangered Species Research 41:17-37.

Waycott M, Duarte CM, Carruthers TJB, Orth RJ, Dennison WC, Olyarnik S, Calladine A, Fourqurean JW, Heck KL, Hughes AR, et al. 2009. Accelerating loss of seagrasses across the globe threatens coastal ecosystems. Proceedings of the National Academy of Sciences 106:12377-12381.

Webster RK, Linton T. 2013. Development and implementation of Sargassum early advisory system (SEAS). Shore & Beach 81:1.

Wedding LM, Friedlander AM. 2008. Determining the influence of seascape structure on coral reef fishes in Hawaii using a geospatial approach. Marine Geodesy 31:246-266.

Wedding LM, Friedlander AM, McGranaghan M, Yost RS, Monaco ME. 2008. Using bathymetric lidar to define nearshore benthic habitat complexity: Implications for management of reef fish assemblages in Hawaii. Remote Sensing of Environment 112:4159-4165.

Welsh RC, Mansfield KL. 2022. Intraspecific spatial segregation on a green turtle foraging ground in the Florida Keys, USA. Marine Biology 169:1-13.

Welsh RC, Witherington BE. 2023. Spatial Mapping of Exposure Hotspots to Manage Risk from an Important Threat to Sea Turtles. Biological conservation.

Welsh RC, Witherington BE, Guertin JR, Mott CR, Bresette MJ. 2023. Data on sea turtle relative abundance in nearshore waters adjacent to the Mississippi River delta, Gulf of Mexico, United States. Data in Brief:108984.

Wershoven JL, Wershoven RW. 1992. Juvenile green turtles in their nearshore habitat of Broward County, Florida: a five year review. Salmon M, Wyneken J, editors. Proceedings of the Eleventh Annual Workshop on Sea Turtle Biology and Conservation: NOAA Technical Memorandum NMFS-SEFC-302. p. 121-123.

Whittow G, Balazs G. 1982. Basking behavior of the Hawaiian green turtle (Chelonia mydas).

Wildermann N, Sasso C, Gredzens C, Fuentes MM. 2020. Assessing the effect of recreational scallop harvest on the distribution and behaviour of foraging marine turtles. Oryx 54:307-314.

Wildermann NE, Sasso CR, Stokes LW, Snodgrass D, Fuentes MMPB. 2019. Habitat Use and Behavior of Multiple Species of Marine Turtles at a Foraging Area in the Northeastern Gulf of Mexico. Frontiers in Marine Science 6.

Williams SL. 1988. Assessment of Anchor Damage and Carrying Capacity of Seagrass Beds in Francis and Mayo Bays for Green Sea Turtles. Biosphere Reserve Report No. 25, U.S. Dept. of the Interior, National Park Service, and Virgin Islands Resource Management Cooperative, Virgin Islands National Park:32 pp.

Witham R. 1980. The "Lost Year" Question in Young Sea Turtles. American Zoologist 20:525-530.

Witherington B, Bresette M, Herren R. 2006. *Chelonia mydas* — Green Turtle. Meylan PA, editor. Chelonian Research Monographs. Biology and Conservation of Florida Turtles: Chelonian Research Monographs. p. 90-104.

Witherington B, Hirama S, Hardy R. 2012. Young sea turtles of the pelagic Sargassum-dominated drift community: habitat use, population density, and threats. Marine Ecology Progress Series 463:1-22.

Witherington BE. 1997. The problem of photopollution for sea turtles and other nocturnal animals. Clemmons JR, Buchholz R, editors. Behavioral Approaches to Conservation in the Wild: Cambridge University Press. p. 303-328.

Witherington BE, Ehrhart LM. 1989. Hypothermic stunning and mortality of marine turtles in the Indian River Lagoon System, Florida. Copeia:696-703.

Witherington BE, Martin RE editors. Environmental Protection. 1996.

Witzell WN, Schmid JR. 2004. Immature sea turtles in Gullivan Bay, Ten Thousand Islands, southwest Florida. Gulf of Mexico Science 22:5.

Wyneken J, Salmon M. 1992. Frenzy and post-frenzy swimming activity in loggerhead, green and leatherback hatchling sea turtles. Copeia 2:478-484.

Ylitalo GM, Collier TK, Anulacion BF, Juaire K, Boyer RH, da Silva DA, Keene JL, Stacy BA. 2017. Determining oil and dispersant exposure in sea turtles from the northern Gulf of Mexico resulting from the Deepwater Horizon oil spill. Endangered Species Research 33:9-24.

Zimmerman RC. 2021. Scaling up: Predicting the Impacts of Climate Change on Seagrass Ecosystems. Estuaries and Coasts 44:558–576.

Zurita JC, Herrera P. R, Arenas A, Negrete AC, Gómez L, Prezas B, Sasso CR. 2012. Age at first nesting of green turtles in the Mexican Caribbean. Jones TT, Wallace BP, editors. Proceedings of the 31st annual symposium on sea turtle biology and conservation: NOAA Technical Memorandum NOAA NMFS-SEFSC-631. p. 75.