

List of Literature Cited in the Proposed Rule
Endangered and Threatened Wildlife and Plants;
Endangered Status for the Eastern Regal Fritillary, and
Threatened Status with Section 4(d) Rule for the Western Regal Fritillary
Docket No. FWS-R6-ES-2023-0182

- Boettcher, J. F., Bragg, T. B., and Sutherland, D. M. 1993. Floristic diversity in ten tallgrass prairie remnants of eastern Nebraska. *Transactions of the Nebraska Academy of Sciences*, pp. 33–40
- Caven, A. J., K. C. King, J. D. Wiese, and E. M. Brinley Buckley. 2017. A descriptive analysis of regal fritillary (*Speyeria idalia*) habitat utilizing biological monitoring data along the big bend of the Platte River, NE. *Journal of Insect Conservation* 21:183–205.
- Chazal, A. C. 2014. Surveys for rare Lepidoptera and Henslow's Sparrow on the Radford Army Ammunition Plant. Natural Heritage Technical Report 14–10. Virginia Department of Conservation and Recreation, Division of Natural Heritage, Richmond VA. 10 pp. + plus appendix.
- Cohen, J. M., M. J. Lajeunesse, and J. R. Rohr. 2018. A global synthesis of animal phenological responses to climate change. *Nature Climate Change*, 8(3):224–228.
- Cordova, R. A, M. Tomazetti, J. P. Refatti, D. Agostinetto, L. A. Avila, and E. R. Camargo. 2020. Drift distance in aircraft glyphosate application using rice plants as indicators. *Planta Daninha* 38:1-9 (ISSN 1806-9681 online).
- Dana, R. 1997. Characterization of three Dakota skipper sites in Minnesota. Unpublished report, Minnesota Department of Natural Resources, St. Paul, MN. 17+ p.
- Davis, J. D., D. M. Debinski and B. J. Danielson. 2007. Local and landscape effects on the butterfly community in fragmented Midwest USA prairie remnants. *Landscape Ecology* 22:1341-1354.
- Ferster, B. 2005. Regal fritillaries: news from the eastern front. *American Butterflies* 13(3): 4-12.
- Ferster, B., B. R. Leppo, M. T. Swartz, K. Vuliniec, F. Habegger, and A. Mehring. 2008. Lepidoptera of Fort Indiantown Gap National Guard Training Center, Annville, Pennsylvania. *Northeastern Naturalist*, 15(1):141-148.
- Ferster, B. and K. Vuliniec. 2010. Population size and conservation of the last eastern remnants of the regal fritillary, *Speyeria idalia* (Drury) [Lepidoptera, Nymphalidae]; implications for temperate grassland restoration. *Journal of Insect Conservation* 14(1):31–42.
- Forister, M. L., A. C. McCall, N. J. Sanders, J. A. Fordyce, J. H. Thorne, JO'Brien, D. P. Waetjen, and A. M. Shapiro. 2010. Compounded effects of climate change and habitat alteration shift patterns of butterfly diversity. *Proceedings of the National Academy of Sciences* 107(5):2088-2092. <http://www.pnas.org/cgi/doi/10.1073/pnas.0909686107>.

Literature Cited List for Proposed Rule in Docket No. FWS-R6-ES-2023-0182

FTIG (Fort Indiantown Gap National Guard Training Center) and U.S. Fish and Wildlife Service (Service). 2024. Final Candidate Conservation Agreement (CCA) for the eastern regal fritillary (*Argynnix idalia idalia*). Version December 5, 2023. Signed February 15, 2024. 51 pp.

Fulbright, T. E., K. R. Hickman, and D. G. Hewitt. 2013. Exotic Grass Invasion and Wildlife Abundance and Diversity, South-Central United States. *Wildlife Society Bulletin* 37(3):503–509; 2013; DOI: 10.1002/wsb.312.

Goulson, D., E. Nicholls, C. Botías, and E. L. Rotheray. 2015. Bee declines driven by combined stress from parasites, pesticides, and lack of flowers. *Science*, 347(6229):1255957.

Hammond, P. C. and D. V. McCorkle. 1983(84). The decline and extinction of *Speyeria* populations resulting from human disturbances (Nymphalidae: Argynninae). *The Journal of Research on the Lepidoptera* 22(4):217–224.

Henderson, R. A., J. Meunier, and N. S. Holoubek. 2018. Disentangling effects of fire, habitat, and climate on an endangered prairie-specialist butterfly. *Biological Conservation* 218:41-48.

Hickling R., D. B. Roy, J. K. Hill, R. Fox, and C. D. Thomas. 2006. The distributions of a wide range of taxonomic groups are expanding polewards. *Global Change Biology* 12(3):450–455. doi: 10.1111/j.1365-2486.2006.01116.x.

Kelly, L., and Debinski, D. M. 1998. Relationship of host plant density to size and abundance of the regal fritillary *Speyeria idalia drury* (Nymphalidae). *Journal of the Lepidopterists Society*, 52(3), 262–276.

Kerr, J. T., S. M. Roberts, P. Rasmont, O. Schweiger, S. R. Colla, L. L. Richardson, D. L. Wagner, L. F. Gall, D. S. Sikes, and A. Pantoja. 2015. Climate change impacts on bumble bees converge across continents. *Science* 349(6244):177–180.

Keyghobadi, N., Unger, K.P., Weintraub, J.D. et al. 2006. Remnant populations of the regal fritillary (*Speyeria idalia*) in Pennsylvania: Local genetic structure in a high gene flow species. *Conserv Genet* 7, 309–313. <https://doi.org/10.1007/s10592-006-9127-8>.

Keyghobadi, N., Koscienski, D., Weintraub, J. D., & Fonseca, D. M. 2013. Historical specimens reveal past relationships and current conservation status of populations in a declining species: the regal fritillary butterfly. *Insect Conservation and Diversity*, 6(3), 234–242.

Klockmann, M. and K. Fischer. 2017. Effects of temperature and drought on early life stages in three species of butterflies: mortality of early life stages as a key determinant of vulnerability to climate change? *Ecology and Evolution* 7:10871–10879.

Kopper, B. J., E. R. Charlton, and D. C. Margolies. 2000. Oviposition Site Selection by the Regal Fritillary, *Speyeria idalia*, as Affected by Proximity of Violet Host Plants. *Journal of Insect Behavior* 13:651–665. <https://doi.org/10.1023/A:1007887809621>.

Literature Cited List for Proposed Rule in Docket No. FWS-R6-ES-2023-0182

- Kopper, B. J., D. C. Margolies, and R. E. Charlton. 2001. Life history notes on the regal fritillary, *Speyeria idalia* (Drury) (Lepidoptera: Nymphalidae), in Kansas tallgrass prairie. *Journal of the Kansas Entomological Society* 74(3):172-177.
- Lark, T. J., S. A. Spawn, M. Bougie and H. K. Gibbs. 2020. Cropland expansion in the United States produces marginal yields at high costs to wildlife. Open Access <https://doi.org/10.1038/s41467-020-18045-z>.
- Marschalek D. A. 2020. Sex-biased recapture rates present challenges to quantifying population sizes and dispersal behavior of the regal fritillary butterfly (*Speyeria idalia*). *Journal of Insect Conservation* 24:891–899. <https://doi.org/10.1007/s10841-020-00259-7>.
- McCorkle, D. V., and P. C. Hammond. 1988. Biology of *Speyeria zarene hippolyta* (Nymphalidae) in a marine-modified environment. *Journal of the Lepidopterists' Society* 42(3):184-195.
- McCullough, K., G. Albanese, D. A. Haukos, A. M. Ricketts, and S. Stratton. 2019. Management regime and habitat response influence abundance of regal fritillary (*Speyeria idalia*) in tallgrass prairie. *Ecosphere* 10(8), e02845.
- Memmott, J., P. G. Craze, N. M. Waser, and M. V. Price. 2007. Global warming and the disruption of plant-pollinator interactions. *Ecology Letters* 10(8):710-717.
- Nail, K. R. (2016). Monarch (*Danaus plexippus*) Growth and Survival in a Changing World (Doctoral dissertation, University of Minnesota).
- Niemuth, N. D., B. Wangler, J. J. LeBrun, D. Dewald, S. Larson, T. Schwagler, C. W. Bradbury, R. D. Pritchert, and R. Iovanna. 2021. Conservation planning for pollinators in the U.S. Great Plains: considerations of context, treatments, and scale. *Ecosphere* 12(7):e03556. [10.1002/ecs2.3556](https://doi.org/10.1002/ecs2.3556).
- Panzer, R. and M. Schwartz. 2000. Effects of management burning on prairie insect species richness within a system of small, highly fragmented reserves. *Biological Conservation* 96:363-369.
- Pennsylvania Department of Military and Veterans Affairs (PADMVA). 2021. Fort Indiantown Gap National Guard Training Center, Lebanon and Dauphin Counties, Pennsylvania, Integrated Natural Resources Management Plan, 2022-2027. 242 pp; <https://www.dmvpa.pa.gov/dmvaoftices/Environmental-Resources/Pages/Environmental-Documents.aspx>
- Powell, A. F. L. A., W. H. Busby, and K. Kindscher. 2007. Status of the regal fritillary (*Speyeria idalia*) and effects of fire management on its abundance in northeastern Kansas, USA. *Journal of Insect Conservation* 11:299-308.
- Royer, R. A. and G. M. Marrone. 1992. Conservation status of the regal fritillary (*Speyeria idalia*) in North and South Dakota. Report to the U.S. Department of Interior, Fish and Wildlife Service, Denver, CO. Minot State University.

Literature Cited List for Proposed Rule in Docket No. FWS-R6-ES-2023-0182

- Rutins, I., S. Schannauer, S. Orellana, H. Laukhuff, E. Lang, T. Becker, E. McKinney, K. Thomas, V. Tilden, M. Swartz and J. E. Blair. 2022. Genetic Diversity and Wolbachia (Rickettsiales: Anaplasmataceae) Prevalence withing a remnant population of regal fritillary, *Argynnis idalia* (Lepidoptera: Nymphalidae), in south-central Pennsylvania. *Journal of Insect Science* 22: 24;1-7. <https://doi.org/10.1093/jisesa/ieac006>.
- Samson, F. and F. Knopf. 1994. Prairie Conservation in North America. *BioScience* 44(6):418-421. <https://www.jstor.org/stable/1312365>.
- Schweitzer, D. F. 1989. A review of Category 2 Insecta in Service Regions 3, 4, and 5. Report to Region 5, Newton Corner, MA. 150 pp.
- Schweitzer, D. E. 1993. Regal Fritillaries in the east. *American Butterflies* 1:9.
- Selby, G. 2007. Regal Fritillary (*Speyeria idalia* Drury): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/regalfritillary.pdf>.
- Shaffer, M. L. and B. A. Stein. 2000. Safeguarding our precious heritage. Pp. 301-321 in Stein B. A., L. S. Kutner, J. S. Adams, eds. Precious heritage: the status of biodiversity in the United States. New York: Oxford University Press.
- Sims, S. R. 2017. Speyeria (Lepidoptera: Nymphalidae) Conservation. *Insects* 8, 45; doi:10.3390/insects8020045.
- Smart, A. J., Nelson, M. J., Bauman, P. J., and Larson, G. E. 2011. Effects of herbicides and grazing on floristic quality of native tallgrass pastures in eastern South Dakota and southwestern Minnesota. *Great Plains Research*, pp. 181–189.
- Smith, D. R., N. L. Allan, C. P. McGowan, J. A. Szymanski, S. R. Oetker, H. M. Bell. 2018. Development of a species status assessment process for decisions under the U.S. Endangered Species Act. *Journal of Fish and Wildlife Management* 9:1–19.
- Stark, J. D., X. D. Chen, and C. S. Johnson. 2012. Effects of herbicides on Behr's metalmark butterfly, a surrogate species for the endangered butterfly, Lange's metalmark. *Environmental Pollution* 164:24-27.
- Staudinger, M. D., S. L. Carter, M. S. Cross, N. S. Dubois, J. E. Duffy, C. Enquist, R. Griffis, J. J. Hellmann, J. J. Lawler, J. O'Leary, and S. A. Morrison. 2013. Biodiversity in a changing climate: a synthesis of current and projected trends in the US. *Frontiers in Ecology and the Environment*, 11(9), pp. 465–473.
- Swengel, A. B. 1996. Effects of fire and hay management on abundance of prairie butterflies. *Biological Conservation* 76:73-85.
- Swengel, A. B. and S. R. Swengel. 2017. Complex messages in long-term monitoring of regal fritillary (*Speyeria idalia*) (Lepidoptera: Nymphalidae) in the state of Wisconsin, U.S.A. 1988-2015. *Insects* 2017, 8, 6; doi:10.3390/insects8010006.

Literature Cited List for Proposed Rule in Docket No. FWS-R6-ES-2023-0182

- U.S. Fish and Wildlife Service (Service). 2023. Species Status Assessment Report for the Regal Fritillary: Eastern Subspecies (*Argynnис idalia idalia*) and Western Subspecies (*A. i. occidentalis*), Version 1.0. 286 pp (177 pp + Appendices).
- Wagner, D. L., M. S. Wallace, G. H. Boettner, and J. S. Elkinton. 1997. Status update and life history studies on the regal fritillary (Lepidoptera: Nymphalidae). Grasslands of northeastern North America: ecology and conservation of native and agricultural landscapes, p. 261-275.
- World Rangeland Learning Experience. 2021. Global Rangelands, North American mixed grass prairie. Accessed online, June 29, 2021: <https://www.wrangle.org/ecotype/north-american-mixed-grass-prairie>.
- Williams, B. 1999. Regal fritillaries in a tailspin. American Butterflies, 7(4):16-25.
- Williams, B. L. 2001a. Patterns of morphological variation in *Speyeria idalia* (Lepidoptera: Nymphalidae) with implications for taxonomy and conservation. Annals of the Entomological Society of America, 94(2):239-243.
- Williams, B. L. 2001b. Recognition of western populations of *Speyeria idalia* (Nymphalidae) as a new subspecies. Journal of the Lepidopterists' Society, 55(4):144-149.
- Williams B. L., J. D. Brawn, and K. N. Paige. 2003. Landscape scale genetic effects of habitat fragmentation on a high gene flow species: *Speyeria idalia* (Nymphalidae). Mol. Ecol. 12:11-20.
- Williams, P. H. and J. L. Osborne. 2009. Bumble bee vulnerability and conservation worldwide. Apidologie 40:367-387.
- Zercher, D., P. McElhenny, and P. Mooreside. 2002. Habitat Management Plan for the Regal Fritillary (*Speyeria idalia*) at the Fort Indiantown Gap National Guard Training Center Annville, Pennsylvania 5 Year Implementation Period: 2002-2006. 49 pp.
- Zografou, K., M. T. Swartz, G. C. Adamidis, V. P. Tilden, E. N. McKinney, and B. J. Sewall. 2021. Species traits affect phenological responses to climate change in a butterfly community. Scientific reports, 11(1):328.

Personal Communications:

- P. Hammond. 2021. Pers. Comm. Email from Paul Hammond to Natalie Gates, subject "Regal Fritillary SSA assistance." Dated August 2, 2021. 3 pp.
- M. Swartz. 2022. Pers. Comm. Email from Mark Swartz to Pamela Shellenberger, subject "SSA revised statement." Dated June 21, 2022. 1 pp.