Potassium Carbonate (99.5% Fine Powder)

ACTIVE INGREDIENT	% BY WT.
Potassium Carbonate*	99.5%
OTHER INGREDIENTS:	0.5%
TOTAL:	10 <u>0.0%</u>
*CAS No. 584-08-7	

DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Complete First Aid Instructions affixed to front panel. See [Leaflet] [Booklet] for complete Precautionary Statements and Directions for Use.

FIRST AID		
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	Call a poison control center or doctor for treatment advice.	
IF ON SKIN OR	Take off contaminated clothing.	
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.	
	Call a poison control center or doctor for treatment advice.	
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.	
	Have person sip a glass of water if able to swallow.	
	Do not induce vomiting unless told to do so by a poison control center or doctor.	
	Do not give anything by mouth to an unconscious person.	
Have the product co treatment.	ontainer or label with you when calling a poison control center or doctor, or going for	
FOR 24-HOUR ME	DICAL EMERGENCY ASSISTANCE CALL PROPHARMA: 1-866-374-1975	

For transportation emergencies including spill, leak or fire contact CHEMTREC: 1-800-424-9300

EPA Reg. No. 94218-xxx

EPA Est. No.:

xxxxxV001

NET WEIGHT:

[Batch Code will be placed on the container.]

Manufactured for: Biofungitek, S.L. Astondo Bidea, Building 612 Derio, 48150 Spain

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. Wear protective eyewear. Causes skin burns. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Wear chemical-resistant gloves made of any waterproof material. Wear coveralls worn over long-sleeved shirt and long pants; socks; chemical-resistant footwear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System

(NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

THIS PRODUCT IS ONLY FOR USE IN FURTHER PREPARATION OF FUNGICIDE PRODUCTS.

DO NOT USE FOR ANY OTHER PURPOSES. Products formulated with **Potassium Carbonate (99.5% Fine Powder)** will require registration with the Environmental Protection Agency.

ONLY FOR FORMULATION INTO FUNGICIDE PRODUCTS INTENDED FOR:

(1) The following approved uses:

AGRICULTURAL APPLICATIONS (GREENHOUSE, ORCHARD, NURSERY, AND FIELD):

Berries, including: Blackberry; Blueberry; Bushberry; Caneberry; Cranberry; Currants; Elderberry; Gooseberry; Huckleberry; Loganberry; Raspberry.

Bulb Vegetables, including: Garlic; Leeks; Onions (Bulb and Green); Shallots; Chives; and other bulb vegetable crops.

Citrus Fruits, including: Calamondin; Citrus citron; Citrus hybrids; Grapefruit; Kumquat; Lemon; Lime; Mandarin; Orange, sour and sweet; Pummelo; Satsuma mandarin.

Cole Crops (Brassicas), including: Broccoli; Broccoli Rabe; Brussels Sprouts; Cabbage; Chinese Broccoli; Chinese Cabbage (Bok Choy); Chinese Cabbage (Napa); Chinese Mustard Cabbage (Gai Choy); Cauliflower; Cavalo; Collards; Kale; Kohlrabi; Mizuna; Mustard Greens; Mustard Spinach; Rape Greens; Turnip Greens.

Corn, including: Sweet Corn; Field Corn; Popcorn; Silage Corn; Seed Corn.

Cucurbits, including all types and hybrids of: Chayote; Chinese Waxgourd; Cucumber; Citron Melon; Gherkin; Pumpkin; Watermelon.

Edible Gourd (Chinese Okra; Cucuzza; Hyotan; *Mormordica* spp.); Balsam Apple; Balsam Pear; Bitter Melon; Chinese Cucumber; **Muskmelon** (Cantaloupe; Casaba; Crenshaw Melon; Golden Pershaw Melon; Honeydew Melon; Honey Balls; Mango Melon; Persian Melon; Pineapple Melon; Santa Clause Melon; Snake Melon); **Summer Squash** (Crookneck Squash; Scallop Squash; Straightneck Squash; Vegetable Marrow; Zucchini); **Winter Squash** (Acorn Squash; Butternut Squash; Calabaza; Gubbard Squash; Spaghetti Squash); and other cucurbit crops.

Fruiting Vegetables, including: Eggplant; Okra; Pepper; Tomato; Tomatillo; Ground Cherry. **Grapes.**

Leafy Vegetables, including: Arugula; Beet; Celery; Chervil; Cilantro; Corn Salad; Cress; Dandelion; Dock; Edible Chrysanthemum; Endive; Fennel; Garden Peas; Head Lettuce; Leaf Lettuce; Parsley; Purslane; Radicchio; Rhubarb; Spinach; Swiss Chard; Watercress.

Pome Fruits, including: Apple; Crabapple; Loquat; Mayhaw; Pear; Pear, oriental; Quince.

Stone Fruits, including: Apricot; Cherry, sweet and tart; Nectarine; Peach; Plum; Plumcot; Prune (fresh). **Strawberry.**

Tree nuts, including: Almond; Beech nut; Brazil nut; Butternut; Cashew; Chestnut; Chinquapin; Filbert (hazelnut); Hickory nut; Macadamia nut; Pecan; Pistachio; Walnut, Black and English.

Tropical Fruits, including: Avocado; Banana; Kiwi; Mango; Papaya; Plantain; Pineapple; Pomegranate.

FOR CONTROL OF CERTAIN DISEASES IN TURF AND ORNAMENTALS.

- (2) Uses for which US EPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and
- (3) Uses for experimental purposes that are in compliance with US EPA requirements.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE STORAGE

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in cool dry place.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited.

CONTAINER HANDLING

For solid dilutables in nonrefillable containers small enough to shake (50 pounds or less):

Nonrefillable container. Do not reuse or refill this container. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

For solid dilutables in nonrefillable containers too large to shake (larger than 50 pounds):

Nonrefillable container. Do not reuse or refill this container. Triple Rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Once container is rinsed, offer for recycling, if available, or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES (CONDITIONS OF SALE)

The directions on this label are believed to be reliable and must be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions, the failure to follow the label directions, or failure to follow good application practices, all of which are beyond the control of Biofungitek, S.L., or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment.

Biofungitek, S.L. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use, subject to the factors noted above which are beyond the control of Biofungitek, S.L. Except as warranted by this label, Biofungitek, S.L. makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose.

To the extent consistent with applicable law, the exclusive remedy against Biofungitek, S.L. for any cause of action relating to the handling or use of this product is a claim of damage, and in no event shall damages or any other recovery of any kind against Biofungitek, S.L. exceed the price of the product which causes the alleged loss, damage, injury, or other claim. To the extent consistent with applicable law, Biofungitek, S.L. shall not be liable and any and all claims against Biofungitek, S.L. are waived, for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income, whether or not based on the negligence of Biofungitek, S.L. breach of warranty, strict liability in tort, or any other cause of action. Biofungitek, S.L. and the seller offer this product, and the buyer and users accept it, subject to the foregoing conditions of sale and limitations of warranty, liability and remedy.