



INVESTOR PRESENTATION

OTCQB: EVFM



FORWARD-LOOKING STATEMENTS



This presentation contains forward looking statements within the meaning of The Private Securities Litigation Reform Act of 1995 and other federal securities laws. In some cases, you can identify forward looking statements by terms such as “may,” “will,” “should,” “expect,” “plan,” “aim,” “anticipate,” “strategy,” “objective,” “designed,” “suggest,” “currently,” “could,” “intend,” “target,” “project,” “contemplate,” “believe,” “estimate,” “predict,” “potential” or “continue” or the negative of these terms or other similar expressions. Each of these forward-looking statements involves risks and uncertainties. Actual results may differ materially from those, express or implied, in these forward-looking statements. Factors that may cause differences between current expectations and actual results include, but are not limited to, the following:

- The rate and degree of market acceptance of Phexxi® (lactic acid, citric acid and potassium bitartrate) vaginal gel and SOLOSEC® (secnidazole) 2 g oral granules
- Evofem’s ability to successfully commercialize its products in the United States and to enter into successful partnerships to commercialize its products outside of the United States
- Evofem’s estimates regarding expenses, revenues, financial performance and capital requirements, including the length of time its capital resources will sustain its operations, and its ability to raise additional capital to fund its operations when/if needed
- Evofem’s ability to continue as a going concern
- Evofem’s ability to comply with the provisions and requirements of its debt arrangements and to pay amounts owed pursuant to its debt arrangements
- Evofem’s ability to retain members of its management and other key personnel and to expand its organization to accommodate potential growth
- Evofem’s ability to maintain and protect its intellectual property position and its ability to obtain additional patent protection for its product for current and investigational indications
- The potential for changes to current regulatory mandates requiring payers to cover FDA-approved or -cleared contraceptives without cost sharing
- Evofem’s ability to obtain or maintain third-party payer coverage and adequate reimbursement, and its reliance on the willingness of patients to pay out-of-pocket for its products absent full or partial third-party payer reimbursement
- Evofem’s reliance on third-party providers and licensors, such as third-party manufacturers
- The presence or absence of any adverse events or side effects relating to the use of its products, and,
- Any other risk factors detailed in Evofem’s filings from time to time with the U.S. Securities and Exchange Commission including, without limitation, the 10-K for the year ended December 31, 2023, filed with the SEC on March 27, 2024, 10-Q for the quarter ended September 30, 2024, filed on November 14, 2024, and any subsequent filings.

The forward looking statements in this presentation represent Evofem’s views only as of the date of this presentation, December 11, 2024, and Evofem expressly disclaims any obligation or undertaking to release publicly any updates or revisions to any forward-looking statements contained herein to reflect any change in Evofem’s expectations with regard thereto or any change in events, conditions or circumstances on which any such statements are based for any reason, except as required by law, even as new information becomes available or other events occur in the future. All forward-looking statements in this presentation are qualified in their entirety by this cautionary statement.

This presentation discusses estimates and other statistical data made by independent parties and by Evofem relating to market size and growth and other data about its industry. This data involves a number of assumptions and limitations, and you are cautioned not to give undue weight to such estimates.



U.S. biopharma company commercializing innovative products to address unmet needs in women's sexual and reproductive health



- Birth Control: hormone-free, on-demand prescription contraceptive vaginal gel
- \$18.2M net sales in 2023



- FDA-approved single-dose antimicrobial agent, taken orally
- Treatment for bacterial vaginosis (BV) and trichomoniasis




43.3M POTENTIAL PHEXXI USERS IN THE U.S.¹



(lactic acid, citric acid, and potassium bitartrate) Vaginal Gel
1.8%, 1%, 0.4%

U.S. MARKET BY CONTRACEPTIVE METHOD¹
(MILLIONS)



10.3M women use non-prescription contraceptives

Non-Rx methods: barrier methods; withdrawal; periodic abstinence; tracking; other

13.0M women use no contraceptive at all

20.0M women use prescription contraceptives

Rx hormonal oral contraceptives, rings, patches, shots and IUDs/copper IUD

* Study predates commercial availability of Phexxi

\$8.3B
Contraceptive Market
(U.S. 2022)²

1. Daniels-K-and-Abma-J.-Current-Contraceptive-Status-Among-Women-Aged-15-49_NCHS-Data-Brief-Number-388-October-2020.pdf (evofem.com)

2. Grandview Research. U.S. Contraceptive Market Size, Share & Trends Analysis Report By Product (Pills, Intrauterine Devices (IUD), Condoms, Vaginal Ring, Subdermal Implants, Injectable), And Segment Forecasts, 2022 – 2030.

EVOFEM IS LEADING THE REVOLUTION

Innovative women's reproductive and sexual health solutions



THE FIRST AND ONLY ON-DEMAND, NON-HORMONAL PRESCRIPTION CONTRACEPTIVE VAGINAL GEL

- Vaginal pH Modulator
- Hormone-free
- FDA-approved for prevention of pregnancy
- Woman-controlled
- Used only when you need it
- Box of 12 Phexxi applicators

phexxi®




December 11, 2024

MOA - PHEXXI IS A pH MODULATOR



Optimal vaginal pH levels can range from 3.5 – 4.5



When semen (pH 7.1-8) enters the vagina, it raises the environmental pH level

Allows sperm to be mobile and swim up the reproductive canal


Phexxi keeps vaginal pH in the optimal range

Among subjects who used Phexxi in the registrational clinical trials, only 1.6% discontinued due to an adverse reaction.

This is lower than published rates of hormonal methods, which range from 9.6% to 20.1% discontinuation due to adverse reactions




EVERY 1% MARKET SHARE OF THE 43.3M WOMEN IN OUR ADDRESSABLE MARKET REPRESENTS SIGNIFICANT NET PRODUCT SALES



1. Effective January 1, 2024. WAC: Wholesale Acquisition Cost.

2. Annual net sales calculation: Net \$ to EVFM per box * boxes/year/women * 433,000 women (1% of 43.3M women in Phexxi addressable market)

NET PRODUCT SALES GROWTH





Launched Phexxi
Sept. 2020

No marketing spend since Q4 2022

December 11, 2024

PHEXXI SALES COVERAGE





ACTIVATING PHEXXI UTILIZATION WITH SELECT PATIENT TYPES

**Not using a prescription
contraceptive**

**Living with depression
and anxiety**

Postpartum mother

Struggles with her weight

**In need of non-systemic
contraception**

Cancer survivor

Wants non-hormonal

WE ARE SUCCESSFULLY REACHING OUR TARGET PATIENT TYPES

CREATING THE VAGINAL PH MODULATOR CATEGORY



Changing the contraceptive counseling conversation to make it personal

HORMONE FREE

VAGINAL pH MODULATOR

- A vaginal gel that keeps the vagina in the normal acidic range (3.5-4.5), which lowers sperm mobility and the chance of sperm reaching the egg
- Inserted into the vagina immediately before (or up to 1 hour before) each act of vaginal sex

CONDOM

- A barrier that covers the penis or vagina during sex
- Protects against HIV, other STIs, and pregnancy

SPERMICIDE

- A cream or film that contains the chemical nonoxonyl-9 to prevent pregnancy
- Inserted into the vagina before vaginal sex

FERTILITY TRACKING

- The tracking of a woman's menstrual cycle and/or other fertility signs such as temperature and vaginal discharge
- Vaginal sex is avoided on days that are likely to be most fertile

COPPER IUD

- A device placed in the uterus by a healthcare professional
- Approved for up to 10 years of use

TUBAL LIGATION (getting "tubes tied")

- Sterilization surgery that is usually permanent
- For women who are sure they don't want a future pregnancy

BIRTH CONTROL IS PERSONAL. WHICH METHOD* MEETS YOUR NEEDS?

daily use

ORAL CONTRACEPTION (the "Pill")

- A pill containing hormones that prevent pregnancy
- Taken every day at the same time

PATCH

- A stick-on patch that releases hormones through the skin
- Replace once a week for 3 weeks; remove for 1 week

RING

- A flexible ring that contains hormones and is inserted into the vagina by the woman
- Insert for 3 weeks; remove for 1 week

INJECTION

- An injection of hormones by a healthcare professional
- Injection required every 3 months

semi-permanent or permanent option

HORMONAL IUD

- A device placed in the uterus by a healthcare professional
- Approved for up to 3 to 7 years of use

IMPLANT

- A small silicone rod inserted under the skin on the inside of the upper arm by a healthcare professional
- Approved for up to 3 years of use

INDICATION
Phexxi® (lactic acid, citric acid, and potassium bitartrate) is an on-demand method of birth control used to prevent pregnancy. Phexxi is not effective when used after sex.

IMPORTANT SAFETY INFORMATION
Rare cases (0.36%) of bladder and kidney infection have been reported. If you have a history of urinary tract problems that keep coming back, you should not use Phexxi.

Please see additional Important Safety Information on back and accompanying Full Product Information for Phexxi.

HORMONE FREE

BIRTH CONTROL IS PERSONAL.

CONTAINS HORMONES

Used in the moment

Used in the moment

Routine use and/or care

WHICH METHOD* MEETS YOUR NEEDS?

Use this chart to help determine which methods might be right for you. Talk to your doctor about what you want in your birth control.

INDICATION
Phexxi® (lactic acid, citric acid, and potassium bitartrate) is an on-demand method of birth control used to prevent pregnancy. Phexxi is not effective when used after sex.

IMPORTANT SAFETY INFORMATION
Rare cases (0.36%) of bladder and kidney infection have been reported. If you have a history of urinary tract problems that keep coming back, you should not use Phexxi. Contact your healthcare provider if you are experiencing genitourinary side effects such as vaginal burning, itching, discharge, genital discomfort (including in male partners), yeast infection, urinary tract infection or bacterial vaginosis.

IMPORTANT SAFETY INFORMATION
Phexxi is a registered trademark of EvoFem Biosciences, Inc. Trademark, registered or otherwise, are the property of their respective owners. © 2022 EvoFem Biosciences, Inc. - EVFM-US-001985 - June 2022 - Produced in USA.



GLP-1s include Ozempic, Wegovy, Mounjaro, and Zepbound

GLP-1s may make oral birth control pills less effective at certain points in dosing schedule

HCPs are to “advise females using oral contraceptives to switch to a non-oral contraceptive method or add a barrier method of contraception for 4 weeks after initiation and for 4 weeks after each dose escalation.” ¹

GLP-1 package inserts warn of potential risks to the fetus from exposure to these drugs during pregnancy ²

JP Morgan analysts forecast that by 2030 in the U.S. alone¹

- 30 million people in the U.S. – may be on GLP-1s ¹

Critical need for a non-systemic, non-hormonal method, like Phexxi


1. Zepbound Prescribing Information. <https://uspl.lilly.com/zepbound/zepbound.html#pi>

2. Based on Section 8.1, Use in Specific Populations: PREGNANCY in the PI for semaglutide and tirzepatide products

3. Schott C. *The increase in appetite for obesity drugs*. JP Morgan, November 29, 2023. <https://www.jpmorgan.com/insights/global-research/current-events/obesity-drugs>



GLP-1 U.S. OPPORTUNITY: \$224.56 MILLION TAM



1. Schott C. *The increase in appetite for obesity drugs*. JP Morgan, November 29, 2023. <https://www.jpmorgan.com/insights/global-research/current-events/obesity-drugs>
2. Calculated based on 2022 population data from March of Dimes PeriStats <https://www.marchofdimes.org/peristats/data?top=14&lev=1&stop=129®=99&obj=9&slev=1>
3. Daniels-K-and-Abma-J.-*Current Contraceptive Status Among Women Aged 15-49*_NCHS-Data-Brief-Number-388-October-2020.pdf (evofem.com)

SYNERGISTIC WOMEN'S HEALTH ACQUISITION



- Acquired in July 2024 from Lupin
- Synergistic women's health product
 - Aligns with strategic focus and leverages sales force
 - Both SOLOSEC and Phexxi address the vaginal biome
- \$20M annual net sales run rate pre-Covid from BV indication only¹
- Additional revenue potential in ex-U.S. markets (untapped partnering/licensing opportunity)
- Ten *Orange Book*-listed patents protect SOLOSEC in U.S. through Sept. 2035



1. SOLOSEC was not FDA approved for the treatment of trichomoniasis until July 2021

SOLOSEC: TWO FDA-APPROVED INDICATIONS



BACTERIAL VAGINOSIS (BV) IN FEMALES 12 AND OLDER

- BV is the most common vaginal condition in women ages 15-44
- Raises pH of the vagina, which upsets the balance of the natural vaginal microbiome and can lead to symptoms of odor and discharge

TRICHOMONIASIS (TRICH) IN PEOPLE 12 AND OLDER

- Trich is the most common non-viral STI in the world¹
- ~5.4M infections (U.S., 2018) - 2.1M women + 3.3M men

BV affects
29%
of U.S.
population

Trich affects
8.7%
of U.S.
population


SOLOSEC provides a complete course of treatment with one oral dose

1. Workowski KA, Bachmann LH, Chan PA, et al. CDC Sexually Transmitted Diseases Treatment Guidelines, 2021. MMWR Recomm Rep 2021;70(RR-04):1-192.

SOLOSEC DEMONSTRATED SOLID GROWTH UNTIL COVID-19 OUTBREAK



\$20M ANNUALIZED RUN RATE FOR TREATMENT OF BV ALONE¹



1. SOLOSEC was not FDA approved for the treatment of trichomoniasis until July 2021

IN SUMMARY



We are executing our strategy to improve women's lives through innovative sexual and reproductive health products that address unmet and underserved medical needs



The first and only FDA-approved hormone-free, on demand prescription contraceptive vaginal gel

- Approved and launched by Evofem in U.S. in 2020
- 2024 expected to be fourth consecutive year of annual net sales growth
- Regulatory filing in UAE expected Q4 2024 by our CGG commercial partner Pharma 1 to enable 2025 launch



The first and only single-dose, oral product FDA-approved to treat both BV and Trich

- Relunched in U.S. by Evofem in Q4 2024

Mitomic
Endometriosis
Test (MET™)

A blood-based diagnostic test for endometriosis

- Expected launch mid-2025