

## Forward-Looking Statement

To the extent that statements contained in this presentation are not descriptions of historical facts, they may be deemed to be forwardlooking statements under the Private Securities Litigation Reform Act of 1995. These statements are based on current expectations, forecasts, assumptions and other information available to NextCure as of the date hereof. Forward-looking statements include statements regarding NextCure's expectations, beliefs, intentions or strategies regarding the future and can be identified by forward-looking words such as "may," "will," "potential," "expects," "believes," "intends," "hope," "towards," "forward," "later" and similar expressions. Examples of forward-looking statements in this presentation include, among others, statements about the development plans for our products, statements about the progress and evaluation and expected timing of results of NextCure's ongoing or planned clinical trials, expectations regarding the potential benefits, activity, effectiveness and safety of our research stage, preclinical stage, and clinical stage therapeutic candidates, NextCure's financial guidance, expected upcoming milestones, and NextCure's plans, objectives and intentions with respect to the discovery and development of therapeutic products. Forward-looking statements involve substantial risks and uncertainties that could cause actual results to differ materially from those projected in any forward-looking statement. Such risks and uncertainties include, among others: the impacts of the COVID-19 pandemic on NextCure's business, including NextCure's clinical trials, third parties on which NextCure relies and NextCure's operations; positive results in preclinical studies may not be predictive of the results of clinical trials; NextCure's limited operating history and no products approved for commercial sale; NextCure's history of significant losses; NextCure's need to obtain additional financing; risks related to clinical development, marketing approval and commercialization; the unproven approach to the discovery and development of product candidates based on NextCure's discovery platform; and dependence on key personnel. More detailed information on these and additional factors that could affect NextCure's actual results are described in NextCure's filings with the Securities and Exchange Commission (the "SEC"), including in Item 1A of NextCure's most recent Form 10-K, subsequent Form 10-Q and elsewhere in the Company's filings with the SEC. You should not place undue reliance on any forward-looking statements. Forward-looking statements speak only as of the date of this press release, and NextCure assumes no obligation to update any forward-looking statements, except as required by law, even if expectations change.

# **Focus on Two Promising Programs**

NC410 COMBO

- Early Clinical Responses in Ovarian & CRC
- Additional Clinical Data Expected 2024

LNCB74

- Differentiated B7-H4 ADC
- Collaboration with LigaChem Biosciences
- IND 2024

~\$86 M - RUNWAY THROUGH 2H 2026

## **Advancing Our Prioritized Programs**

PROGRAMS	TARGET	CELLS	DISCOVERY	PRECLINICAL	PHASE 1	PHASE 2	PHASE 3	NEXT MILESTONE
NC410 COMBO (Pembro)	LAIR-2	Extracellular Matrix	Ovarian					Ph1b Data 4Q 2024
			Colorectal (	CRC)				Ph1b Update 4Q 2024
LNCB74 (ADC)  Co-development with  LCB LigaChemBio	B7-H4	Tumor Cells	Breast, Ova Endometria					IND 4Q 2024







PH1B DATA 4Q 2024



**PH1B UPDATE 4Q 2024** 

## NC410 COMBO

**BUILDING ON CLINICAL RESPONSES & BIOMARKER OBSERVATIONS** 

## DIFFERENTIATED APPROACH

Remodeling tumor architecture removing physical barrier and allowing T cells to kill tumors

#### LARGE UNMET NEEDS

Ovarian cancer Colorectal cancer

## **LAIR-2 FUSION**



NC410 COMBO

Addressing Unmet Needs for Non-Responders



#### **DEEP EXPERTISE**

Extracellular matrix collagen drives tumor resistance

#### POTENTIALLY FIRST-IN-CLASS

Improved safety profile
Addresses tumor resistance

## Leader in Understanding LAIR & Extracellular Matrix (ECM) Biology



# Regulation of tumor immunity and immunotherapy by the tumor collagen extracellular matrix



Cancer immunotherapy by NC410, a LAIR-2 Fc protein blocking human LAIR-collagen interaction



Collagen Fragments Produced in Cancer Mediate T Cell Suppression Through Leukocyte-Associated Immunoglobulin-Like Receptor 1



A Phase 1b/2, open-label, safety, tolerability and efficacy study of NC410 plus pembrolizumab for participants with immune checkpoint inhibitor (ICI) refractory or MSS/MSI-low ICI naïve advanced or metastatic solid tumors



NC410 (LAIR-2-Fc Fusion Protein): Overcoming Clinical Limitations to Immunotherapy Through Targeting and Remodeling Tumor ECM



Targeting LAIR-1 abrogates neutrophil-mediated suppression of T cell responses in ovarian cancer microenvironment



Remodeling the tumor microenvironment via blockade of LAIR-1 and TGF-β signaling enables PD-L1-mediated tumor eradication

An Emerging Area of Interest for New Therapies

Overcoming tumor resistance by remodeling ECM to remove physical barrier and enhance T cell tumor killing



#### **COMPLETED**

- ✓ Safe & well tolerated
- ✓ No dose limiting toxicities
- ✓ Evidence of clinical activity in ovarian & colorectal


#### **ONGOING**

- Expansion of ovarian cohort
- 2024 anticipated data (ovarian n=~25)




## NC410 Combo: A Synergistic Approach to Breaking the Collagen Barrier and Enhancing Anti-Tumor Activity

## COLLAGEN BUILDUP AND DENSITY LEAD TO RESISTANCE



Tumor cells proliferate and become resistant

## ECM REMODELING LEADS TO GREATER ANTI-TUMOR FUNCTION



T cells kill the tumor

## NC410 Combo Phase 1 Study



#### **POPULATION**

PD-(L)1 Naïve

#### **DOSE & REGIMEN**

100 mg NC410 Q2W 400 mg pembro Q6W 200 mg NC410 Q2W 400 mg pembro Q6W

#### **FINDINGS TO DATE**


ORR 25% (5/20)
DCR 50% (10/20)
Biomarker evidence supporting mechanism of action

#### **NEXT STEPS**

Continue following ongoing patients

#### **DATA EXPECTED**

4Q 2024




New Cure

## Evidence of Peripheral Immune Modulation and TME Infiltration in Responders from Ovarian Cohort


## Decrease Granzyme Bexpressing CD8+ T cells

 Remodels ECM allowing effector immune cell infiltration into TME from periphery




## Decrease suppressive MDSCs

- Reduces suppressive effects
- Enhances activation of immune cells and anti-tumor activity



#### Decrease CCR7+ CD4+ T cells

 Induces chemokine guided migration of immune cells to TME



## NC410 Combo Phase 1 Study

# Colorectal

Next@ure 12

PROPRIETARY AND CONFIDENTIAL

#### **POPULATION**

PD-(L)1 Naïve, MSS/MSI-L\*, without Liver Metastasis

#### **DOSE & REGIMEN**

100 mg NC410 Q2W 400 mg pembro Q6W

#### **FINDINGS TO DATE**

ORR 8.3% (3/36) DCR 47% (17/36) mPFS 4.1 months


#### **NEXT STEPS**

Continue to follow patients on study


#### **UPDATE EXPECTED**

4Q 2024

<sup>\*</sup>Microsatellite stable/microsatellite instability-low



## **NC410 Combo Timeline and Potential Catalysts**



# **Opportunity**

to Treat Large Unmet Needs

**ACTIVITY** 





**ADDITIONAL CLINICAL DATA 2024** 









## LNCB74

LEVERAGING OUR DEEP EXPERTISE IN B7-H4 AND COLLABORATION WITH LCB TO DEVELOP A DIFFERENTIATED THERAPEUTIC

IND 4Q 2024

#### **NOVEL APPROACH**

Unique antibody linker strategy Co-development partnership with LCB

#### PATIENT SELECTION STRATEGY

CLIA validated IHC biomarker assays

## B7-H4 ADC



LNCB74

#### Differentiated ADC



#### **DEEP EXPERTISE**

Significant B7-H4 experience LCB's substantial ADC know-how

#### THERAPEUTIC POSITIONING

Improved safety and efficacy

## **B7-H4** is the Next Target of Interest in Women's Cancer



## NextCure, LegoChem\* join big-league rivals in antibody-drug conjugate race

\*Currently known as LigaChemBio

Journal of Clinical Oncology Phase 1 study of SGN-B7H4V, a novel, investigational vedotin antibody-drug conjugate directed to B7-H4, in patients with advanced solid tumors (SGNB7H4V-001, trial in progress).



3810 First-in-human/phase I trial of HS-20089, a B7-H4 ADC, in patients with advanced solid tumors

Journal of Clinical Oncology\* XMT-1660: A phase 1b trial of a B7-H4 targeted antibody drug conjugate (ADC) in breast, endometrial, and ovarian cancers.



Pfizer shuffles its deck post-Seagen

The group's B7-H4-targeting bispecific is out, in favour of Seagen's ADC.



Abstract 2947: Preclinical evaluation of a novel B7-H4 targeted antibody-drug conjugate AZD8205 as a single agent and in combination with novel PARP inhibitor and checkpoint blockade



In 2nd big deal of the day, GSK inks \$1.4B pacy for Hansoh gynecology cancer asset

## Deep Expertise in B7-H4

# **Next**@ure

- Extensive publications
- Expertise in expression
- Repertoire of models
- Top-tier KOL collaborative network
- Validated patient selection assay





- Co-development partner since 2022
- Significant success advancing ADCs
- Differentiated linker technology

**Option to Develop Additional Targets** 

## LNCB74

## On Track for an IND Year-End 2024



### **COMPLETED**

- ✓ Potent pre-clinical activity in vitro and in vivo
- ✓ DRF & GLP tox studies safe and tolerable
- ✓ Favorable pre-IND feedback from FDA


### **ONGOING**

- GMP manufacturing
- Planning for Ph1



is dispersed

## LNCB74 Is an Anti-B7-H4 MMAE ADC





and specificity

## **Differentiating Glucuronidase & Other Linkers**

	Bloodstream	Tissues	Cancer Cell	Bystander Effect		
Glucuronidase Linker						
					Linker	Glucuronidase cleavable
3 4	Stable	No Toxicity			Payload	Tubulin inhibitor
					Conjugation	Site Specific
			<ul> <li>Efficient release of toxin</li> <li>Higher concentration</li> </ul>	Potent	DAR	4
Other Linkers	+ + Transfer to albumin			- Ment	Linker	Protease or esterase cleavable
36	Unstable	Toxicity		Brief	Payload	Tubulin or Topo-1 inhibitors
	Released by platelets & neutrophils				Conjugation	Site Specific or cysteine
			• Inefficient release of toxion • Lower concentration	1 Less potent	DAR	~4, 6, 8


## **Key Differentiating Features of Glucuronidase Linkers**






- Improved therapeutic index
- Higher efficacy
- Lower toxicity
- Less frequent dosing

## LNCB74 Shows Potent Anti-Tumor Activity in CDX and PDX Models



## **OVARIAN (OVCAR-3-B7-H4-OE)**

- No Treatment
- LNCB74 (6 mg/kg = 0.114 MMAE)




Single dose

## PDX

### **TNBC** (CTG-0012)

- No Treatment
- LNCB74 (1.5 mg/kg = 0.0275 MMAE)
- LNCB74 (4.5 mg/kg = 0.08 MMAE)



1.5 mg/kg: Q7D x 3

4.5 mg/kg: single dose

## LNCB74 on Track for 4Q 2024 IND

	TOX STUDY
Species	Cynomolgus
Dose	4, 7 & 10 mg/kg
Range	Q3W, i.v.
Evaluation	Toxicology profiling, pathology, hematology, immunotoxicology
Status	Complete



## **LNCB74 Ph1 Monotherapy Study Plans**







#### **DOSE ESCALATION**

- 5 dose cohorts
- Regimen Q3W
- N=65 subjects



Readout: Scans every 6 weeks
Endpoint: Safety

#### **DOSE EXPANSION**

- 2 dose cohorts
- 2 tumor types
- N=80 subjects
- Pre-treatment & on study biopsies



Readouts: Scans every 6 weeks

**Endpoints: Safety and ORR** 



## **LNCB74 Timeline and Potential Catalysts**



# **Opportunity**

# to Develop Differentiated B7-H4 ADC Therapeutic






IND

**PH1 INITIATION** 

# **Programs Available for Partnering**

PROGRAMS	TARGET	CELLS	DISCOVERY	PRECLINICAL	PHASE 1	PHASE 2	PHASE 3	NEXT MILESTONE
NC525	LAIR-1	Leukemia	Acute Myeloid	d Leukemia				Ph1a Data 4Q 2024
NC605	S15	Osteoclasts	Osteogenesis Imperfecta					Tox Studies
NC181	APOE4	Microglia & Neurons	Alzheimer's Disease					Master Cell Bank
FIND-ADC	New Targets	Tumor Cells	Oncology					Lead Selection

# **Anticipated 2024 Milestones**



**Next@ure** 

**Advancing Innovative** Medicines for Cancer



Differentiated **Programs** 

**ADCs** 

**Treatments for Non-Responders** 

# Nexteure

**APPENDIX** 

## 1087-001 CRC: Partial Response 71% Reduction in Sum of Target Lesions

BASELINE - 9.15.2023

WEEK 9 - 11.20.2023

WEEK 18 - 1.19.2024

TARGET **LESION 1** 

**Right Axillary** lymph node








**TARGET LESION 2** 

**Right Pelvic** lymph node







## 1110-003 CRC: Partial Response 59% Reduction in Sum of Target Lesions

BASELINE - 4.8.2023

WEEK 9 - 6.20.2023




Gastrohepatic lymph node









Paraaortic lymph node






# NC525 LAIR-1 MAB





- LAIR-1 is essential for AML development and cell survival
- Data defining MOA recently published (Lovewell RR et al., J Clin Invest 2023)
- Leukemia (AML)
- · High-risk myelodyplastic syndrome
- Chronic myelomonocytic leukemia
- Ph1 dose escalation study ongoing
- Phase 1a data 4Q 2024
- · Currently seeking partner

# NC605 SIGLEC-15 MAB




- Prevents bone loss
- Promotes bone formation
- Decreases fractures

- · Osteogenesis imperfecta
- Osteoporosis
- · Non-union fracture

- · Master cell bank available
- Initiating tox studies
- Currently seeking partner


# NC181 APOE4 MAB



- Reduces amyloid plaques
- Suppresses neuroinflammation
- Improves cerebrovascular function
- Alzheimer's disease
- Cerebral amyloid angiopathy (CAA)
- Parkinson's disease


- Master cell bank being generated
- Currently seeking partner

## FIND-ADC™ Technology Uniquely Unlocks New Targets for ADCs



Incremental payload and linker improvements to the **same pool of existing targets** (HER2, EGFR, FR $\alpha$ , TROP-2,CLDN18.2, BCMA, CD19)





Identifying new targets for ADCs that unlock novel products and value