


Forward-Looking Statements

We caution the reader that this presentation contains forward-looking statements that involve substantial risks and uncertainties. All statements other than statements of historical fact contained in this presentation are forward-looking statements. Forward-looking statements include, but are not limited to, statements regarding; our future results of operations and financial position; our business strategy; the anticipated timing, costs, design, goals and conduct of our ongoing and planned preclinical studies and clinical trials; the timing of release of data from our ongoing clinical programs and the announcement of new programs; the timing of additional cohorts to existing clinical trials; the characterization of data and results from preclinical studies and clinical trials, and conclusions drawn therefrom; research and development plans; plans and projected timelines for delpacibart etedesiran, formerly AOC 1001), delpacibart braxlosiran (del-brax, formerly AOC 1020) and AOC 1044; safety and tolerability profiles of our product candidates; functional and efficacy data demonstrated by our product candidates; the potential of the AOC platform and specific product candidates; the ability of our product candidates to treat rare diseases; timing and likelihood of success; product approvals; plans and objectives of management for future operations; collaborations with third parties and expected benefits therefrom; the partial clinical hold related to del-desiran; and cash position and our ability to fund our planned operations. In some cases, the reader can identify forwardlooking statements by terms such as "may," "will," "should," "expect," "plan," "anticipate," "could," "intend," "target," "project," "contemplates," "believes," "estimates," "predicts," "potential" or "continue" or the negative of these terms or other similar expressions. The inclusion of forward-looking statements should not be regarded as a representation by Avidity that any of our plans will be achieved. Actual results may differ from those set forth in this presentation due to the risks and uncertainties inherent in our business based on factors beyond our control, including, without limitation: we may not be able to fully resolve the partial clinical hold related to del-desiran; additional requests for data by the FDA or other regulatory authorities may result in significant additional expense and timing delays; data delivered to the FDA may not be satisfactory to the FDA; additional participant data related to our product candidates that continues to become available may be inconsistent with the data produced as of the most recent respective date cutoffs, and further analysis of existing data and analysis of new data may lead to conclusions different from those established as of such date cutoffs; unexpected adverse side effects or inadequate efficacy of our product candidates may delay or limit their development, regulatory approval and/or commercialization, or may result in additional clinical holds, recalls or product liability claims; we are early in our development efforts; our planned additional cohorts in the FORTITUDE trial may not support the registration of del-brax; our approach to the discovery and development of product candidates based on our AOC platform is unproven, and we do not know whether we will be able to develop any products of commercial value; the results of preclinical studies and early clinical trials are not necessarily predictive of future results; potential delays in the commencement, enrollment and completion of clinical trials, or of designations conferred by regulatory authorities; our dependence on third parties in connection with preclinical and clinical testing and product manufacturing; we may not realize the expected benefits of our collaborations with third parties, our existing collaborations may terminate earlier than expected or we may not be able to form new collaborations; regulatory developments in the United States and foreign countries, including acceptance of INDs and similar foreign regulatory submissions and our proposed design of future clinical trials; Fast Track or Breakthrough Designation by the FDA may not lead to a faster development or regulatory review or approval process; our ability to obtain and maintain intellectual property protection for our product candidates and proprietary technologies; we may exhaust our capital resources sooner than we expect and fail to raise additional needed funds; and other risks described under the heading "Risk Factors" in our Form 10-K for the year ended December 31, 2023, filed with the SEC on February 28, 2024, and in subsequent filings with the SEC. The reader is cautioned not to place undue reliance on these forward-looking statements, which speak only as of the date hereof. Except as required by applicable law, we do not plan to publicly update or revise any forward-looking statements contained herein, whether as a result of any new information, future events, changed circumstances or otherwise. All forward-looking statements are qualified in their entirety by this cautionary statement, which is made under the safe harbor provisions of the Private Securities Litigation Reform Act of 1995.

This presentation also contains estimates and other statistical data made by independent parties and by us relating to market size and growth and other data about our industry. This data involves a number of assumptions and limitations, and the reader is cautioned not to give undue weight to such estimates. In addition, projections, assumptions, and estimates of our future performance and the future performance of the markets in which we operate are necessarily subject to a high degree of uncertainty and risk. These and other factors could cause results to differ materially from those expressed in the estimates made by the independent parties and by us. This presentation shall not constitute an offer to sell or the solicitation of an offer to buy securities, nor shall there be any sale of securities in any state or jurisdiction in which such offer, solicitation or sale would be unlawful prior to registration or qualification under the securities laws of any such state or jurisdiction.





OUR VISION

To profoundly improve people's lives by revolutionizing the delivery of RNA therapeutics

Building a New Class of RNA Therapeutics

Well positioned for next phase of growth

PLATFORM

- AOC platform led to historical first-ever successful delivery of RNA to muscle with *del-desiran*; repeated with *del-brax* and AOC 1044 in healthy volunteers
- Expanding our therapeutic expertise, particularly in precision cardiology, through research collaborations and internal discovery efforts

WORLD CLASS TEAM OF RNA & RARE DISEASE **EXPERTS**

- Committed to innovative science matched by passion to improve people's lives
- Building an integrated and diverse company in service of our patients

STRONG FINANCIALS & INVESTOR CONFIDENCE

- Solid cash position of ~\$1.3 billion provides funding into mid 2027*
- Advancing our three clinical development programs for del-desiran, del-brax and AOC 1044 into pivotal studies and further expanding our AOC platform, including precision cardiology programs



Delivering in 2024: 3 Data Readouts in 3 Clinical Programs in 3 Rare Diseases

Del-desiran in **DM1**

>40,000 patients in U.S.



- MARINA-OLE[™] data (Q1 2024)
- Initiation of global Phase 3 HARBOR trial (Q2 2024)

Del-brax in **FSHD**

~16,000-38,000 patients in U.S.



Phase 1/2 FORTITUDE initial data (Q2 2024)

Initiate Phase 3 cohorts

- Biomarker cohort (2H 2024)
- Functional cohort (1H 2025)

AOC 1044 in **DMD44**

~900 patients in U.S.



Phase 1/2 EXPLORE44 5mg/kg patient data (Anticipated in Q3 2024)



Revolutionizing New Class of Targeted RNA Therapeutics

AOC platform delivers reproducible, consistent data across muscle disease programs

Rare Muscle Disease Therapies	Clinical Program	Safety & Tolerability	Delivery to Muscle	Target Engagement	Functional Improvement
Del-desiran Myotonic Dystrophy Type 1 (DM1)	MARINA° MARINA©LE™ HARB⊠R™				
Del-brax Facioscapulohumeral Muscular Dystrophy (FSHD)	FORTITUDE™				
AOC 1044 Duchenne Muscular Dystrophy (DMD44)	explore 44 [™]				




Delivering on the RNA Revolution


PROGRAM / INDICATION	TARGET	LEAD OPTIMIZATION	IND ENABLING	PHASE 1/2	PHASE 3
Myotonic Dystrophy Type 1 (DM1)	DMPK	Del-desiran™ (AOC 1001)			
(DIVIT)					HARB≝R™
Facioscapulohumeral	DUX4	Del-brax™ (AOC 1020)			
Muscular Dystrophy (FSHD)	uscular Dystrophy (FSHD)			FORTITUDE ™	
Duchenne Muscular	Exon 44		AOC 1044		
Dystrophy (DMD)	ZXOII II			explore 44	
DMD Exon 45	Exon 45				
Additional DMD Programs	Undisclosed				
Rare Skeletal Muscle	Undisclosed				
	To be				
Rare Precision Cardiology	disclosed in 2H 24				



Key to Our Success: Proprietary AOC™ Platform

Combining the specificity of mAbs with the precision of oligonucleotide therapies





MONOCLONAL ANTIBODIES

OLIGONUCLEOTIDE THERAPIES

ANTIBODY OLIGONUCLEOTIDE CONJUGATE (AOC)

AOC platform advantages:

- ✓ Ability to target new tissue and cell types beyond the liver
- ✓ Flexibility to select and deploy the most potent oligonucleotides (e.g., siRNAs, PMOs)
- ✓ Maximizes therapeutic durability, enabling infrequent dosing
- ✓ Readily reproducible and scalable



The Optimal AOC for Each Target

AOC COMPONENTS		DATA-DRIVEN COMPONENT CHARACTERISTICS	OUR ENGINEERING IMPACT	
mAb		Well-established safety profileHigh specificity and affinityLong half-life	Designed to be effector function nullEpitope selection designed for optimal activity	
Linker	- War	Known linkerApplicable to multiple oligo modalities	Enhanced for durabilityEngineered sites of conjugationOptimized ratio of oligonucleotides to mAbs	
Oligonucleotide	siRNA	Attractive safety profilesPotency in the nanomolar rangeSustained activity in the cytoplasm and nucleus	 Engineered to withstand lysosomal enzymes Selected and modified to diminish off-target effects 	
	PMO	Attractive safety profilePotency in the nanomolar rangeSustained activity	 Engineered for efficient delivery to muscle – increased drug to antibody ratio 	



Avidity Is Opening the Possibilities of RNA Delivery

First-ever company to demonstrate successful targeted delivery of RNA to muscle

2021 **Today First AOC Dosed in Humans** 2024 and Beyond Past 30 Years **RNA Therapeutics** Skeletal **Immunology** Muscle mAb OLIGO **Precision** Other **Focused Cardiology Indications** on delivery to the **AOC** liver or local delivery





Del-desiran Program for Myotonic Dystrophy Type 1 (DM1)

"Some days I don't have the energy to take another step."

— Karin, living with DM1

DM1: Significant Patient Burden and Unmet Need

>40,000
PEOPLE WITH DM1 IN THE US




- Underrecognized, progressive & often fatal neuromuscular disease that primarily affects skeletal, cardiac & smooth muscle
- Increases in severity from generation to generation
- Significant impact on quality of life
- Del-desiran is designed to address root cause of DM1





Del-desiran Designed to Address Underlying Cause of Myotonic Dystrophy by Liberating Free MBNL



MARINA® MARINA

Video Hand Opening Time (vHOT)



MYOTONIA

Hand Grip Muscle Testing

STRENGTH



Quantitative

DM1-Activ



ACTIVITIES OF DAILY LIVING

MBNL sequestered by CUG repeats of mutant **DMPK**

Del-desiran (AOC 1001) treatment Reduced mutant **DMPK**

*Del-desiran (AOC 1001) Leads to Dose-dependent increase in MBNL



Recent del-desiran Program Updates

- Initiated global Phase 3 HARBORTM trial of *del-desiran* for myotonic dystrophy type 1 (DM1)
- In May 2024, received Breakthrough Therapy designation from the FDA for *del-desiran* for the treatment of DM1
- Secured regulatory agreement with FDA, EMA and other global regulatory authorities on the Phase 3 HARBORTM trial design
- All MARINA-OLETM study participants moving to 4 mg/kg of *del-desiran*
- In March 2024, presented first-look at long-term efficacy and safety data from MARINA-OLE™ trial in people living with DM1 at MDA Clinical & Scientific Conference
 - Data from MARINA-OLETM showed reversal of disease progression in multiple functional measures in people living with DM1 compared to END-DM1 natural history data
 - Data demonstrated consistent and durable improvements in myotonia, muscle strength and activities of daily living in people with DM1 in new long-term data from MARINA-OLETM








March 2024

HARB®R[™] Initiating Global Phase 3 Study

- Initiated Phase 3 HARBORTM Study
- FDA, EMA and other global regulatory authorities in agreement on study design
- HARBORTM study designed for efficiency and speed of execution






HARB®R[™] Phase 3 Trial: Design & Objectives

Optimized for efficiency and speed of execution

Pivotal Study Design

- 4 mg/kg every 8 weeks; first dose of 2 mg/kg
- N=150; Ages 16+
- 1:1 randomization
- Primary analysis at Week 30; Placebo-control out to week 54
- Participants eligible to roll-over into an open label extension
- ~40 global sites












March 2024

Phase 1/2 MARINA® and MARINA-OLE™ Trial Design



- In MARINA, one participant receiving 4 mg/kg del-desiran discontinued treatment due to SAE
- All eligible participants (N=37) have enrolled in the MARINA-OLE™



MARINA LE™ Favorable Long-term Safety and Tolerability

Over 265 infusions of del-desiran totaling 61.1 patient-years of exposure

MARINA-OLE TM	Number (%) with AE N=37	
Subjects with ≥ 1 AE		
Any AE	35 (94.6%)	
AE related to study drug	9 (24.3%)	
Unrelated serious AE (SAE)	4 (10.8)	
SAE related to study drug	0	
AE leading to treatment discontinuation	0	
AE leading to death	0	

MARINA

- All 37 participants enrolled remain on study
- All related AEs were mild or moderate
 - Most common related AEs reported in 2 or more participants:
 - Nausea
 - Headache
 - No discontinuations
 - No study drug related SAEs; unrelated SAEs are consistent with DM1



END-DM1 Natural History Study: Understanding DM1 Disease Progression

- Ongoing non-interventional NHS aimed to advance the understanding of disease progression in DM1 patients
- Focuses on clinical outcome assessments to support development of therapies for DM1
- 700 patient, 2-year study, ~ 20 centers
- Designed and run by the Myotonic Dystrophy Clinical Research Network (DMCRN)
- Supported by FDA, MDA, MDF; Avidity is one of several sponsoring organizations



END-DM1 Data Informed Design of the MARINA® & Phase 3 HARBOR Trials

Presenting one-year data for the first time today



Same endpoints measured



Clinical trial sites overlap with MARINA® & HARBOR



Contemporary data set based upon standard of care




Hundreds of patients with at least one-year of follow-up in END-DM1 natural history study



Del-desiran: Reversal of Disease Progression as Measured by MARINA-OLE™ vs. Natural History

Key endpoints to be used in pivotal HARBOR study






Thanks to END-DM1 physicians for reviewing and approving use of this Avidity analysis; END-DM1 subpopulation matched to MARINA[®] (n \sim 60) In MARINA-OLE[™] data 4 mg/kg, n=12 for vHOT, QMT composite, hand grip; n=11 for DM1-Activ

PPN = Percent predicted normal CNTL= percentile

Del-desiran: Long-term Improvement in Myotonia Measured by video hand opening time (vHOT) in MARINA® and MARINA-OLE™




MARINA® data statistically significant at all assessment time points*



Del-desiran: Long-term Improvement in Myotonia Measured by video hand opening time (vHOT) in MARINA® and MARINA-OLE™



Baseline vHOT



MARINA-OLE™ (1 year of 4 mg/kg)









Del-desiran: Long-term Improvement in Muscle Strength

Measured by Hand Grip and Quantitative Muscle Testing in MARINA® and MARINA-OLE™



Del-desiran: Long-term Improvement in Activities of Daily Living

Measured by DM1-Activ Patient Reported Outcomes in MARINA® and MARINA-OLE™






MARINA-OLE[™] Data Summary

Potential of del-desiran to be a transformational therapy for DM1 patients

- Del-desiran 4 mg/kg
 - Demonstrated favorable long-term safety and tolerability
 - Showed reversal of disease progression in MARINA® and MARINA-OLE™ compared to END-DM1 natural history data
 - Provided consistent and durable improvements in multiple clinical endpoints
- Global Phase 3 HARBOR[™] trial initiated





Patient Experiences: Impact of *del-desiran* on their life MARINA≪LE™

I started this drug in June and like, two weeks after I took the first infusion, I went to open up a pop bottle, which I never would've been able to do. It was a twist pop bottle...and it opened right up.

My strength was better, my outlook was better, my hands were working.

I had more strength, and I could stretch them out. I could **open things and I could turn door knobs** and all these things that were harder.

Like, my **upper arm strength was better**. I could **walk better**.

I didn't need to wear my neck brace all the time and everything just improved a lot.

Before the study I couldn't stand on my toes and since I've been going back to working out, I can actually stand on my toes again. So hopefully building up some strength.

The myotonia, if I would make a fist, I wouldn't be able to open my hand...I was able to squeeze my fist and open my hand with no problems.

My tongue would cramp up when I would speak, and I have not had any signs of that happening since the very first dose.







Patient Experience: Impact of del-desiran on their life MARINA LE™

I've noticed a really big difference in the fact that I used to be a really active person before I got more symptomatic. After a few rounds of the infusion, I've actually been able to **get back to the gym and start working out**, working with a trainer. That's all because **my mobility has definitely increased.** My **range of motion has also increased.**

I think that it's amazing that when I was diagnosed, I was told there's no treatment, no cure. The study has **given me a lot of hope**. I would love for that to be able to be shared with other people in the community who have DM1.





Delivering on DM1



- ✓ Initiation of global Phase 3 HARBOR trial Complete
- ✓ FDA Breakthrough Therapy designation Complete
- ✓ First look at MARINA-OLE long-term efficacy and safety data - Complete
- ✓ Demonstrated first-ever successful targeted delivery of RNA to muscle Complete
- ✓ FDA & EMA Orphan Drug designation Complete
- ✓ FDA Fast Track designation Complete





Del-brax (AOC 1020) Program for Facioscapulohumeral Muscular Dystrophy (FSHD)

"Living with FSHD feels like an imprisonment in your own body."

— Amy, Living with FSHD

Facioscapulohumeral Muscular Dystrophy (FSHD)

Rare, hereditary disorder causing relentless loss of muscle function and progressive disability

~16,000 - 38,000

PEOPLE WITH FSHD IN THE US

O APPROVED THERAPIES

- One of the most common forms of muscular dystrophy
- FSHD causes progressive muscle weakness, pain, fatigue and disability
- Onset typically occurs in teenage or early adult years
- Steady loss of independence and ability to care for oneself
 - 20% of patients become wheelchair dependent
- Autosomal dominant multiple generations can be affected
 - 20-30% arise from spontaneous mutations
- Del-brax: designed to address root cause of FSHD by directly targeting double homeobox 4 (DUX4)




Russell Living with FSHD




Del-brax: Targets DUX4, the Root Cause of FSHD

Targets aberrant expression of DUX4 mRNA for destruction

FSHD disease pathology^{1,2}



Del-brax Therapeutic Hypothesis



Halt FSHD Progression



¹ Lemmers RJLF, et al. Science 329:1650–1653 (2010)

² Snider L, et al. PLoS Genet. 2010;6(10):e1001181;



Phase 1/2 FORTITUDETM del-brax (AOC 1020) Data in People Living with FSHD Presented at the FSHD Society International Research Congress (IRC)

June 2024

Del-brax: Transforming the Treatment of FSHD

First-in-class and best-in-class: greater than 50% reduction in DUX4 regulated genes

Unprecedented & Consistent Reduction in DUX4 Regulated Genes	Signs of Functional Improvement and Reported Outcomes	Favorable Safety and Tolerability
 Greater than 50% reduction across multiple DUX4 gene panels 	Improved muscle strengthIncreased reachable workspace	All adverse events (AEs) were mild or moderate
All treated participants showed reductions greater than 20%	compared to placebo and natural history study	No serious AEs, No severe AEsNo discontinuations
 Reduction of a newly-identified DUX4 circulating biomarker & creatine kinase 	Positive patient and clinician reported outcomes	TWO discontinuations

Accelerating *Del-brax* Toward Approval





Accelerating Del-brax Registrational Plan

Pulling forward registrational cohorts





^{*} Participants receive a first dose of 1mg/kg and then receive the 2mg/kg dose for the remainder of the study



^{**}Dose and schedule to be determined in Q3 2024

Del-brax: Favorable Safety and Tolerability

Subjects with ≥ 1 AE n (%)	Placebo N=13	2 mg/kg* N=8	4 mg/kg N=18
Any AE	11 (84.6%)	8 (100%)	17 (94.4%)
Related to study drug	3 (23.1%)	4 (50%)	9 (50%)
Severe AE	0	0	0
Serious AE (SAE)	0	0	0
AE leading to study discontinuation	0	0	0
AE leading to death	0	0	0

As of May 2024, data from FORTITUDE

All 39 patients enrolled remain in study

- No serious adverse events (AE), no severe AE
- No discontinuations
- All AE were mild or moderate
- Most common related AE occurring in 2 or more participants:
 - Fatigue
 - Rash
 - Hemoglobin decreased/anemia
 - Chills





Phase 1/2 FORTITUDE™ Trial Overview & Objectives

Key Information

- Randomized, double blinded, placebo controlled
- Multiple dose
- N=39; Ages 18-65
- Follow-up of up to 12 months
- Biopsies in all cohorts

Stages

Phase 1/2

- Part A: 2 mg/kg single-cohort dose titration*
- Part B: 4 mg/kg dose cohort**

Planned Phase 3 Cohorts

- Part C: Biomarker[#]
- Part D: Functional^{##}

Primary & Secondary Objectives

- Safety and tolerability of ascending doses of *del-brax* in participants with FSHD
- Pharmacokinetics

Key Exploratory Objectives

- Pharmacodynamics
 - Biomarkers
- Measures of clinical activity
 - Muscle strength
 - Muscle function
 - Muscle composition (MRI)
- Patient and Clinician reported outcomes



^{*}First dose at 1 mg/kg; all subsequent doses at 2 mg/kg – Enrollment Complete




^{**}Enrollment Complete

^{*}Planned 2H24

^{##}Planned 1H25

Del-brax: Consistent and Effective Delivery of siRNA to Muscle







DUX4-Regulated Genes Selected for Robustness and Reproducibility

Procured muscle biopsies, RNA sequencing, patient-derived cells informed the panel

RNA sequencing from healthy muscle biopsies

RNA sequencing from FSHD muscle biopsies

FSHD patient derived cells

Scientific Literature¹

Validated qPCR assay

Avidity Gene Panel

LEUTX

TRIM43

KHDC1L


MBD3L2





Del-brax Demonstrates Meaningful 53% Reduction in DUX4-regulated Genes

All del-brax treated participants showed reductions > 20% in DUX4 regulated genes



- All *del-brax* treated participants showed greater than 20% reduction in DUX4 regulated genes
- All muscle biopsies had evaluable DUX4 gene signatures at all timepoints
- MRI-informed muscle biopsies were successful

Doses were 1 mg/kg (D1), 2 mg/kg (D43 and D92) with biopsy 1 month after 3rd dose.






¹ Avidity 4-Gene panel (LEUTX, TRIM43, MBD3L2, KHDC1L, Reference genes: TBP, STATA5)

^{*} DUX4 score in MRI informed muscle biopsy were determined utilizing gPCR (Avidity panel). DUX4 score calculated as cumulative expression of each gene and data presented as change at 4M treatment relative to cohort normalized baseline. Mean +/- SEM, N=7 del-brax, N=4 PBO. One participant in treated group did not receive post-treatment biopsy.

Del-brax Shows Consistent >50% Reductions in DUX4-regulated Genes as Measured by Multiple Gene Panels



¹ Avidity 4-Gene panel (LEUTX, TRIM43, MBD3L2, KHDC1L; Reference genes: TBP, STATA5)



² ReDUX4 6-Gene panel (CCNA1, ZSCAN4, MBD3L2, KHDC1L, SLC34A2, PRAMEF6); Tawil, R. et al., *Lancet Neurol* **23**:477 (2024)


³ Van den Heuvel, A. et al., *Scientific Reports* **12**:1426 (2022)

^{*} DUX4 score in MRI informed muscle biopsy were determined utilizing qPCR (Avidity panel) or RNASeq (ReDux and 41-Gene). DUX4 score calculated as cumulative expression of each gene and data presented as change at 4M treatment relative to cohort normalized baseline. Mean +/- SEM, N=7 *del-brax*, N=4 PBO. One participant in treated group did not receive post-treatment biopsy.

[#]Doses were 1 mg/kg (D1), 2 mg/kg (D43 and D92) with biopsy 1 month after 3rd dose.

Del-brax Impacts Underlying FSHD Disease Biology

Broad biological effects following del-brax treatment







Circulating Biomarkers Provide Early Detection of Whole-Body Response to *Del-brax* Treatment

Muscle Biopsy



- Sampling of single muscle
- Limited timepoints
- Invasive

Circulating Biomarker



- Comprehensive assessment throughout body
- Continuous monitoring
- Patient friendly



Novel DUX4-Regulated Circulating Biomarker

Potential accelerated approval endpoint

Multi-year Discovery Process





Plasma from FSHD & Healthy Volunteers



Advisors & Disease Expertise

Novel DUX4-Regulated Circulating Biomarker

Potential Accelerated Approval Endpoint


- Significantly elevated in patients with FSHD as compared to healthy individuals
- Allows rapid and continuous monitoring of how participants are responding to *del-brax*
- Non-invasive, patient-friendly
- Guides selection of dose regimen




Consistent and Confirmatory Decrease in Both Novel and Creatine Kinase Circulating Biomarkers

Decreases in creatine kinase, an indicator of muscle damage

Novel DUX4-regulated biomarker




Creatine kinase biomarker







Del-brax Improved Muscle Strength in Both Upper and Lower Limb








Del-brax Improved Reachable Workspace Compared to Placebo

Improved range of motion and function; similar trends observed without weight








Del-brax Improved Reachable Workspace Compared to Matched Natural History Data

Reachable Workspace Q1-5; Dominant Arm; Weight: 500 g





Thanks to RESOLVE physicians for reviewing and approving use of this Avidity analysis. RESOLVE subpopulation matched to FORTITUDE (age 18-65, FCS 2-14, RWS (no weight) Q1+3 > 0 and \leq 0.4)

Q1-5; Dominant Arm; 500 g

RSA (Relative Surface Area) (Mean ±SEM)




[^]One patient excluded from AOC 1020 "dominant arm" group due to rotator cuff tear and clavicle fracture which occurred after the Baseline assessment;

^{*} Participants receive a first dose of 1mg/kg and then receive the 2mg/kg dose for the remainder of the study

Del-brax: Positive Trends Toward Improvement in Both Patient and Clinician Reported Outcome Measures


Patient Reported Outcome Measures


Change from Baseline at Month 4 (SEM)



Clinician Reported Outcome Measures

Change from Baseline at Month 4 (SEM)







Collaboration with FSHD Community to Advance New Treatment Options



Patients and their families are at the heart of everything we do

- Actively working with and supporting FSHD advocacy groups
- Investing in gaining a deep understanding of patient and caregiver perspectives and journey with FSHD
- Continually seeking community input throughout the drug development process to best meet patient needs
- Collaborating with community leaders to address gaps in support services and resources
- Supporting natural history studies with FSHD Clinical Trial Research Network (ReSolve, MOVE-FSHD and MOVE+ studies)
















Delivering on FSHD



- ☐ Initiation of Phase 3 Functional Cohort (1H 2025)
- ☐ Initiation of Phase 3 Biomarker Cohort (2H 2024)
- ✓ FORTITUDE initial data in participants living with FSHD – Complete
- ✓ Completion of enrollment for Cohorts A & B in FORTITUDE trial **Complete**
- ✓ FDA & EMA Orphan Drug designation Complete
- ✓ FDA Fast Track Designation Complete





AOC 1044 Program for Duchenne Muscular Dystrophy (DMD)

"My advice to any other family dealing with this is to take it day by day, do as much research as possible, and connect with others. I hope that someday there will be a cure for DMD, and no other family will have to go through this"

— Brad, Nathan's Father, DMD Advocate

DMD: Characterized By Progressive Muscle Damage and Weakness

~10,000 - 15,000

PEOPLE WITH DMD IN THE US SIMILAR PREVALENCE IN EUROPE



APPROVED THERAPIES FOR DMD44


- Monogenic, X-linked, recessive condition characterized by progressive muscle damage and weakness
- Primarily affects males, loss of ambulation by teenage years
- Significantly reduced life expectancy
- Caused by mutations in the DMD gene, which encodes for the dystrophin protein
 - ~ 7% of DMD skip-amenable patients have mutations amenable to exon 44 skipping (DMD44)
 - ~900 with DMD44 in US (ultra rare)
- AOC 1044: designed to specifically skip exon 44 of dystrophin gene to enable dystrophin production





Phase 1/2 EXPLORE44 Trial Design







Phase 1/2 AOC 1044 Healthy Volunteer Data




- In Q3 2024, planning to share 5 mg/kg cohort data from the Phase 1/2 EXPLORE44™ trial of people living with Duchenne muscular dystrophy mutations amenable to exon 44 skipping (DMD44)
- In December 2023, announced positive AOC 1044 data in healthy volunteers
 - Delivered unprecedented concentrations of PMO into skeletal muscle
 - Up to 50-times greater concentrations of phosphorodiamidate morpholino oligomers (PMO) in skeletal muscle following a single dose compared to peptide conjugated PMOs in healthy volunteers*
 - Demonstrated statistically significant exon 44 skipping compared to placebo in healthy volunteers and increased exon skipping in all participants
 - Up to 1.5% exon skipping after a single dose of 10 mg/kg AOC 1044
 - AOC 1044 was well tolerated



AOC 1044 Delivered Unprecedented Dose-dependent Concentrations of PMO in Skeletal Muscle in Healthy Volunteers

Achieved PMO Muscle Concentrations well above those that produce dystrophin in preclinical models




PMO44 muscle tissue concentrations were determined utilizing HPLC. N=8/cohort except for 10 mg/kg (n=7) where a single participant did not have a Day 29 biopsy. Doses expressed as PMO component.



*Based on PKPD modelling of a mouse active AOC (utilizing PMO44) in a human DMD exon 45 del/mdx mouse model

AOC 1044 Provides Statistically Significant Exon 44 Skipping of Up to 1.5% After Single Dose in Healthy Volunteers explore

AOC 1044 increased exon skipping in all participants compared to placebo





Exon skipping was determined using ddPCR at Day 29 post dose. Data presented as a boxplot: 25th and 75th quartiles, line represents mean with 5% and 95% confidence interval. N=4 (PBO), N=8 (5 mg/kg), N=7 (10 mg/kg, a single participant did not have a Day 29 biopsy). Doses expressed as PMO component.

AOC 1044 Well Tolerated in Healthy Volunteers

Summary of Treatment Emergent Adverse Events (TEAEs)*



Subjects with ≥ 1 AE n (%)	Placebo N=8	1.5 mg/kg N=6	3.0 mg/kg N=6	5.0 mg/kg N=8	10 mg/kg N=8	Total AOC 1044 N=28
Any AE	2 (25%)	0	3 (50%)	6 (75%)	7 (88%)	16 (57%)
AE related to study drug	0	0	2 (33%)	3 (38%)	5 (63%)	10 (36%)
Serious AE (SAE)	0	0	0	0	0	0
Severe AE	1 (13%)	0	0	0	0	0
AE leading to discontinuation of infusion	0	0	0	0	0	0
AE leading to death	0	0	0	0	0	0

AOC 1044

- All TEAEs mild or moderate
- No serious or severe TEAEs
- No symptomatic hemoglobin changes
- No hypomagnesemia
- No renal events

Placebo Group

 One severe adverse event in placebo group

^{*}Data as of 23 October 2023; trial ongoing



Collaboration with DMD Community to Advance New Treatment Options



Patients and their families are at the heart of everything we do

- Deepening our understanding of the patient and caregiver journey with ongoing discussions
- Engaging with community to better understand challenges and opportunities in drug development
- Continually seeking community input to best meet patient needs and inform trial design and participant support services
- EXPLORE44™ and extension study designed for potential accelerated approval













Delivering on DMD



- EXPLORE44 patient data **Q3 2024**
- Preclinical development of additional DMD programs - Ongoing
- ✓ Reported EXPLORE44 healthy volunteer data Complete
- ✓ Initiated enrollment of participants with DMD44 in EXPLORE44 **Complete**
- ✓ FDA Rare Pediatric Disease Designation Complete
- ✓ FDA & EMA Orphan Drug designation Complete
- ✓ FDA Fast Track designation Complete



Expanding Use of AOCs Beyond Skeletal Muscle

Industry-leading partners validate broad potential of AOC platform; including precision cardiology and immunology

PRECISION CARDIOLOGY

Bristol Myers Squibb

Global licensing & research collaboration focused on up to five cardiovascular indications

Expansion of our Bristol Myers Squibb/MyoKardia single target research arrangement

\$100M up-front plus potential for ~\$2.2B

\$60M upfront payment

\$40M equity investment at a 40% premium

Up to ~\$1.35B in R&D milestone payments, up to ~\$825 million in commercial milestone payments and tiered royalties on net sales

IMMUNOLOGY



Global licensing & research collaboration focused on immunology and other select indications

Up to \$405M

Potential milestone payments per target, plus midsingle to low double-digit tiered royalties



The Experience to Deliver a New Class of RNA Therapeutics

AVIDITY MANAGEMENT TEAM



Sarah Boyce President & CEO



W. Michael Flanagan, PhD Chief Scientific & Technical Officer



Eric Mosbrooker Chief Strategy Officer



Art Levin, PhD Distinguished Scientist & Strategic Leader



Michael MacLean Chief Financial & Business Officer



John Wallen III, PhD, JD General Counsel



Steve Hughes, MD Chief Medical Officer



Teresa McCarthy Chief Human Resources Officer



Kath Gallagher SVP, Global Program Head DM1



organ vo









BOARD OF DIRECTORS

Troy Wilson, PhD, JD Chairman & Avidity Founder, CEO of Kura Oncology

> **Carsten Boess Board Member**

Noreen Henig, MD **Board Member**

Edward Kaye, MD CEO & Director, **Stoke Therapeutics**

> Jean Kim **Board Member**

Simona Skerjanec Board Member

Tamar Thompson VP, Govt. Affairs and Policy, Alexion Pharmaceuticals

> **Sarah Boyce** President & CEO. **Avidity Biosciences**

Art Levin, PhD Distinguished Scientist & Strategic Leader, **Avidity Biosciences**





(NOVARTIS

Genentech

IONIS







Solid Cash Position – Funded Into mid 2027

Q1 2024 financial results

In millions	Q124	Q423	Q123	Q124 vs Q423	Q124 vs Q123
Collaboration revenue	\$3.5	\$2.2	\$2.2	\$1.4	\$1.3
R&D expenses	66.8	52.8	47.8	14.0	19.1
G&A expenses	13.9	16.1	12.1	(2.2)	1.8
Total operating expenses	80.7	68.9	59.8	11.8	20.9
Loss from operations	(77.2)	(66.7)	(57.6)	(10.4)	(19.6)
Other income/expenses, net	8.3	6.3	5.2	2.0	3.1
Net loss	(68.9)	(\$60.4)	(\$52.4)	(8.4)	(\$16.5)
In millions	Q124	Q423			
Cash, cash equivalents and marketable securities	\$915.9	\$595.4	_		

Solid cash position with ~\$1.3 billion providing funding into mid 2027*

Advancing our three clinical development programs for *del-desiran*, *del-brax* and AOC 1044 into pivotal studies and further expanding our AOC platform, including precision cardiology programs



^{*} Includes receipt of \$433M net proceeds raised in upsized public offering which closed on June 17, 2024